



®

**SAMSON**

*Lighting your imagination*

LED LIGHTING

2018-19 PRODUCT CATALOGUE



*Eco-friendly for a million better dawns to come*




## *Lighting Your Imagination*

Futuristic lighting solutions created out of the beauty, form, and function of the element “light”. Samson Lighting has been India’s pioneer in the field of lighting with over five decades of innovation and energy saving developments.

With 50 years of expertise service, we deliver incomparable product quality standards with quick and efficient delivery systems to achieve consumer satisfaction. The complete process starting from product conception to in-house component manufacturing and testing undergo multi-stage checks to assure outstanding product quality.

Partnering with quality brands like Cree, Edison, Meanwell and Bridgelux for components, we ensure that the final product holds the value that our brand promises. Our range of 3000 products ensure that we cater to all possible service areas be it home or commercial spaces, indoor or outdoor, and even underwater.

Powered by the proficient combination of dynamic professional management, dedicated dealer networks and technically strong sales team- we at Samson thrive towards innovation that aids in satisfying all our customers by surpassing their expectations. Reinforced with the coordinated contribution of the after sales and installation partners, we are India’s one of the leading smart lighting solutions experts.





## Index



### Product Category      Page Numbers

#### LED LIGHTS

Led Lamps	9 to 18
Led Spot Lights	19 to 22
Led Cob Eco Series	23 to 24
Led Cob Slim Series	25 to 26
Led Cob Prime Series	27 to 30
Led Cob Wall Washer	31 to 32
Led Cob Rhodium Series	33 to 37
Led Cob Downlighters	38 to 39
Led PI Series	40
Led Pi Surface	41
Led Panels	42 to 44
Led Sclass Panels	45 to 48
Led Eclass Panels	49 to 52
Led Cclass Panels	53 to 55
Led Trimless Panels	56 to 57
Led Laser Panels	58 to 59
Led Magik Panels	60
Led X1 Panels	61
Led Panel Drivers	62
Led Surface Spots	63 to 66
Led Surface Cob	67 to 68
Led Surface Micra	69
Led Indoor Fixtures	70 to 85
Led Suspended Fixtures	86 to 89
Led Track Spots	90 to 93
Tracks and Accessories	94
Led Profiles	95 to 101
Led Strips Low Voltage	102 to 104
Led Strips 220v/Rope	105 to 106
Led Rigid Strips	107
Led Strip Constant Voltage Drivers	108 to 109
Led Neon Flex Rope	110 to 111
Led Tubes	112
Led T5 Primo Series	113 to 115
Led Fancy T5/T8 Tube Fixtures	116 to 119
Led Outdoor Eco Plastic Fixtures	120 to 123
Led Outdoor Wall Washer/ Spikes	124 to 126
Led Outdoor Fixtures	127 to 148
Led Flood Lites	149 to 150
Led Aclass Flood Lites	151
Led Black Pearl Flood Lites	152
Led Multi Functional Flood Lites	153
Led Eclass Flood Lites	154
Led Street Lights	155 to 156
Led Street Lights with Pole	157
Led Bollards	158 to 164
Led Pollards	165
Led Underground Fixtures	166 to 167
Led Underwater Fixtures	168 to 169
Led Glow Signs/ Exit Board	170
Led Medium and High Bays	171
Led Table Lamps	172
Led Ceiling Fans	173 to 174

#### FIXTURES

SS Rust Proof Garden Lights	177-181
Garden Spike Lamps	182
Garden Water Proof	183
Outdoor Fixture Bulkhead	184
Underground / Burial Drive over	185
Outdoor Fixture Wall Concealed	186
PMMA Acrylic Suspended Doom	187
Flood Light Halogen Fittings	188
T5 Linkable Fixture	189
T5 Tubular Lamps	190-191
PAR Halogen Lamps	192
Sensor and Remote	193
Pole Lights	194-195

#### LAMPS AND ACCESSORIES

Capsule Halogen Lamps	197
Circular Tubes	198
Candle & Round Lamps	199-201
Linear Halogen Lamps	202
Metal Halide Lamps	203
Mosquito Fittings	204
MH ALU ECO Tray	205
UV Lamps	206

#### EXHAUST FAN

Plastic Exhaust fans	209
Axial Fans	210

## OUR PORTFOLIO

LED LIGHTS

FIXTURES

LAMPS & ACCESSORIES

EXHAUST FANS



A nighttime photograph of a city skyline across a body of water. The sky is dark with a large, bright full moon in the upper center and scattered white clouds. The city lights are reflected on the water's surface. The text "Lighting Your Imagination" is written in a white, cursive font across the middle of the image.

*Lighting Your Imagination*



## LED LAMPS

*Lit and LED by the pioneers of lighting solutions*





Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SMRLL210 -3W LED CANDLE WARM WHITE	3W	55	35	E14	300	W	1
SLEDLMP1027-7W MR16 BASE LAMP WHITE	7W	47	50	MR16	560	W	2
SLEDLMP1028-7W MR16 BASE LAMP W/WHITE	7W	47	50	MR16	560	WW	2
SLEDLMP1029-7W GU10 BASE LAMP WHITE	7W	57	50	GU10	560	W	3
SLEDLMP1030-7W GU10 BASE LAMP W/WHITE	7W	57	50	GU10	560	WW	3
SLEDLMP1088- 6W LED E27 HIBRITE CANDLE W/WHITE	6W	100	37	E27	510	WW	4
SLEDLMP1089-6W LED EDISON LAMP WARMWHITE	6W	100	37	E27	510	WW	5
SLEDLMP1090-15W LED SR111 LAMP WARM WHITE	15W	70	111	SR111	1350	WW	6



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLMP1068-4W LED HIBRITE GLS LAMP WHITE	4W	70	50	B22	340	W	1
SLEDLMP1069-4W LED HIBRITE GLS LAMP WARM WHITE	4W	70	50	B22	340	WW	1
SLEDLMP1051-6W LED HIBRITE GLS LAMP WHITE	6W	75	50	B22	510	W	1
SLEDLMP1052-6W LED HIBRITE GLS LAMP WARM WHITE	6W	75	50	B22	510	WW	1
SLEDLMP1049-2.5W LED G4 ECO LAMP WARM WHITE	2.5W	40	12	G4	210	WW	2
SLEDLMP1050-3W LED G9 ECO LAMP WARM WHITE	3W	50	15	G9	250	WW	3
SLEDLMP1053-7W LED COB PAR 20 LAMP WHITE	7W	100	65	E27	700	W	4
SLEDLMP1054-7W LED COB PAR 20 LAMP WARM WHITE	7W	100	65	E27	400	WW	4
SLEDLMP1055-12W LED COB PAR 30 LAMP WARM	12W	120	95	E27	1200	WW	4
SLEDLMP1056-7W LED COB MR16 LAMP WHITE	7W	58	50	MR16	630	W	5
SLEDLMP1057-7W LED COB MR16 LAMP WARM WHITE	7W	58	50	MR16	630	WW	5
SLEDLMP1058-7W LED COB GU10 LAMP WHITE	7W	58	50	GU10	630	W	6
SLEDLMP1059-7W LED COB GU10 LAMP WARM WHITE	7W	58	50	GU10	630	WW	6



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLMP1060-7W LED COB B22 LAMP WHITE	7W	55	50	B22	630	W	1
SLEDLMP1061-7W LED COB B22 LAMP WARM WHITE	7W	55	50	B22	630	WW	1
SLEDLMP1062-7W LED COB E27 LAMP WHITE	7W	55	50	E27	630	W	2
SLEDLMP1063-7W LED COB E27 LAMP WARM WHITE	7W	55	50	E27	630	WW	2
SLEDLMP1064-7W LED COB E14 LAMP WHITE	7W	72	50	E14	630	W	2
SLEDLMP1065-7W LED COB E14 LAMP WARM WHITE	7W	72	50	E14	630	WW	2
SLEDLMP1067-4W LED FILAMENT TYPE LAMP E14 WARM	4W	72	50	E14	360	WW	3
SLEDLMP1070-5W LED E14 MINI LAMP	5W	55	15	E14	440	WW	4
SLEDLMP1079-5W LED KRISTAL BRIGHT B22 WHITE	5W	60	50	B22	300	W	5
SLEDLMP1080-5W LED KRISTAL BRIGHT B22 W/WHITE	5W	60	50	B22	300	WW	5
SLEDLMP1081-5W LED KRISTAL BRIGHT E27 WHITE	5W	106	60	E27	300	W	6
SLEDLMP1082-5W LED KRISTAL BRIGHT E27 W/WHITE	5W	106	60	E27	300	WW	6
SLEDLMP1071-10W LED KRISTAL BRIGHT B22 WHITE	10W	106	60	B22	600	W	5
SLEDLMP1073-10W LED KRISTAL BRIGHT B22 W/WHITE	10W	106	60	B22	600	WW	5
SLEDLMP1075-10W LED KRISTAL BRIGHT E27 WHITE	10W	106	60	E27	600	W	6
SLEDLMP1077-10W LED KRISTAL BRIGHT E27 W/WHITE	10W	106	60	E27	600	WW	6



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLMP1072-14W LED KRISTAL BRIGHT B22 WHITE	14W	110	60	B22	840	W	1
SLEDLMP1074-14W LED KRISTAL BRIGHT B22 W/WHITE	14W	110	60	B22	840	WW	1
SLEDLMP1076-14W LED KRISTAL BRIGHT E27 WHITE	14W	110	60	E27	840	W	2
SLEDLMP1078-14W LED KRISTAL BRIGHT E27 W/WHITE	14W	110	60	E27	840	WW	2
SLEDLMP1083- 4W LED E27 HIBRITE GLS WARM WHITE	4W	70	50	E27	340	WW	3
SLEDLMP1084- 4W LED E14 HIBRITE GLS WARM WHITE	4W	70	50	E14	340	WW	3
SLEDLMP1085-6W LED E27 HIBRITE GLS WARM WHITE	6W	70	50	E27	510	WW	4
SLEDLMP1086- 6W LED E14 HIBRITE GLS WARM WHITE	6W	70	50	E14	510	WW	5
SLEDLMP1087-6W LED E14 HIBRITE CANDLE W/WHITE	6W	100	37	E14	510	WW	6

LED LAMPS  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLMP1121 - 20W LED B22 BULB WHITE	20W	140	80	B22	1600	W	1
SLEDLMP1122 - 20W LED B22 BULB WARM WHITE	20W	140	80	B22	1600	WW	1
SLEDLMP1091-20W LED E27 BULB WHITE	20W	151	81	E27	1600	W	2
SLEDLMP1092-20W LED E27 BULB WARM WHITE	20W	151	81	E27	1600	WW	2
SLEDLMP1116-30W LED B22 BULB WHITE	30W	185	100	B22	2400	W	3
SLEDLMP1093-30W LED E27 BULB WHITE	30W	185	100	E27	2400	W	2
SLEDLMP1094-30W LED E27 BULB WARM WHITE	30W	185	100	E27	2400	WW	2
SLEDLMP1109-48W KRYSTALBRITE HP LED E27 LAMP WHITE	48W	248	138	E27	640	W	2
SLEDLMP1110-60W KRYSTALBRITE HP LED E40 LAMP WHITE	60W	274	160	E40	4800	W	2



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLMP1095-6W LED E14 HIBRITE CANDLE WHITE	6W	100	37	E14	510	W	1
SLEDLMP1096-6W LED E27 HIBRITE CANDLE WHITE	6W	100	37	E27	510	W	2
SLEDLMP1097-6W LED B22 HIBRITE CANDLE WHITE	6W	100	37	B22	510	W	3
SLEDLMP1098-6W LED B22 HIBRITE CANDLE WARM WHITE	6W	100	37	B22	510	WW	3
SLEDLMP1099-4W LED ROUND EDISON LAMP E14 WARM WHI	4W	76	45	E14	360	WW	4
SLEDLMP1100-4W LED ROUND EDISON LAMP E27 WARM WHI	4W	76	45	E27	360	WW	5
SLEDLMP1101-8W LED RD 125MM EDISON LAMP E27 WARM W	8W	160	125	E27	720	WW	6

LED LAMPS  
LIGHT SOURCES



Fig 1



Fig 2




Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLMP1102-8W LED KRISTAL BRIGHT B22 WHITE	8W	100	60	B22	720	W	1
SLEDLMP1103-8W LED KRISTAL BRIGHT B22 WARM WHITE	8W	100	60	B22	720	WW	1
SLEDLMP1104-8W LED KRISTAL BRIGHT E27 WHITE	8W	100	60	E27	720	W	2
SLEDLMP1105-8W LED KRISTAL BRIGHT E27 WARM WHITE	8W	100	60	E27	720	WW	2
SLEDLMP1106-8W LED KRISTAL BRIGHT B22 BLUE	8W	100	60	B22	720	B	3
SLEDLMP1107-8W LED KRISTAL BRIGHT B22 GREEN	8W	100	60	B22	720	G	4
SLEDLMP1108-8W LED KRISTAL BRIGHT B22 RED	8W	100	60	B22	720	R	5



Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLMP1113-14W LED KRISTAL BRIGHT BLUE B22 LAMP	14W	112	60	B22	1120	B	1
SLEDLMP1114-14W LED KRISTAL BRIGHT GREEN B22 LAMP	14W	112	60	B22	1120	G	2
SLEDLMP1115-14W LED KRISTAL BRIGHT RED B22 LAMP	14W	112	60	B22	1120	R	3





Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLMP1117-7W LED ECO MR16 BASE LAMP WHITE	7W	49	49	MR16	560	W	1
SLEDLMP1118-7W LED ECO MR16 BASE LAMP WARM WHITE	7W	49	49	MR16	560	WW	1
SLEDLMP1119-7W LED ECO GU10 BASE LAMP WHITE	7W	49	49	GU10	560	W	2
SLEDLMP1120-7W LED ECO GU10 BASE LAMP WARM WHITE	7W	49	49	GU10	560	WW	2
SLEDLMP1123-4W LED TUBULAR FILAMENT LAMP WW	4W	125	32	E27	320	WW	3
SLEDLMP1111-13W LED G24 LAMP WHITE	13W	170	35	G24	1040	W	4
SLEDLMP1124-13W LED G24 LAMP WARM WHITE	13W	170	35	G24	1040	WW	4
SMRLL372 - 4W LED E14 CANDLE WARM WHITE CLEAR	4W	99	35	E14	360	WW	5
SMRLL373 - 4W LED E27 CANDLE WARM WHITE CLEAR	4W	99	35	E27	360	WW	6

DIMMABLE LED LAMPS  
LIGHT SOURCES



Fig 1



Fig 2




Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

DIMMABLE LED LAMPS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLMP1125-4W LED E14 AMBER DIMMABLE CANDLE WARM	4W	100	35	E14	320	WW	1
SLEDLMP1126-4W LED E27 AMBER DIMMABLE CANDLE WARM	4W	93	32	E27	320	WW	2
SLEDLMP1127-4W LED E14 AMBER DIMMABLE ROUND WARM	4W	80	45	E14	320	WW	3
SLEDLMP1128-4W LED E27 AMBER DIMMABLE ROUND WARM	4W	75	45	E27	320	WW	4
SLEDLMP1129-5W LED E14 CRYSTAL DIMMABLE CANDLE WAR	5W	195	40	E14	400	WW	5




Fig 1




Fig 2



Fig 3



Fig 4





Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SPOT LIGHTS

LED SPOT LIGHTS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SMRLL077- 1W LED SS ROUND WHITE	1W	35	50	32	90	W	1
SMRLL078- 1W LED SS ROUND WARM WHITE	1W	35	50	32	90	WW	1
SMRLL079- 1W LED SS SQUARE WHITE	1W	35	50	32	90	W	2
SMRLL080- 1W LED SS SQUARE WARM WHITE	1W	35	50	32	90	WW	2
SMRLL081- 3W LED SS ROUND WHITE	3W	50	90	70	270	W	3
SMRLL082- 3W LED SS ROUND WARM WHITE	3W	50	90	70	90	WW	3
SMRLL202- 1W MINI LED DOWN LIGHTER WHITE	1W	20	35	27	90	W	4
SMRLL203 -1W MINI LED DOWNLIGHTER W.W	1W	20	35	27	90	WW	4
SMRLL204 - 1W SQ MINI LED DOWNLIGHTER WHITE	1W	20	30	26	90	W	5
SMRLL205 -1W SQ MINI LED DOWNLIGHTER W.W	1W	20	30	26	90	WW	5
SLEDSL2020-1W LED MINI ROUND RED	1W	20	30	26	90	R	6
SLEDSL2021-1W LED MINI ROUND -BLUE	1W	20	30	26	90	B	6
SLEDSL2022-1W LED MINI ROUND -GREEN	1W	20	30	26	90	G	6




Fig 1




Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SPOT LIGHTS

LED SPOT LIGHTS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSL2023-1W LED MINI SQUARE- RED	1W	20	35	26	90	R	1
SLEDSL2024-1W LED MINI SQUARE--BLUE	1W	20	35	26	90	B	1
SLEDSL2025-1W LED MINI SQUARE- GREEN	1W	20	35	26	90	G	1
SMRLL282-1W LED MR16 DOWN LIGHTER-RED	1W	25	50	32	90	R	2
SMRLL283-1W LED MR16 DOWN LIGHTER-BLUE	1W	25	50	32	90	B	2
SMRLL284-1W LED MR16 DOWN LIGHTER-GREEN	1W	25	50	32	90	G	2
SMRLL285-3W LED MR16 DOWN LIGHTER-RED	1W	50	85	65	270	R	3
SMRLL286-3W LED MR16 DOWN LIGHTER-BLUE	1W	50	85	65	270	B	3
SMRLL287-3W LED MR16 DOWN LIGHTER-GREEN	1W	50	85	65	270	G	3
SMRLL320- 1W LED WHITE BODY DOWN LIGHTER-WHITE	1W	35	50	38	90	W	4
SMRLL321-1W LED WHITE BODY DOWN LIGHTER-WARM WHITE	1W	35	50	38	90	WW	4
SMRLL322-1W LED WHITE SQ BODY DOWN LIGHTER-WHITE	1W	35	50	40	90	W	5
SMRLL323-1W LED WHITE SQ BODY DOWN LIGHTER-W.W	1W	35	50	40	90	WW	5
SMRLL324-3W LED WHITE BODY DOWN LIGHTER-WHITE	1W	45	85	75	270	W	6
SMRLL325-3W LED WHITE BODY DOWN LIGHTER- W.W	1W	45	85	75	270	WW	6



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SPOT LIGHTS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SMRLL326-3W LED WHITE SQ BODY DOWN LIGHTER-WHITE	1W	45	85	71	270	W	1
SMRLL327-3W LED WHITE SQ BODY DOWN LIGHTER-W.W	1W	45	85	71	270	WW	1
SLEDSL2053-3W MINI SPOT ROUND WARM	1W	70	25	55	270	WW	2
SLEDSL2054-3W MINI SPOT ROUND WHITE	1W	70	25	55	270	W	2
SLEDSL2055-3W MINI SPOT SQUARE WARM	1W	70	25	55	270	WW	3
SLEDSL2056-3W MINI SPOT SQUARE WHITE	1W	70	25	55	270	W	3
SLEDSL2057-3W LED SMALL JUNCTION BOX SPOT W/WHITE	1W	30	65	55	270	WW	4
SLEDSL2058-3W LED SMALL JUNCTION BOX SPOT WHITE	1W	30	65	55	270	W	4
SLEDSL2059-7W LED BIG JUNCTION BOX SPOT WARM WHITE	1W	30	65	90	630	WW	4
SLEDSL2060-7W LED BIG JUNCTION BOX SPOT WHITE	1W	30	100	90	630	W	4
SLEDSL2061-1W LED MINI WHITE FINISH RD WHITE	1W	25	30	25	90	W	5
SLEDSL2062- 1W LED MINI WHITE FINISH RD WW	1W	25	30	25	90	WW	5
SLEDSL2063- 1W LED MINI WHITE FINISH SQ WHITE	1W	25	30	25	90	W	6
SLEDSL2064- 1W LED MINI WHITE FINISH SQ WW	1W	25	30	25	90	WW	6



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SPOT LIGHTS

LED SPOT LIGHTS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSL2065-1W MULTIDIRECTION CONCEAL LITE WHITE	1W	40	55	45	90	W	1
SLEDSL2066-1W MULTIDIRECTION CONCEAL LITE W/W	1W	40	55	45	90	WW	1
SLEDSL2073-5W LED PLASTO ECO SPOT SERIES WHITE	5W	65	103	90	450	W	2
SLEDSL2074 - 5W LED PLASTO ECO SPOT SERIES W.W	5W	65	103	90	450	WW	2
SLEDSL2067-10W LED PLASTO ECO SPOT SERIES WHITE	10W	65	132	120	900	W	2
SLEDSL2068-10W LED PLASTO ECO SPOT SERIES W.W	10W	65	132	120	900	WW	2
SLEDSL2069-15W LED PLASTO ECO SPOT SERIES WHITE	15W	75	170	150	1350	W	2
SLEDSL2070-15W LED PLASTO ECO SPOT SERIES W.W	15W	75	170	150	1350	WW	2
SLEDSL2071-25W LED PLASTO ECO SPOT SERIES WHITE	25W	75	200	175	2250	W	2
SLEDSL2072-25W LED PLASTO ECO SPOT SERIES W.W	25W	75	200	175	2250	WW	2
SLEDSL2075-2W LED HIPOWER MINI SPOT RD WHITE	2W	35	35	28	180	W	3
SLEDSL2076-2W LED HIPOWER MINI SPOT RD WARM WHITE	2W	35	35	28	180	WW	3
SLEDSL2077-2W LED HIPOWER MINI SPOT SQ WHITE	2W	35	35	28	180	W	4
SLEDSL2078-2W LED HIPOWER MINI SPOT SQ WARM WHITE	2W	35	35	28	180	WW	4
SLEDSL2079-2W LED HIPOWER MINI SPOT RD BLUE	2W	35	35	28	180	B	5
SLEDSL2080-2W LED HI POWER MINI SPOT RD GREEN	2W	35	35	28	180	G	5
SLEDSL2081-2W LED HI POWER MINI SPOT RD RED	2W	35	35	28	180	R	5

LED COB ECO SERIES  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB ECO SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4138-3W LED ECO COB ROUND WHITE	3W	35	70	60	240	w	1
SLEDCOB4139-3W LED ECO COB ROUND WARM WHITE	3W	35	70	60	240	ww	1
SLEDCOB4140-3W LED ECO COB ROUND DAYLIGHT	3W	35	70	60	240	dl	1
SLEDCOB4141-3W LED ECO COB SQUARE WHITE	3W	35	70	60	240	w	2
SLEDCOB4142-3W LED ECO COB SQUARE WARM WHITE	3W	35	70	60	240	ww	2
SLEDCOB4143-3W LED ECO COB SQUARE DAYLIGHT	3W	35	70	60	240	dl	2
SLEDCOB4096-5W LED ECO COB ROUND D/L WHITE	5W	45	90	80	400	w	1
SLEDCOB4097-5W LED ECO COB ROUND D/L W/WHITE	5W	45	90	80	400	ww	1
SLEDCOB4128-5W LED ECO COB ROUND DAYLIGHT	5W	45	90	80	400	dl	1
SLEDCOB4098-5W LED ECO COB SQUARE D/L WHITE	5W	45	90	80	400	w	3
SLEDCOB4099-5W LED ECO COB SQUARE D/L W/WHITE	5W	45	90	80	400	ww	3
SLEDCOB4100-10W LED ECO COB ROUND D/L WHITE	10W	45	110	100	800	dl	1
SLEDCOB4101-10W LED ECO COB ROUND D/L WARM WHITE	10W	45	110	100	800	ww	1
SLEDCOB4102-10W LED ECO COB SQUARE D/L WHITE	10W	45	110	100	800	w	3
SLEDCOB4103 -10W LED ECO COB SQUARE D/L W.W	10W	45	110	100	800	ww	3

LED COB ECO SERIES  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB ECO SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4129-8W LED COB ECO TRIMLESS ROUND WHITE	8W	70	95	85	640	w	1
SLEDCOB4130-8W LED COB ECO TRIMLESS ROUND WARM WHI	8W	70	95	85	640	ww	1
SLEDCOB4131-8W LED COB ECO TRIMLESS ROUND DAYLIGHT	8W	70	95	85	640	dl	1
SLEDCOB4132-8W LED COB ECO TRIMLESS SQUARE WHITE	8W	70	95	85	640	w	2
SLEDCOB4133-8W LED COB ECO TRIMLESS SQUARE WARM WH	8W	70	95	85	640	ww	2
SLEDCOB4134-8W LED COB ECO TRIMLESS SQUARE DAYLIGH	8W	70	95	85	640	dl	2
SLEDCOB4135-8W LED COB HD ROUND WHITE	8W	50	90	80	640	w	3
SLEDCOB4136-8W LED COB HD ROUND WARM WHITE	8W	50	90	80	640	ww	3
SLEDCOB4137-8W LED COB HD ROUND DAYLIGHT	8W	50	90	80	640	dl	3



LED COB SLIM SERIES  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB SLIM SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4104-3W SLIM COB ROUND WHITE	3W	15	75	65	240	W	1
SLEDCOB4105-3W SLIM COB ROUND WARM WHITE	3W	15	75	65	240	WW	1
SLEDCOB4106-3W SLIM COB ROUND DAYLIGHT	3W	15	75	65	240	DL	1
SLEDCOB4107-3W SLIM COB SQUARE WHITE	3W	15	75	65	240	W	2
SLEDCOB4108-3W SLIM COB SQUARE WARM WHITE	3W	15	75	65	240	WW	2
SLEDCOB4109-3W SLIM COB SQUARE DAYLIGHT	3W	15	75	65	240	DL	2
SLEDCOB4110-6W SLIM COB ROUND WHITE	6W	20	85	75	480	W	1
SLEDCOB4111-6W SLIM COB ROUND WARM WHITE	6W	20	85	75	480	WW	1
SLEDCOB4112-6W SLIM COB ROUND DAYLIGHT	6W	20	85	75	480	DL	1
SLEDCOB4113-6W SLIM COB SQUARE WHITE	6W	20	85	75	480	W	2
SLEDCOB4114-6W SLIM COB SQUARE WARM WHITE	6W	20	85	75	480	WW	2
SLEDCOB4115-6W SLIM COB SQUARE DAYLIGHT	6W	20	85	75	480	DL	2

LED COB SLIM SERIES  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB SLIM SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4116-9W SLIM COB ROUND WHITE	9W	25	90	80	720	W	1
SLEDCOB4117-9W SLIM COB ROUND WARM WHITE	9W	25	90	80	720	WW	1
SLEDCOB4118-9W SLIM COB ROUND DAYLIGHT	9W	25	90	80	720	DL	1
SLEDCOB4119-9W SLIM COB SQUARE WHITE	9W	25	90	80	720	W	2
SLEDCOB4120-9W SLIM COB SQUARE WARM WHITE	9W	25	90	80	720	WW	2
SLEDCOB4121-9W SLIM COB SQUARE DAYLIGHT	9W	25	90	80	720	DL	2
SLEDCOB4122-15W SLIM COB ROUND WHITE	15W	30	105	95	1200	W	1
SLEDCOB4123-15W SLIM COB ROUND WARM WHITE	15W	30	105	95	1200	WW	1
SLEDCOB4124-15W SLIM COB ROUND DAYLIGHT	15W	30	105	95	1200	DL	1
SLEDCOB4125-15W SLIM COB SQUARE WHITE	15W	30	105	95	1200	W	2
SLEDCOB4126-15W SLIM COB SQUARE WARM WHITE	15W	30	105	95	1200	WW	2
SLEDCOB4127-15W SLIM COB SQUARE DAYLIGHT	15W	30	105	95	1200	DL	2

LED COB PRIME SERIES  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB PRIME SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB049-12W LED COB MICRO SPOT FIXTURE WHITE	12W	40	70	60	960	W	1
SLEDCOB050-12W LED COB MICRO SPOT FIXTURE W/W	12W	40	70	60	960	WW	1
SLEDCOB4049-3W LED COB IBIX ROUND WHITE	3W	30	60	50	240	W	2
SLEDCOB4050-3W LED COB IBIX ROUND WARM WHITE	3W	30	60	50	240	WW	2
SLEDCOB4051-3W LED COB IBIX SQUARE WHITE	3W	30	60	50	240	W	3
SLEDCOB4052-3W LED COB IBIX SQUARE WARM WHITE	3W	30	60	50	240	WW	3
SLEDCOB4053-6W LED COB IBIX ROUND WHITE	6W	40	80	70	480	W	2
SLEDCOB4054-6W LED COB IBIX ROUND WARM WHITE	6W	40	80	70	480	WW	2
SLEDCOB4055-6W LED COB IBIX SQUARE WHITE	6W	40	80	70	480	W	3
SLEDCOB4056-6W LED COB IBIX SQUARE WARM WHITE	6W	40	80	70	480	WW	3
SLEDCOB4057-9W LED COB IBIX ROUND WHITE	9W	45	90	80	720	W	2
SLEDCOB4058-9W LED COB IBIX ROUND WARM WHITE	9W	45	90	80	720	WW	2
SLEDCOB4059-9W LED COB IBIX SQUARE WHITE	9W	45	90	80	720	W	3
SLEDCOB4060-9W LED COB IBIX SQUARE WARM WHITE	9W	45	90	80	720	WW	3
SLEDCOB4069-40W LED COB DOWNLIGHTER WHITE	40W	65	235	205	3200	W	4
SLEDCOB4070-40W LED COB DOWNLIGHTER WARM WHITE	40W	65	235	205	3200	WW	4

LED COB PRIME SERIES  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB PRIME SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4071-3W MINI LED ROUND COB WHITE	3W	25	40	30	240	W	1
SLEDCOB4072-3W MINI LED ROUND COB WARM WHITE	3W	25	40	30	240	WW	1
SLEDCOB4073-3W MINI LED SQUARE COB WHITE	3W	25	40	30	240	W	2
SLEDCOB4074-3W MINI LED SQUARE COB WARM WHITE	3W	25	40	30	240	WW	2
SLEDCOB4075-5W LED COB SCLASS RD WARM WHITE	5W	40	75	65	400	WW	3
SLEDCOB4076-5W LED COB SCLASS RD DAYLIGHT	5W	40	75	65	400	DL	3
SLEDCOB4077-5W LED COB SCLASS RD WHITE	5W	40	75	65	400	W	3
SLEDCOB4078-15W LED COB SCLASS RD WARM WHITE	15W	50	125	110	1200	WW	3
SLEDCOB4079-15W LED COB SCLASS RD DAYLIGHT	15W	50	125	110	1200	DL	3
SLEDCOB4080-15W LED COB SCLASS RD WHITE	15W	50	125	110	1200	W	3
SLEDCOB4081-25W LED COB SCLASS RD WARM WHITE	25W	60	170	150	2000	WW	3
SLEDCOB4082-25W LED COB SCLASS RD DAYLIGHT	25W	60	170	150	2000	DL	3
SLEDCOB4083-25W LED COB SCLASS RD WHITE	25W	60	170	150	2000	W	3

LED COB PRIME SERIES  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres


W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB PRIME SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4084-5W LED COB SCLASS SQ WARM WHITE	5W	40	75	65	400	WW	1
SLEDCOB4085-5W LED COB SCLASS SQ DAYLIGHT	5W	40	75	65	400	DL	1
SLEDCOB4086-5W LED COB SCLASS SQ WHITE	5W	40	75	65	400	W	1
SLEDCOB4087-15W LED COB SCLASS SQ WARM WHITE	15W	50	125	110	1200	WW	1
SLEDCOB4088-15W LED COB SCLASS SQ DAYLIGHT	15W	50	125	110	1200	DL	1
SLEDCOB4089-15W LED COB SCLASS SQ WHITE	15W	50	125	110	1200	W	1
SLEDCOB4090-25W LED COB SCLASS SQ WARM WHITE	25W	60	170	150	2000	WW	1
SLEDCOB4091-25W LED COB SCLASS SQ DAYLIGHT	25W	60	170	150	2000	DL	1
SLEDCOB4092-25W LED COB SCLASS SQ WHITE	25W	60	170	150	2000	W	1
SLEDCOB4148-10W LED COB ROUND CUT DEEP D/L WHITE	10W	90	90	80	800	W	2
SLEDCOB4149-10W LED COB ROUND CUT DEEP D/L WARM WH	10W	90	90	80	800	WW	2
SLEDCOB4150-10W LED COB U PIN HOLE CUT DEEP D/L WH	10W	90	90	80	800	W	3
SLEDCOB4151-10W LED COB U PIN HOLE CUT DEEP D/L WW	10W	90	90	80	800	WW	3

LED COB PRIME SERIES  
LIGHT SOURCES



Fig 1



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB PRIME SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOBPR001-10W LED COB PR TRIMLESS WHITE	10W	70	80	65	800	W	1
SLEDCOBPR002-10W LED COB PR TRIMLESS W/W	10W	70	80	65	800	WW	1
SLEDCOBPR003-10W LED COB PR TRIMLESS DAYLIGHT	10W	70	80	65	800	DL	1
SLEDCOBPR004- 15W LED COB PR TRIMLESS WHITE	15W	90	115	90	1200	W	1
SLEDCOBPR005- 15W LED COB PR TRIMLESS WARM WHITE	15W	90	115	90	1200	WW	1
SLEDCOBPR006- 15W LED COB PR TRIMLESS DAYLIGHT	15W	90	115	90	1200	DL	1

# LED COB WALL WASHER

## LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB WALL WASHER	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4093-8W COB WALL WASHER WARM WHITE	8W	90	110	95	640	WW	1
SLEDCOB4094-8W COB WALL WASHER WHITE	8W	90	110	95	640	W	1
SLEDCOB4095-8W COB WALL WASHER DAYLIGHT	8W	90	110	95	640	DL	1
SMRLL189 - 11W COB DEEP DOWN LIGHTER	11W	110	150	130	880	W	2
SMRLL263-11W DEEP DOWN LIGHTER-W.W	11W	110	150	130	880	WW	2
SLEDCOB4023--22W LED COB WALL WASHER -WHITE	22W	170	190	170	1760	W	3
SLEDCOB4024--22W LED COB WALL WASHER -W.W	22W	170	190	170	1760	WW	3
SLEDCOB4144-22W LED COB WALL WASHER DAYLIGHT	22W	170	190	170	1760	DL	3
SLEDCOB4145-36W LED COB WALL WASHER WHITE	36W	170	190	170	2880	W	3
SLEDCOB4146-36W LED COB WALL WASHER WARM WHITE	36W	170	190	170	2880	WW	3
SLEDCOB4147-36W LED COB WALL WASHER DAYLIGHT	36W	170	190	170	2880	DL	3

LED COB WALL WASHER  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB WALL WASHER	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4067-40W LED COB WALL WASHER WHITE	40W	115	240X150	220X125	3200	W	1
SLEDCOB4068-40W LED COB WALL WASHER WARM WHITE	40W	115	240X150	220X125	3200	WW	1
SLEDCOB4152 - 15W LED FULL MOON ZOOM WHITE	15W	110	105	90	1200	W	2
SLEDCOB4153 - 15W LED FULL MOON ZOOM WARM WHITE	15W	110	105	90	1200	WW	2
SLEDCOB4011-30W LED RECT WALL WASHER -WHITE	30W	145	240X150	220X125	2400	W	3
SLEDCOB4012-30W LED RECT WALL WASHER -W.W	30W	145	240X150	220X125	2400	WW	3



# LED COB RHODIUM

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### LED COB RHODIUM SERIES

LED COB RHODIUM SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOBRD050 - 1X2W LED COB LOUVRE SERIES W/W	1X2W	40	40	30	160	W	1
SLEDCOBRD051 - 1X2W LED LOUVRE SERIES WHITE	1X2W	40	40	30	160	WW	1
SLEDCOBRD001-2X2W LED COB LOUVRE SERIES WHITE	2X2W	40	75X40	65X30	320	W	2
SLEDCOBRD002-2X2W LED COB LOUVRE SERIES WARM WHITE	2X2W	40	75X40	65X30	320	WW	2
SLEDCOBRD003-5X2W LED COB LOUVRE SERIES WHITE	5X2W	40	145X40	135X30	800	W	3
SLEDCOBRD004-5X2W LED COB LOUVRE SERIES WARM WHITE	5X2W	40	145X40	135X30	800	WW	3
SLEDCOBRD005-10X2W LED COB LOUVRE SERIES WHITE	10X2W	40	280X40	265X30	1600	W	4
SLEDCOBRD006-10X2W LED COB LOUVRE SERIES WARM WHIT	10X2W	40	280X40	265X30	1600	WW	4
SLEDCOBRD007-10X2W LED COB MVBL LOUVRE SERIES WHIT	10X2W	105	300X45	285X35	1600	W	5
SLEDCOBRD008A-10X2W LED COB MVBL LOUVRE SERIES WAR	10X2W	105	300X45	285X35	1600	WW	5
SLEDCOBRD008-7W LED COB DEEP RD SERIES ROUND WHITE	7W	70	85	70	560	W	6
SLEDCOBRD009-7W LED COB DEEP RD SERIES ROUND DAYLI	7W	70	85	70	560	DL	6
SLEDCOBRD010-7W LED COB DEEP RD SERIESROUND WARM W7W	7W	70	85	70	560	WW	6

LED COB RHODIUM  
LIGHT SOURCES



Fig 1



Fig 2




Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB RHODIUM SERIES

LED COB RHODIUM SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOBRD011-12W LED COB DEEP RD SERIES ROUND WHI	12W	85	100	80	960	W	1
SLEDCOBRD012-12W LED COB DEEP RD SERIES ROUND DAY	12W	85	100	80	960	DL	1
SLEDCOBRD013-12W LED COB DEEP RD SERIES ROUND WARM	12W	85	100	80	960	WW	1
SLEDCOBRD014-20W LED COB DEEP RD SERIES ROUND WHI	20W	110	140	120	1600	W	2
SLEDCOBRD015-20W LED COB DEEP RD SERIES ROUND DAYL	20W	110	140	120	1600	DL	2
SLEDCOBRD016-20W LED COB DEEP RD SERIES ROUND WARM	20W	110	140	120	1600	WW	2
SLEDCOBRD017-30W LED COB DEEP RD SERIES ROUND WHIT	30W	120	175	145	2400	W	3
SLEDCOBRD018-30W LED COB DEEP RD SERIES ROUND DAYL	30W	120	175	145	2400	DL	3
SLEDCOBRD019-30W LED COB DEEP RD SERIES ROUND WARM	30W	120	175	145	2400	WW	3
SLEDCOBRD020-7W LED COB DEEP RD SERIES SQUARE WHIT	7W	70	85	70	560	W	4
SLEDCOBRD021-7W LED COB DEEP RD SERIES SQUARE DAY	7W	70	85	70	560	DL	4
SLEDCOBRD022-7W LED COB DEEP RD SERIES SQUARE WARM	7W	70	85	70	560	WW	4
SLEDCOBRD023-12W LED COB DEEP RD SERIES SQUARE WHI	12W	85	100	80	960	W	5
SLEDCOBRD024-12W LED COB DEEP RD SERIES SQUARE DAY	12W	85	100	80	960	DL	5
SLEDCOBRD025-12W LED COB DEEP RD SERIES SQUARE WAR	12W	85	100	80	960	WW	5

LED COB RHODIUM  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3






Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB RHODIUM SERIES

LED COB RHODIUM SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOBRD026-20W LED COB DEEP RD SERIES SQUARE WHI	20W	105	140	110	1600	W	1
SLEDCOBRD027-20W LED COB DEEP RD SERIES SQUARE DA	20W	105	140	110	1600	DL	1
SLEDCOBRD028-20W LED COB DEEP RD SERIES SQUARE WAR	20W	105	140	110	1600	WW	1
SLEDCOBRD029-30W LED COB DEEP RD SERIES SQUARE WH	30W	120	175	145	2400	W	2
SLEDCOBRD030-30W LED COB DEEP RD SERIES SQUARE DAY	30W	120	175	145	2400	DL	2
SLEDCOBRD031-30W LED COB DEEP RD SERIES SQUARE WA	30W	120	175	145	2400	WW	2
SLEDCOBRD032-12W LED COB CHROME DEEP SERIES WHITE	12W	60	125	100	960	W	3
SLEDCOBRD033-12W LED COB CHROME DEEP SERIES WARM W	12W	60	125	100	960	WW	3
SLEDCOBRD034-40W LED COB CHROME DEEP SERIES WHITE	40W	90	200	175	3200	W	4
SLEDCOBRD035-40W LED COB CHROME DEEP SERIES WARM W	40W	90	200	175	3200	WW	4
SLEDCOBRD036-60W LED COB CHROME DEEP SERIES WHITE	60W	115	225	200	4800	W	5
SLEDCOBRD037-60W LED COB CHROME DEEP SERIES WARM W	60W	115	225	200	4800	WW	5
SLEDCOBRD038-30W LED COB TRU TRIM RD FIX SR111 WHI	30W	115	155	145	2400	W	6
SLEDCOBRD039-30W LED COB TRU TRIM FIX RD SR111 WAR	30W	115	155	145	2400	WW	6
SLEDCOBRD040-30W LED COB TRU TRIM FIX RD SR111 DAY	30W	115	155	145	2400	DL	6

LED COB RHODIUM  
LIGHT SOURCES



Fig 1



Fig 2




Fig 3



Fig 4



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB RHODIUM SERIES

LED COB RHODIUM SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOBRD041-30W LED COB TRU TRIM SQ FIX SR111 WHI	30W	115	155	145	2400	W	1
SLEDCOBRD042-30W LED COB TRU TRIM FIX SQ SR111 WAR	30W	115	155	145	2400	WW	1
SLEDCOBRD043-30W LED COB TRU TRIM FIX SQ SR111 DAY	30W	115	155	145	2400	DL	1
SLEDCOBRD044-10W LED COB TRU TRIM FIX RD MR16 WHIT	10W	100	70	65	800	W	2
SLEDCOBRD045-10W LED COB TRU TRIM FIX RD MR16 WARM	10W	100	70	65	800	WW	2
SLEDCOBRD046-10W LED COB TRU TRIM FIX RD MR16 DAYL	10W	100	70	65	800	DL	2
SLEDCOBRD047-10W LED COB TRU TRIM FIX SQ MR16 WHIT	10W	100	70	65	800	W	1
SLEDCOBRD048-10W LED COB TRU TRIM FIX SQ MR16 WARM	10W	100	70	65	800	WW	1
SLEDCOBRD049-10W LED COB TRU TRIM FIX SQ MR16 DAYL	10W	100	70	65	800	DL	1
SLEDCOBRD052 - 10W LED DEEP DIAMOND REF D/L WHITE	10W	70	110	80	800	W	3
SLEDCOBRD053 - 10W LED DEEP DIAMOND REF D/L W/W	10W	70	110	80	800	WW	3
SLEDCOBRD054 - 25W LED DEEP DIAMOND REF D/L WHITE	25W	90	165	130	2000	W	4
SLEDCOBRD055 - 25W LED DEEP DIAMOND REF D/L W/W	25W	90	165	130	2000	WW	4
SLEDCOBRD056 - 7W LED COB ULTRA RD SERIES BK&BK WHITE	7W	50	76	65	630	WH	5
SLEDCOBRD057 - 7W LED COB ULTRA RD SERIES BK&BK W/W	7W	50	76	65	630	WW	5
SLEDCOBRD058 - 7W LED COB ULTRA RD SERIES BK&BK DAYLIGHT	7W	50	76	65	630	D/L	5

LED COB RHODIUM  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB RHODIUM SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOBRD059 - 7W LED COB ULTRA RD SERIES WH&CH WHITE	7W	50	76	65	630	WH	1
SLEDCOBRD060 - 7W LED COB ULTRA RD SERIES WH&CH W/W	7W	50	76	65	630	WW	1
SLEDCOBRD061 - 7W LED COB ULTRA RD SERIES WH&CH DAYLIGHT	7W	50	76	65	630	D/L	1
SLEDCOBRD062 - 12W LED COB ULTRA RD SERIES BK&BK WHITE	12W	68	100	85	1080	WH	2
SLEDCOBRD063 - 12W LED COB ULTRA RD SERIES BK&BK W/W	12W	68	100	85	1080	WW	2
SLEDCOBRD064 - 12W LED COB ULTRA RD SERIES BK&BK DAYLIGHT	12W	68	100	85	1080	D/L	2
SLEDCOBRD065 - 12W LED COB ULTRA RD SERIES WH&CH WHITE	12W	68	100	85	1080	WH	1
SLEDCOBRD066 - 12W LED COB ULTRA RD SERIES WH&CH W/W	12W	68	100	85	1080	WW	1
SLEDCOBRD067 - 12W LED COB ULTRA RD SERIES WH&CH DAYLIGHT	12W	68	100	85	1080	D/L	1
SLEDCOBRD068 - 30W LED COB ULTRA RD SERIES BK&BK WHITE	30W	95	140	125	2700	WH	2
SLEDCOBRD069 - 30W LED COB ULTRA RD SERIES BK&BK W/W	30W	95	140	125	2700	WW	2
SLEDCOBRD070 - 30W LED COB ULTRA RD SERIES BK&BK DAYLIGHT	30W	95	140	125	2700	D/L	2
SLEDCOBRD071 - 30W LED COB ULTRA RD SERIES WH&CH WHITE	30W	95	140	125	2700	WH	1
SLEDCOBRD072 - 30W LED COB ULTRA RD SERIES WH&CH W/W	30W	95	140	125	2700	WW	1
SLEDCOBRD073 - 30W LED COB ULTRA RD SERIES WH&CH DAYLIGHT	30W	95	140	125	2700	D/L	1
SLEDCOBRD074 - 7W LED COB ULTRA RD SERIES BK&RG WHITE	7W	50	76	65	630	WH	3
SLEDCOBRD075 - 7W LED COB ULTRA RD SERIES BK&RG W/W	7W	50	76	65	630	WW	3
SLEDCOBRD076 - 7W LED COB ULTRA RD SERIES BK&RG DAYLIGHT	7W	50	76	65	630	D/L	3

# LED COB DOWNLIGHTER

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB DOWNLIGHTER	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4013--8W LED SQUARE COB FIXTURE -W.W	8W	70	100	90	640	WW	1
SLEDCOB4014--8W LED SQUARE COB FIXTURE -DAYLIGHT	8W	70	100	90	640	DL	1
SLEDCOB4015--8W LED SQUARE COB FIXTURE -COOLWHITE	8W	70	100	90	640	WW	1
SLEDCOB4016--8W LED ROUND COB FIXTURE -W.W	8W	70	100	90	640	WW	2
SLEDCOB4017--8W LED ROUND COB FIXTURE -DAYNIGHT	8W	70	100	90	640	DL	2
SLEDCOB4018--8W LED ROUND COB FIXTURE -COOLWHITE	8W	70	100	90	640	W	2
SLEDCOB4025-3W LED SLIM FIXED RD D/L WHITE	3W	50	55	45	240	W	3
SLEDCOB4026-3W LED SLIM FIXED RD D/L W.W	3W	50	55	45	240	WW	3
SLEDCOB4027-3W LED SLIM FIXED SQ D/L WHITE	3W	50	55	45	240	W	4
SLEDCOB4028-3W LED SLIM FIXED SQ D/L -W.W	3W	50	55	45	240	WW	4
SLEDCOB4029-3W LED SLIM RD D/L -WHITE	3W	50	55	45	240	W	5
SLEDCOB4030-3W LED SLIM RD D/L -W.W	3W	50	55	45	240	WW	5
SLEDCOB4031-3W LED SLIM SQ D/L -WHITE	3W	50	55	45	240	W	6
SLEDCOB4032-3W LED SLIM SQ D/L -W.W	3W	50	55	45	240	WW	6

# LED COB DOWNLIGHTER

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED COB DOWNLIGHTER	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCOB4033-8W LED COB SQ DEEP D/L -WHITE	8W	110	110	95	640	W	1
SLEDCOB4034-8W LED COB SQ DEEP D/L -W.W	8W	110	110	95	640	WW	1
SLEDCOB4035-8W LED COB RD DEEP D/L -WHITE	8W	110	110	95	640	W	2
SLEDCOB4036-8W LED COB RD DEEP D/L -W.W	8W	110	110	95	640	WW	2
SLEDCOB4061-5W LED COB TURNTABLE WHITE	5W	20	105	90	400	W	3
SLEDCOB4062-5W LED COB TURNTABLE WARM WHITE	5W	20	105	90	400	WW	3
SLEDCOB4065-6W LED COB MULTIANGLE D/L WHITE	6W	65	110	95	720	W	4
SLEDCOB4066-6W LED COB MULTIANGLE D/L WARM WHITE	6W	65	110	95	720	WW	4



Fig 1



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PI SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPI5001-3W LED PI SERIES D/L WHITE	3W	30	90	80	240	W	1
SLEDPI5002-3W LED PI SERIES D/L WARM WHITE	3W	30	90	80	240	WW	1
SLEDPI5017-3W LED PI SERIES RD 42K	3W	30	90	80	240	DL	1
SLEDPI5018-3W LED PI SERIES RD RED	3W	30	90	80	240	R	1
SLEDPI5019-3W LED PI SERIES RD BLUE	3W	30	90	80	240	B	1
SLEDPI5020-3W LED PI SERIES RD GREEN	3W	30	90	80	240	G	1
SLEDPI5003-5W LED PI SERIES D/L WHITE	5W	35	110	100	400	W	1
SLEDPI5004-5W LED PI SERIES D/L WARM WHITE	5W	35	110	100	400	WW	1
SLEDPI5021-5W LED PI SERIES RD 42K	5W	35	110	100	400	DL	1
SLEDPI5022-5W LED PI SERIES RD RED	5W	35	110	100	400	R	1
SLEDPI5023-5W LED PI SERIES RD BLUE	5W	35	110	100	400	B	1
SLEDPI5024-5W LED PI SERIES RD GREEN	5W	35	110	100	400	G	1
SLEDPI5005-12W LED PI SERIES D/L WHITE	12W	40	160	150	960	W	1
SLEDPI5006-12W LED PI SERIES D/L WARM WHITE	12W	40	160	150	960	WW	1
SLEDPI5007-18W LED PI SERIES D/L WHITE	18W	45	225	215	1440	W	1
SLEDPI5008-18W LED PI SERIES D/L WARM WHITE	18W	45	225	215	1440	WW	1




LED PI SURFACE  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink


LED PI SURFACE FIXTURES	Wattage	Height	Width	Lumens	Light Color	Fig
SLEDSPi6007-15W LED SURFACE PI SERIES RD WHITE	15W	20	155	1200	W	1
SLEDSPi6008-15W LED SURFACE PI SERIES RD WARM WHIT	15W	20	155	1200	WW	1
SLEDSPi6009-15W LED SURFACE PI SERIES RD DAYLIGHT	15W	20	155	1200	DL	1
SLEDSPi6010-10W LED SURFACE PI SERIES RD WHITE	10W	20	125	800	W	1
SLEDSPi6011-10W LED SURFACE PI SERIES RD WARM WHIT	10W	20	125	800	WW	1
SLEDSPi6012-10W LED SURFACE PI SERIES RD DAYLIGHT	10W	20	125	800	DL	1
SLEDSPi6013-15W LED DELUXE SURFACE PIE SQUARE WHIT	15W	20	155	1200	W	2
SLEDSPi6014-15W LED DELUXE SURFACE PIE SQUARE WARM	15W	20	155	1200	WW	2
SLEDSPi6015-15W LED DELUXE SURFACE PIE SQUARE DAYL	15W	20	155	1200	DL	2
SLEDSPi6016-10W LED DELUXE SURFACE PIE SQUARE WHIT	10W	20	125	800	W	2
SLEDSPi6017-10W LED DELUXE SURFACE PIE SQUARE WARM	10W	20	125	800	WW	2
SLEDSPi6018-10W LED DELUXE SURFACE PIE SQUARE DAYL	10W	20	125	800	DL	2



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PANEL FIXTURES

LED PANEL FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPNL009-18W 3IN 1 ROUND LED PANEL	18W	12	235	220	1620	W/WW/DL	1
SLEDPNL010-18W 3IN 1 SQUARE LED PANEL	18W	12	225	200	1620	W/WW/DL	2



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PANEL FIXTURES

LED PANEL FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPNL016--40W LED 2X2 ARMSTRONG PANEL-WHITE	40W	8	600	595	4000	W	1
SLEDPNL017--40W LED 2X2 ARMSTRONG PANEL-W.W	40W	8	600	595	4000	WW	1
SLEDPNL1034-40W LED 2X2 ARMSTRONG PANEL DAYLIGHT	40W	8	600	595	4000	DL	1
SLEDPNL1032-48W LED 2X2 ARMSTRONG PANEL WHITE	48W	10	600	595	4800	W	1
SLEDPNL1033-80W LED 4X2 ARMSTRONG PANEL WHITE	80W	10	1200	1190X595	8000	W	2
SLEDPNL1028-30W LED (300MM) RD SURFACE PANEL WHITE	30W	35	300	-	2400	W	3
SLEDPNL1029-30W LED (300MM) RD SURFACE PANEL W/W	30W	35	300	-	2400	WW	3
SLEDPNL1030-30W LED (300X300MM) SQ SURF PANEL WHIT	30W	35	300	-	2400	W	4
SLEDPNL1031-30W LED (300X300MM) SQ SURF PANEL W/W	30W	35	300	-	2400	WW	4
SLEDPNL1035-40W ECO LED 2X2 PANEL WARM WHITE	40W	8	600	595	3200	WW	5
SLEDPNL1036-40W ECO LED 2X2 PANEL WHITE	40W	8	600	595	3200	W	5
SLEDPNL1037-2X2 40W LED CLEANROOM FIXTURE WHITE	40W	8	600	595	3200	W	5
SLEDPNL1040-40W 1X4FT LED PANEL WHITE	40W	12	1200X300	1200X300	3200	W	2




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PANEL FIXTURES

	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPNL1038-40WPANELCOLORCHANGING&DIMMABLEW/WW/DL	40W	8	600	595	3200	W/WW/DL	1
SLEDPNL1039-LED REMOTE FOR 40W COLORCHANGING PANEL	-	-	-	-	-		2
SLEDPNL 1041-WHITE 2x2 40W LED ECO - CH SURFACE PANEL	40W	12	600X600	-	3200	WH	3
SLEDPNL 1042-W.WHITE 2x2 40W LED ECO - CH SURFACE PANEL	40W	12	600X600	-	3200	WW	3


LED SCLASS PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SCLASS PANEL LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPSCLS001-3W LED SCLASS RD PANEL-WHITE	3W	12	85	75	300	W	1
SLEDPSCLS002-3W LED SCLASS RD PANEL-W.W	3W	12	85	75	300	WW	1
SLEDPSCLS043-3W LED SCLASS RD DAYLIGHT PANEL	3W	12	85	75	300	DL	1
SLEDPSCLS003--3W LED SCLASS SQ PANEL-WHITE	3W	12	85	75	300	W	2
SLEDPSCLS004-3W LED SCLASS SQ PANEL-W.W	3W	12	85	75	300	WW	2
SLEDPSCLS044-3W LED SCLASS SQ DAYLIGHT PANEL	3W	12	85	75	300	DL	2
SLEDPSCLS017-6W LED SCLASS ROUND PANEL WHITE	6W	12	120	100	600	W	1
SLEDPSCLS018-6W LED SCLASS ROUND PANEL W/W	6W	12	120	100	600	WW	1
SLEDPSCLS037 6W LED SCLASS RD DAYLIGHT PANEL 42K	6W	12	120	100	600	DL	1
SLEDPSCLS019-6W LED SCLASS SQUARE PANEL WHITE	6W	12	120	100	600	W	2
SLEDPSCLS020-6W LED SCLASS SQUARE PANEL W/W	6W	12	120	100	600	WW	2
SLEDPSCLS040 6W LED SCLASS SQ DAYLIGHT PANEL 42K	6W	12	120	100	600	DL	2
SLEDPSCLS033 - 9W LED SCLASS ROUND PANEL WHITE	9W	12	150	130	900	W	1
SLEDPSCLS034 - 9W LED SCLASS ROUND PANEL W/WHITE	9W	12	150	130	900	WW	1
SLEDPSCLS045- 9W LED SCLASS RD DAYLIGHT PANEL 42K	9W	12	150	130	900	DL	1
SLEDPSCLS035 -9W LED SCLASS SQUARE PANEL WHITE	9W	12	150	130	900	W	2
SLEDPSCLS036 - 9W LED SCLASS SQUARE PANEL W/WHITE	9W	12	150	130	900	WW	2
SLEDPSCLS046- 9W LED SCLASS SQ DAYLIGHT PANEL 42K	9W	12	150	130	900	DL	2


LED SCLASS PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SCLASS PANEL LITE

LED SCLASS PANEL LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPSCLS021-12W LED SCLASS RD PANEL WHITE	12W	12	170	150	1200	W	1
SLEDPSCLS022-12W LED SCLASS RD PANEL W/W	12W	12	170	150	1200	WW	1
SLEDPSCLS038 12W LED SCLASS RD DAYLIGHT PANEL 42K	12W	12	170	150	1200	DL	1
SLEDPSCLS023-12W LED SCLASS SQ PANEL WHITE	12W	12	170	145	1200	W	2
SLEDPSCLS024-12W LED SCLASS SQ PANEL W/W	12W	12	170	145	1200	WW	2
SLEDPSCLS041 12W LED SCLASS SQ DAYLIGHT PANEL 42K	12W	12	170	145	1200	DL	2
SLEDPSCLS005--15W LED SCLASS RD PANEL-WHITE	15W	13	195	180	1500	W	1
SLEDPSCLS006-15W LED SCLASS RD PANEL-W.W	15W	13	195	180	1500	WW	2
SLEDPSCLS007--15W LED SCLASS SQ PANEL-WHITE	15W	13	195	180	1500	W	2
SLEDPSCLS008--15W LED SCLASS SQ PANEL-W.W	15W	13	195	180	1500	WW	2
SLEDPSCLS009--18W LED SCLASS RD PANEL-WHITE	18W	13	225	200	1800	W	1
SLEDPSCLS010--18W LED SCLASS RD PANEL-W.W	18W	13	225	200	1800	WW	1
SLEDPSCLS039 18W LED SCLASS RD DAYLIGHT PANEL 42K	18W	13	225	200	1800	DL	1
SLEDPSCLS011--18W LED SCLASS SQ PANEL-WHITE	18W	13	225	200	1800	W	2
SLEDPSCLS012--18W LED SCLASS SQ PANEL-W.W	18W	13	225	200	1800	WW	2
SLEDPSCLS042 18W LED SCLASS SQ DAYLIGHT PANEL 42K	18W	13	225	200	1800	DL	2

LED SCLASS PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SCLASS PANEL LITE

LED SCLASS PANEL LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPSCLS053-30W LED SCLASS RD PANEL WH 300MM	30W	13	300	280	3000	W	1
SLEDPSCLS054-30W LED SCLASS SQ PANEL WH 300X300	30W	13	300	280	3000	W	2
SLEDPSCLS025-6W LED SCLASS SURFACE RD PANEL WHITE	6W	35	120	-	600	W	1
SLEDPSCLS026-6W LED SCLASS SURFACE RD PANEL W/W	6W	35	120	-	600	WW	1
SLEDPSCLS047- 6W LED SCLASS RD SURFACE DAYLIGHT42K	6W	35	120	-	600	DL	1
SLEDPSCLS027-6W LED SCLASS SURFACE SQ PANEL WHITE	6W	35	120	-	600	W	2
SLEDPSCLS028-6W LED SCLASS SURFACE SQ PANEL W/W	6W	35	120	-	600	WW	2
SLEDPSCLS048- 6W LED SCLASS SQ SURFACE DAYLIGHT42K	6W	35	120	-	600	DL	2
SLEDPSCLS029-12W LED SCLASS SURFACE RD PANEL WHITE	12W	35	172	-	1200	W	1
SLEDPSCLS030-12W LED SCLASS SURFACE RD PANEL W/W	12W	35	172	-	1200	WW	1
SLEDPSCLS049-12W LED SCLASS RD SURFACE DAYLIGHT42K	12W	35	172	-	1200	DL	1
SLEDPSCLS031-12W LED SCLASS SURFACE SQ PANEL WHITE	12W	35	172	-	1200	W	2
SLEDPSCLS032-12W LED SCLASS SURFACE SQ PANEL W/W	12W	35	172	-	1200	WW	2
SLEDPSCLS050-12W LED SCLASS SQ SURFACE DAYLIGHT42K	12W	35	172	-	1200	DL	2

LED SCLASS PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SCLASS PANEL LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPSCLS013-18W LED SCLASS SURFACE RD PANEL-WHITE	18W	35	225	-	1800	W	1
SLEDPSCLS014-18W LED SCLASS SURFACE RD PANEL-W.W	18W	35	225	-	1800	WW	1
SLEDPSCLS051-18W LED SCLASS RD SURFACE DAYLIGHT42K	18W	35	225	-	1800	DL	1
SLEDPSCLS015-18W LED SCLASS SURFACE SQ PANEL-WHITE	18W	35	225	-	1800	W	2
SLEDPSCLS016-18W LED SCLASS SURFACE SQ PANEL-W.W	18W	35	225	-	1800	WW	2
SLEDPSCLS052-18W LED SCLASS SQ SURFACE DAYLIGHT42K	18W	35	225	-	1800	DL	2
SLEDPSCLS055-18W 3IN1 LED DIMMABLE AND COLOR CHANG	18W	13	225	200	1800	W/WW/DL	2
SLEDPSCLS056-3IN1 DIMMER AND COLOR CHANGING REMOTE	-	52/110	20	-	-	-	3




LED ECLASS PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink


LED ECLASS PANEL LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPECLS001-3W LED ECLASS ECO PANEL RD WHITE	3W	12	85	75	240	W	1
SLEDPECLS002-3W LED ECLASS ECO PANEL RD W/WH	3W	12	85	75	240	WW	1
SLEDPECLS035-3W LED ECLASS ECO ROUND PANEL 42K	3W	12	85	75	240	DL	1
SLEDPECLS003-3W LED ECLASS ECO PANEL SQ WHITE	3W	12	85	75	240	W	2
SLEDPECLS004-3W LED ECLASS ECO PANEL SQ W/WH	3W	12	85	75	240	WW	2
SLEDPECLS036-3W LED ECLASS ECO SQUARE PANEL 42K	3W	12	85	75	240	DL	2
SLEDPECLS005-6W LED ECLASS ECO PANEL RD WHITE	6W	12	120	100	480	W	1
SLEDPECLS006-6W LED ECLASS ECO PANEL RD W/WH	6W	12	120	100	480	WW	1
SLEDPECLS037-6W LED ECLASS ECO ROUND PANEL 42K	6W	12	120	100	480	DL	1
SLEDPECLS007-6W LED ECLASS ECO PANEL SQ PANEL WHIT	6W	12	120	100	480	W	2
SLEDPECLS008-6W LED ECLASS ECO PANEL SQ PANEL W/WH	6W	12	120	100	480	WW	2
SLEDPECLS038-6W LED ECLASS ECO SQUARE PANEL 42K	6W	12	120	100	480	DL	2
SLEDPECLS009-9W LED ECLASS ECO PANEL RD PANEL WHIT	9W	12	150	130	720	W	1
SLEDPECLS039-9W LED ECLASS ECO ROUND PANEL 42K	9W	12	150	130	720	DL	1
SLEDPECLS010-9W LED ECLASS ECO PANEL SQ PANEL WHIT	9W	12	150	130	720	W	2



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED ECLASS PANEL LITE

LED ECLASS PANEL LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPECLS040-9W LED ECLASS ECO SQUARE PANEL 42K	9W	12	150	130	720	DL	1
SLEDPECLS011-12W LED ECLASS ECO PANEL RD PANEL WHI	12W	12	150	130	960	W	1
SLEDPECLS012-12W LED ECLASS ECO PANEL RD PANEL W/W	12W	12	150	130	960	WW	1
SLEDPECLS041-12W LED ECLASS ECO ROUND PANEL 42K	12W	12	170	150	960	DL	1
SLEDPECLS013-12W LED ECLASS ECO PANEL SQ PANEL WHI	12W	12	170	150	960	W	2
SLEDPECLS014-12W LED ECLASS ECO PANEL SQ PANEL W/W	12W	12	170	150	960	WW	2
SLEDPECLS042-12W LED ECLASS ECO SQUARE PANEL 42K	12W	12	170	145	960	DL	1
SLEDPECLS015-15W LED ECLASS ECO PANEL RD PANEL WHI	15W	12	170	145	1200	W	1
SLEDPECLS016-15W LED ECLASS ECO PANEL RD PANEL W/W	15W	12	170	145	1200	WW	1
SLEDPECLS043-15W LED ECLASS ECO ROUND PANEL 42K	15W	12	195	180	1200	DL	1
SLEDPECLS017-15W LED ECLASS ECO PANEL SQ PANEL WHI	15W	12	195	180	1200	W	2
SLEDPECLS018-15W LED ECLASS ECO PANEL SQ PANEL W/W	15W	12	195	180	1200	WW	2
SLEDPECLS044-15W LED ECLASS ECO SQUARE PANEL 42K	15W	12	195	180	1200	DL	2
SLEDPECLS019-18W LED ECLASS ECO PANEL RD WHITE	18W	12	225	200	1440	W	1
SLEDPECLS020-18W LED ECLASS ECO PANEL RD WW	18W	12	225	200	1440	WW	1

LED ECLASS PANEL  
LIGHT SOURCES



Fig 1




Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED ECLASS PANEL LITE


LED ECLASS PANEL LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPECLS045-18W LED ECLASS ECO ROUND PANEL 42K	18W	12	225	200	1440	DL	1
SLEDPECLS021-18W ECLASS ECO PANEL SQ WHITE	18W	12	225	200	1440	W	2
SLEDPECLS022-18W LED ECLASS ECO PANEL SQ WW	18W	12	225	200	1440	WW	2
SLEDPECLS046-18W LED ECLASS ECO SQUARE PANEL 42K	18W	12	225	200	1440	DL	2
SLEDPECLS023-6W LED ECLASS RD SURFACE PANEL WHITE	6W	22	120	280	480	W	3
SLEDPECLS024-6W LED ECLASS RD SURFACE PANEL W/W	6W	22	120	280	480	WW	3
SLEDPECLS047-6W LED ECLASS RD SURFACE PANEL 42K	6W	22	120	-	480	DL	3
SLEDPECLS025-6W LED ECLASS SQ SURFACE PANEL WHITE	6W	22	120	-	480	W	4
SLEDPECLS026-6W LED ECLASS SQ SURFACE PANEL W/W	6W	22	120	-	480	WW	4
SLEDPECLS048-6W LED ECLASS SQ SURFACE PANEL 42K	6W	22	120	-	480	DL	4
SLEDPECLS027-12W LED ECLASS RD SURFACE PANEL WHITE	12W	22	120	-	960	W	3
SLEDPECLS028-12W LED ECLASS RD SURFACE PANEL W/W	12W	22	120	-	960	WW	3
SLEDPECLS049-12W LED ECLASS RD SURFACE PANEL 42K	12W	22	172	-	960	DL	3
SLEDPECLS029-12W LED ECLASS SQ SURFACE PANEL WHITE	12W	22	172	-	960	W	4
SLEDPECLS030-12W LED ECLASS SQ SURFACE PANEL W/W	12W	22	172	-	960	WW	4



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED ECLASS PANEL LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPECLS050-12W LED ECLASS SQ SURFACE PANEL 42K	12W	22	172	-	960	DL	1
SLEDPECLS031-18W LED ECLASS RD SURFACE PANEL WHITE	18W	22	172	-	1440	W	2
SLEDPECLS032-18W LED ECLASS RD SURFACE PANEL W/W	18W	22	172	-	1440	WW	2
SLEDPECLS051-18W LED ECLASS RD SURFACE PANEL 42K	18W	22	225	-	1440	DL	2
SLEDPECLS033-18W LED ECLASS SQ SURFACE PANEL WHITE	18W	22	225	-	1440	W	1
SLEDPECLS034-18W LED ECLASS SQ SURFACE PANEL W/W	18W	22	225	-	1440	WW	1
SLEDPECLS052-18W LED ECLASS SQ SURFACE PANEL 42K	18W	22	225	-	1440	DL	1


LED C CLASS PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED C CLASS PANEL FIXTURES

LED C CLASS PANEL FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCPNL001-3W C CLASS PANEL RD WHITE	3W	10	90	75	210	W	1
SLEDCPNL002-3W C CLASS PANEL RD WARM WHITE	3W	10	90	75	210	WW	1
SLEDCPNL003-3W C CLASS PANEL RD DAYLIGHT	3W	10	90	75	210	DL	1
SLEDCPNL019-3W C CLASS PANEL SQ WHITE	3W	10	90	75	210	W	2
SLEDCPNL020-3W C CLASS PANEL SQ WARM WHITE	3W	10	90	75	210	WW	2
SLEDCPNL021-3W C CLASS PANEL SQ DAYLIGHT	3W	10	90	75	210	DL	2
SLEDCPNL004-6W C CLASS PANEL RD WHITE	6W	10	120	105	420	W	1
SLEDCPNL005-6W C CLASS PANEL RD WARM WHITE	6W	10	120	105	420	WW	1
SLEDCPNL006-6W C CLASS PANEL RD DAYLIGHT	6W	10	120	105	420	DL	1
SLEDCPNL022-6W C CLASS PANEL SQ WHITE	6W	10	120	105	420	W	2
SLEDCPNL023-6W C CLASS PANEL SQ WARM WHITE	6W	10	120	105	420	WW	2
SLEDCPNL024-6W C CLASS PANEL SQ DAYLIGHT	6W	10	120	105	420	DL	2
SLEDCPNL007-9W C CLASS PANEL RD WHITE	9W	10	140	125	630	W	1
SLEDCPNL008-9W C CLASS PANEL RD WARM WHITE	9W	10	140	125	630	WW	1
SLEDCPNL009-9W C CLASS PANEL RD DAYLIGHT	9W	10	140	125	630	DL	1

LED C CLASS PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED C CLASS PANEL FIXTURES

LED C CLASS PANEL FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCPNL025-9W C CLASS PANEL SQ WHITE	9W	10	140	125	630	W	1
SLEDCPNL026-9W C CLASS PANEL SQ WARM WHITE	9W	10	140	125	630	WW	1
SLEDCPNL027-9W C CLASS PANEL SQ DAYLIGHT	9W	10	140	125	630	DL	1
SLEDCPNL010-12W C CLASS PANEL RD WHITE	12W	10	170	155	840	W	2
SLEDCPNL011-12W C CLASS PANEL RD WARM WHITE	12W	10	170	155	840	WW	2
SLEDCPNL012-12W C CLASS PANEL RD DAYLIGHT	12W	10	170	155	840	DL	2
SLEDCPNL028-12W C CLASS PANEL SQ WHITE	12W	10	170	155	840	W	1
SLEDCPNL029-12W C CLASS PANEL SQ WARM WHITE	12W	10	170	155	840	WW	1
SLEDCPNL030-12W C CLASS PANEL SQ DAYLIGHT	12W	10	170	155	840	DL	1
SLEDCPNL013-15W C CLASS PANEL RD WHITE	15W	10	190	175	1050	W	2
SLEDCPNL014-15W C CLASS PANEL RD WARM WHITE	15W	10	190	175	1050	WW	2
SLEDCPNL015-15W C CLASS PANEL RD DAYLIGHT	15W	10	190	175	1050	DL	2
SLEDCPNL031-15W C CLASS PANEL SQ WHITE	15W	10	190	175	1050	W	1
SLEDCPNL032-15W C CLASS PANEL SQ WARM WHITE	15W	10	190	175	1050	WW	4
SLEDCPNL033-15W C CLASS PANEL SQ DAYLIGHT	15W	10	190	175	1260	DL	4


LED C CLASS PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED C CLASS PANEL FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDCPNL016-18W C CLASS PANEL RD WHITE	18W	10	220	205	1260	W	1
SLEDCPNL017-18W C CLASS PANEL RD WARM WHITE	18W	10	220	205	1260	WW	1
SLEDCPNL018-18W C CLASS PANEL RD DAYLIGHT	18W	10	220	205	1260	DL	1
SLEDCPNL034-18W C CLASS PANEL SQ WHITE	18W	10	220	205	1260	W	2
SLEDCPNL035-18W C CLASS PANEL SQ WARM WHITE	18W	10	220	205	1260	WW	2
SLEDCPNL036-18W C CLASS PANEL SQ DAYLIGHT	18W	10	220	205	1260	DL	2


LED TRIMLESS PANELS  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TRIMLESS PANELS

LED TRIMLESS PANELS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTP001-8W LED TRIM PANEL ROUND WHITE	8W	22	90	70	640	W	1
SLEDTP002-8W LED TRIM PANEL ROUND WARM WHITE	8W	22	90	70	640	WW	1
SLEDTP003-8W LED TRIM PANEL ROUND DAYLIGHT	8W	22	90	70	640	DL	1
SLEDTP004-8W LED TRIM PANEL SQUARE WHITE	8W	22	90	70	640	W	2
SLEDTP005-8W LED TRIM PANEL SQUARE WARM WHITE	8W	22	90	70	640	WW	2
SLEDTP006-8W LED TRIM PANEL SQUARE DAYLIGHT	8W	22	90	70	640	DL	2
SLEDTP007-15W LED TRIM PANEL ROUND WHITE	15W	22	145	120	1200	W	1
SLEDTP008-15W LED TRIM PANEL ROUND WARM WHITE	15W	22	145	120	1200	WW	1
SLEDTP009-15W LED TRIM PANEL ROUND DAYLIGHT	15W	22	145	120	1200	DL	1
SLEDTP010-15W LED TRIM PANEL SQUARE WHITE	15W	22	145	120	1200	W	2
SLEDTP011-15W LED TRIM PANEL SQUARE WARM WHITE	15W	22	145	120	1200	WW	2
SLEDTP012-15W LED TRIM PANEL SQUARE DAYLIGHT	15W	22	145	120	1200	DL	2
SLEDTP013-20W LED TRIM PANEL ROUND WHITE	20W	22	175	150	1600	W	1
SLEDTP014-20W LED TRIM PANEL ROUND WARM WHITE	20W	22	175	150	1600	WW	1
SLEDTP015-20W LED TRIM PANEL ROUND DAYLIGHT	20W	22	175	150	1600	DL	1




LED TRIMLESS PANELS  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TRIMLESS PANELS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTP016-20W LED TRIM PANEL SQUARE WHITE	20W	22	175	150	1600	W	1
SLEDTP017-20W LED TRIM PANEL SQUARE WARM WHITE	20W	22	175	150	1600	WW	1
SLEDTP018-20W LED TRIM PANEL SQUARE DAYLIGHT	20W	22	175	150	1600	DL	1
SLEDTP019-26W LED TRIM PANEL RD WHITE	26W	10	225	200	2080	W	2
SLEDTP020-26W LED TRIM PANEL RD WARM WHITE	26W	10	225	200	2080	WW	2
SLEDTP021-26W TRIM PANEL RD DAYLIGHT	26W	10	225	200	2080	DL	2
SLEDTP022-26W TRIM PANEL SQ WHITE	26W	10	225	200	2080	W	1
SLEDTP023-26W TRIM PANEL SQ WARM WHITE	26W	10	225	200	2080	WW	1
SLEDTP024-26W TRIM PANEL SQ DAYLIGHT	26W	10	225	200	2080	DL	1


LED LASER PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LASER PANEL	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLPNL001-8W LED LASER PANEL ROUND WHITE	8W	30	95	80	680	W	1
SLEDLPNL002-8W LED LASER PANEL ROUND WARM WHITE	8W	30	95	80	680	WW	1
SLEDLPNL003-10W LED LASER PANEL ROUND WHITE	10W	35	125	110	850	W	1
SLEDLPNL004-10W LED LASER PANEL ROUND WARM WHITE	10W	35	125	110	850	WW	1
SLEDLPNL005-15W LED LASER PANEL ROUND WHITE	15W	30	150	140	1275	W	1
SLEDLPNL006-15W LED LASER PANEL ROUND WARM WHITE	15W	30	150	140	1275	WW	1
SLEDLPNL007-20W LED LASER PANEL ROUND WHITE	20W	35	190	175	1700	W	1
SLEDLPNL008-20W LED LASER PANEL ROUND WARM WHITE	20W	35	190	175	1700	WW	1
SLEDLPNL009-8W LED LASER PANEL SQUARE WHITE	8W	30	95	80	680	W	2
SLEDLPNL010-8W LED LASER PANEL SQUARE WARM WHITE	8W	30	95	80	680	WW	2
SLEDLPNL011-10W LED LASER PANEL SQUARE WHITE	10W	35	125	110	850	W	2
SLEDLPNL012-10W LED LASER PANEL SQUARE WARM WHITE	10W	35	125	110	850	WW	2



LED LASER PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED LASER PANEL	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDLPNL013-15W LED LASER PANEL SQUARE WHITE	15W	30	150	140	1275	W	1
SLEDLPNL014-15W LED LASER PANEL SQUARE WARM WHITE	15W	30	150	140	1275	WW	1
SLEDLPNL015-20W LED LASER PANEL SQUARE WHITE	20W	35	190	175	1700	W	1
SLEDLPNL016-20W LED LASER PANEL SQUARE WARM WHITE	20W	35	190	175	1700	WW	1
SLEDLPNL017 - 8W LED LASER PANEL ROUND RED	8W	30	95	80	680	R	2
SLEDLPNL018 - 8W LED LASER PANEL ROUND BLUE	8W	30	95	80	680	B	2
SLEDLPNL019 - 8W LED LASER PANEL ROUND GREEN	8W	30	95	80		G	2

LED MAGIK PANEL  
LIGHT SOURCES



Fig 1




Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED MAGIK PANEL	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDMP001-9W LED MAGIK PANEL RD WHITE	9W	15	90	70	720	W	1
SLEDMP002-9W LED MAGIK PANEL RD WARM WHITE	9W	15	90	70	720	WW	2
SLEDMP003-9W LED MAGIK PANEL RD DAYLIGHT	9W	15	90	70	720	DL	1
SLEDMP004-15W LED MAGIK PANEL RD WHITE	15W	15	120	90	1200	W	1
SLEDMP005-15W LED MAGIK PANEL RD WARM WHITE	15W	15	120	90	1200	WW	2
SLEDMP006-15W LED MAGIK PANEL RD DAYLIGHT	15W	15	120	90	1200	DL	1
SLEDMP007-22W LED MAGIK PANEL RD WHITE	22W	15	170	140	1760	W	1
SLEDMP008-22W LED MAGIK PANEL RD WARM WHITE	22W	15	170	140	1760	WW	2
SLEDMP009-22W LED MAGIK PANEL RD DAYLIGHT	22W	15	170	140	1760	DL	1
SLEDMP010-9W LED MAGIK PANEL SQ WHITE	9W	15	90	70	720	W	3
SLEDMP011-9W LED MAGIK PANEL SQ WARM WHITE	9W	15	90	70	720	WW	4
SLEDMP012-9W LED MAGIK PANEL SQ DAYLIGHT	9W	15	90	70	720	DL	3
SLEDMP013-15W LED MAGIK PANEL SQ WHITE	15W	15	120	90	1200	W	3
SLEDMP014-15W LED MAGIK PANEL SQ WARM WHITE	15W	15	120	90	1200	WW	4
SLEDMP015-15W LED MAGIK PANEL SQ DAYLIGHT	15W	15	120	90	1200	DL	4
SLEDMP016-22W LED MAGIK PANEL SQ WHITE	22W	15	170	140	1760	W	3
SLEDMP017-22W LED MAGIK PANEL SQ WARM WHITE	22W	15	170	140	1760	WW	4
SLEDMP018-22W LED MAGIK PANEL SQ DAYLIGHT	22W	15	170	140	1760	DL	3


LED X1 PANEL  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED X1 PANEL FIXTURES

LED X1 PANEL FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDXPNL001-3W X1 LED PANEL RD WHITE	3W	10	95	80	180	W	1
SLEDXPNL002-3W X1 LED PANEL RD WARM WHITE	3W	10	95	80	180	WW	1
SLEDXPNL003-3W X1 LED PANEL RD DAYLIGHT	3W	10	95	80	180	DL	1
SLEDXPNL004-6W X1 LED PANEL RD WHITE	6W	12	120	100	360	W	1
SLEDXPNL005-6W X1 LED PANEL RD WARM WHITE	6W	12	120	100	360	WW	1
SLEDXPNL006-6W X1 LED PANEL RD DAYLIGHT	6W	12	120	100	360	DL	1
SLEDXPNL007-9W X1 LED PANEL RD WHITE	9W	13	140	120	540	W	2
SLEDXPNL008-9W X1 LED PANEL RD WARM WHITE	9W	13	140	120	540	WW	2
SLEDXPNL009-9W X1 LED PANEL RD DAYLIGHT	9W	13	140	120	540	DL	2
SLEDXPNL010-12W X1 LED PANEL RD WHITE	12W	14	170	150	720	W	2
SLEDXPNL011-12W X1 LED PANEL RD WARM WHITE	12W	14	170	150	720	WW	2
SLEDXPNL012-12W X1 LED PANEL RD DAYLIGHT	12W	14	170	150	720	DL	2

LED PANEL DRIVERS  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PANEL DRIVERS	Voltage	Wattage	Height	Width	Length	Fig
SPNLD001-3W DRIVER FOR LED PANELS	220-240	3W	22	33	80	1
SPNLD002-6W DRIVER FOR LED PANELS	220-241	6W	22	33	80	1
SPNLD003-9-12W DRIVER FOR LED PANELS	220-242	12W	25	43	100	1
SPNLD004-13-18W DRIVER FOR LED PANELS	220-243	18W	25	43	100	1
SLEDD001 1X1W 350MA CONSTANTCURRENTDRIVER	85-265V/2-6V	350	1X1W	22	80	1
SLEDD002-1-3)W 350MA CONSTANT CURRENT DRIVER	85-265V/2.5-12V	350	1X3W	22	80	1
SLEDD003 3W 700MA CONSTANT CURRENT DRIVER	85-265V/2.5-12V	700	3W	22	80	1
SLEDD004- 9-15W (1W) 350MA CONSTANT CURRENT DRIVER	100-240V/2.5-12V	310	15W	21	100	2
SLEDD005 9-12W (3W) 700MA CONSTANT CURRENT DRIVER	100-240V/2.5-12V	700	36W	25	95	2
SLEDD006- 16-24W (1W) 350MA CONSTANT CURRENT DRIV	100-240V/2.5-12V	350	24W	25	95	2
SLEDD009- 4-7 W 350MA CONSTANT CURRENT DRIVER	85-265V/2.5-12V	350	7W	20	40	3

LED SURFACE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SURFACE FIXTURES

LED SURFACE FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SMRLL104- 3W LED SURFACE MOUNTING WHITE	3W	60	45	-	270	W	1
SMRLL105- 3W LED SURFACE MOUNTING WARM WHITE	3W	60	45	-	270	WW	1
SMRLL108- 3W BEDSIDE MINI WITH DR WARM WHITE	3W	128	60	-	270	WW	2
SMRLL109- 3W LED BEDSIDE MINI WITH DR WHITE	3W	128	60	-	270	W	2
SMRLL125- 3W BEDSIDE ECONOMY WHITE	3W	50	100	-	270	W	3
SMRLL126- 3W LED BEDSIDE ECONOMY WW	3W	50	100	-	270	WW	3
SLEDSL001-5W COB SURFACE LIGHT-WHITE	5W	32	80	-	450	W	4
SLEDSL002-5W COB SURFACE LIGHT-W.W	5W	32	80	-	450	WW	4
SLEDSL003-6W LED COB SURFACE TURNTABLE WHITE	5W	40	95	-	540	W	5
SLEDSL004-6W LED COB SURFACE TURNTABLE WARM WHITE	5W	40	95	-	540	WW	5
SLEDSL005-5W LED MINI RD SURFACE SPOT W/WHITE	5W	26	75	-	450	WW	6
SLEDSL006-5W LED MINI RD SURFACE SPOT WHITE	5W	26	75	-	450	W	6

LED SURFACE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SURFACE FIXTURES

LED SURFACE FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSL048-5W MINI ROUND SURFACE SPOT DAYLIGHT	5W	26	75	-	450	DL	1
SLEDSL007-5W LED MINI SQ SURFACE SPOT W/WHITE	5W	26	62	-	450	WW	2
SLEDSL008-5W LED MINI SQ SURFACE SPOT WHITE	5W	26	62	-	450	W	2
SLEDSL049-5W MINI SQUARE SURFACE SPOT DAYLIGHT	5W	26	62	-	450	DL	2
SLEDSL009-5W LED CLEO SURFACE WARM	5W	55	40	-	450	WW	3
SLEDSL010-5W LED CLEO SURFACE WHITE	5W	55	40	-	450	W	3
SLEDSL011-8W LED CLEO SURFACE WARM	8W	95	48	-	720	WW	3
SLEDSL012-8W LED CLEO SURFACE WHITE	8W	95	48	-	720	W	3
SLEDSL013-13W LED CLEO SURFACE WARM	13W	106	60	-	1170	WW	3
SLEDSL014-13W LED CLEO SURFACE WHITE	13W	106	60	-	1170	W	3
SLEDSL019-8W LED SQUARE BEADLITE WARM	8W	65	210	-	640	WW	4
SCTB050-8W LED SQUARE BEADLITE	8W	65	120	-	640	WW	4
SLEDSL020-4X8W LED COB SQ IN SQ SURFACE WHITE	4X8W	50	300	-	2880	W	5
SLEDSL021-6X8W LED COB OVAL SURFACE WHITE	6X8W	325	535	-	4320	W	6



LED SURFACE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SURFACE FIXTURES

LED SURFACE FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSL022-9X8W LED COB SQUARE SURFACE WHITE	9X8W	600	600	-	6480	W	1
SLEDSL023-1W LED MICRO SPOT WHITE BODY WHITE	1W	84	27	-	90	W	1
SLEDSL024-1W LED MICRO SPOT WHITE BODY W/W	1W	84	27	-	90	WW	1
SLEDSL025-1W LED MICRO SPOT WHITE BODY RED	1W	84	27	-	90	R	1
SLEDSL026-1W LED MICRO SPOT WHITE BODY GREEN	1W	84	27	-	90	G	1
SLEDSL027-1W LED MICRO SPOT WHITE BODY BLUE	1W	84	27	-	90	B	1
SLEDSL028-3X1W LED CABINET LIGHT WHITE	3X1W	53	14	-	270	W	2
SLEDSL029-3X1W LED CABINET LIGHT WARM WHITE	3X1W	53	14	-	270	WW	2
SLEDSL030-1W MINI BED SIDE WARM WHITE	1W	380	40	-	90	WW	3
SLEDSL031-1W MINI BED SIDE WHITE	1W	380	40	-	90	W	3
SLEDSL032-1W LONG NECK BED SIDE WARM WHITE	1W	640	100	-	90	WW	4
SLEDSL033-1W LONG NECK BED SIDE WHITE	1W	640	100	-	90	W	4
SLEDSL034-5W SLIM SURFACE MINI RD WARM WHITE	5W	18	75	-	450	WW	5
SLEDSL035-5W SLIM SURFACE MINI RD WHITE	5W	18	75	-	450	W	5
SLEDSL060 - 5W LED SURFACE ECO SPOT WHITE	5W	15	75	-	450	W	6
SLEDSL061 - 5W LED SURFACE ECO SPOT WARM WHITE	5W	15	75	-	450	WW	6

LED SURFACE  
LIGHT SOURCES



Fig 1



Fig 2




Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SURFACE FIXTURES

LED SURFACE FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSL036-6W LED SURFACE ECO FIX SQUARE WHITE	6W	55	90	-	640	W	1
SLEDSL037-6W LED SURFACE ECO FIX SQUARE WARM WHIT	6W	55	90	-	640	WW	1
SLEDSL038-6W LED SURFACE ECO FIX ROUND WHITE	6W	55	90	-	640	W	2
SLEDSL039-6W LED SURFACE ECO FIX ROUND WARM WHITE	6W	55	90	-	640	WW	2
SLEDSL040-12W LED SURFACE ECO FIX SQUARE WHITE	12W	55	120	-	960	W	1
SLEDSL041-12W LED SURFACE ECO FIX SQUARE WARM WHI	12W	55	120	-	960	WW	1
SLEDSL042-12W LED SURFACE ECO FIX ROUND WHITE	12W	55	120	-	960	W	2
SLEDSL043-12W LED SURFACE ECO FIX ROUND WARM WHIT	12W	55	120	-	960	WW	2
SLEDSL044-18W LED SURFACE ECO FIX SQUARE WHITE	18W	55	180	-	1440	W	1
SLEDSL045-18W LED SURFACE ECO FIX SQUARE WARM WHI	18W	55	180	-	1440	WW	1
SLEDSL046-18W LED SURFACE ECO FIX ROUND WHITE	18W	55	180	-	1440	W	2
SLEDSL047-18W LED SURFACE ECO FIX ROUND WARM WHIT	18W	55	180	-	1440	WW	2
SLEDSL050-12W LED WHITE SQUARE SURFACE WARM WHITE	12W	95	70	-	1080	WW	3
SLEDSL051-12W LED BLACK SQUARE SURFACE WARM WHITE	12W	95	70	-	1080	WW	4
SLEDSL052-30W LED WHITE SQUARE SURFACE WARM WHITE	30W	125	115	-	2700	WW	5
SLEDSL068-20W LED WIHTE SQUARE SURFACE WARM WHIT	20W	125	115	-	1800	WW	5

LED SURFACE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3








Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SURFACE FIXTURES

LED SURFACE FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSLF053-30W LED BLACK SQUARE SURFACE WARM WHITE	30W	125	115	-	2700	WW	1
SLEDSLF069-20W LED BLACK SQUARE SURFACE WARM WHITE	20W	125	115	-	1800	WW	1
SLEDSLF054-12W LED WHITE ROUND SURFACE WARM WHITE	12W	120	70	-	1080	WW	2
SLEDSLF055-12W LED BLACK ROUND SURFACE WARM WHITE	12W	120	70	-	1080	WW	3
SLEDSLF056-30W LED WHITE ROUND SURFACE WARM WHITE	30W	150	100	-	2700	WW	2
SLEDSLF057-30W LED BLACK ROUND SURFACE WARM WHITE	30W	150	100	-	2700	W	3
SLEDSLF058 - 5W LED POINTER SURFACE SPOT RD WHITE	5W	12	75	-	450	W	4
SLEDSLF059 - 5W LED POINTER SURFACE SPOT WARM WHIT	5W	12	75	-	450	WW	4
SLEDSLF062 - 5W LED POINTER SURFACE SPOT SQ WHITE	5W	12	75	-	450	W	5
SLEDSLF063- 5W LED POINTER SURFACE SPOT SQ W/W	5W	12	75	-	450	WW	5
SLEDSLF015-23W LED TELESPIE SQUARE WARM	23W	110	120	-	2070	WW	6
SLEDSLF016-23W LED TELESPIE SQUARE WHITE	23W	110	120	-	2070	W	6

LED SURFACE  
LIGHT SOURCES



Fig 1




Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SURFACE FIXTURES

LED SURFACE FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSL017-23W LED TELESPIC ROUND WARM	23W	180	110	-	2070	WW	1
SLEDSL018-23W LED TELESPIC ROUND WHITE	23W	180	110	-	2070	W	1
SLEDSL064 - 12W LED TELESPIC ROUND WHITE	12W	55	100	-	1080	W	2
SLEDSL065-12W LED TELESPIC ROUND WARM WHITE	12W	55	100	-	1080	WW	2
SLEDSL066 - 7W HIBRITE BEDSIDE LAMP WHITE	7W	515	60	-	630	W	3
SLEDSL067 - 7W HIBRITE BEDSIDE LAMP WARM WHITE	7W	515	60	-	630	WW	3
SLEDSL070-3W LED MICRA SURFACE ROUND WHITE	3W	10	60	-	270	W	4
SLEDSL071-3W LED MICRA SURFACE ROUND W/W	3W	10	60	-	270	WW	4
SLEDSL072-3W LED MICRA SURFACE ROUND 4200K	3W	10	60	-	270	DL	4
SLEDSL073-3W LED MICRA SURFACE ROUND RED	3W	10	60	-	270	R	4
SLEDSL074-3W LED MICRA SURFACE ROUND BLUE	3W	10	60	-	270	B	4
SLEDSL075-3W LED MICRA SURFACE ROUND GREEN	3W	10	60	-	270	G	4
SLEDSL076-3W LED MICRA SURFACE ROUND PINK	3W	10	60	-	270	P	4

LED SURFACE  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SURFACE FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSL077-3W LED MICRA SURFACE SQUARE WHITE	3W	10	55	-	270	W	1
SLEDSL078-3W LED MICRA SURFACE SQUARE WARM WHITE	3W	10	55	-	270	WW	1
SLEDSL079-3W LED MICRA SURFACE SQUARE 4200K	3W	10	55	-	270	DL	1
SLEDSL080-3W LED MICRA SURFACE SQUARE RED	3W	10	55	-	270	R	1
SLEDSL081-3W LED MICRA SURFACE SQUARE BLUE	3W	10	55	-	270	B	1
SLEDSL082-3W LED MICRA SURFACE SQUARE GREEN	3W	10	55	-	270	G	1
SLEDSL083-3W LED MICRA SURFACE SQUARE PINK	3W	10	55	-	270	P	1
SCTB048-8W LED SILVER TRIM BEADLITE	8W	50	320	-	720	W	2
SCTB049-8W LED MINI ROUND BEADLITE	8W	40	320	-	720	W	3



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF001-10W LED WALL LAMP-W.W	10W	130	350	-	900	WW	1
SLEDIF002- 6X1W LED WALL BACKLIT SLIT -W.W	6X1W	38	350	-	540	WW	2
SLEDIF003-6X1W WALL SQ RINGO FIXTURE W.W	6X1W	160	100	-	540	WW	3
SLEDIF004--5W LED WALL SLANT FIXTURE W.W	5W	300	35	-	450	WW	4
SLEDIF005--2X1W LED WALL UP & DOWN W.W	2X1W	35	480	-	180	WW	5
SLEDIF006-1W LED WALL UP& DOWN - W.W	1W	35	480	-	90	WW	5
SLEDIF007--6W WALL ROUND RING FIXTURE W.W	6W	240	220	-	540	WW	6



Fig 1



Fig 2



Fig 3



Fig 4





Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF008-5W LED CURVE WALL LITE-W.W	5W	130	350	-	450	WW	1
SLEDIF009-6W LED WALL SHADE-W.W	6W	100	20	-	540	WW	2
SLEDIF010--6W LED WALL UP & DOWN--W.W	6W	90	90	-	540	WW	3
SLEDIF011-6W LED WALL SHELF LITE--W.W	6W	60	300	-	540	WW	4
SLEDIF012--5W LED PICTURE LITE--W.W	5W	120	250	-	450	WW	5
SLEDIF013--8W LED WALL LITE FIX	8W	55	200	-	720	WW	6



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF014--5W LED WALL LITE FIX	5W	160	160	-	450	WW	1
SLEDIF015--5W LED TRIO WALL LITE--W.W	5W	115	95	-	450	WW	2
SLEDIF020-30W LED RECT COB SURFACE WHITE	30W	115	220	-	2700	WW	3
SLEDIF021-30W LED RECT COB SURFACE WARM WHITE	30W	115	220	-	2700	WW	3
SLEDIF022-30W LED ZOOM COB SURFACE WHITE	30W	110	185	-	2700	WW	4
SLEDIF023-30W LED ZOOM COB SURFACE WARM WHITE	30W	110	185	-	2700	WW	4
SLEDIF024- 3W LED CORNER STREAK WALL LITE	3W	65	180	-	270	WW	5
SLEDIF025- 5W LED UP & DOWN GRAVE WALL LITE	5W	100	90	-	450	WW	6





Fig 1



Fig 2



Fig 3



Fig 4




Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF026- 6W LED UP & DOWN CURVO WALL LITE	6W	100	160	-	540	WW	1
SLEDIF027- 6W LED TRECTRIX WALL LITE	6W	100	160	-	540	WW	2
SLEDIF028- 10W LED UP & DOWN WALL LITE	10W	100	260	-	900	WW	3
SLEDIF029-5W LED INDOOR RING FIXTURE ROUND W/WHITE	5W	40	140	-	450	WW	4
SLEDIF030-5W LED INDOOR RING FIXTURE SQUAR W/WHITE	5W	40	120	-	450	WW	5
SLEDIF031-15W LED TRINITY PICTURE LIGHT-4000K	15W	130	470	-	1350	DL	6



Fig 1



Fig 2



Fig 3





Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF032-10W LED TRINITY PICTURE LIGHT-4000K	10W	130	300	-	900	DL	1
SLEDIF033-15W LED TRIAD PICTURE LIGHT-4000K	15W	130	470	-	1350	DL	2
SLEDIF034-10W LED TRIAD PICTURE LIGHT-4000K	10W	130	300	-	900	DL	3
SLEDIF035 -4.5W LED SWIVEL WHITE	4.5W	90	350	-	405	WW	4
SLEDIF060-4.5W LED SWIVEL WARM WHITE	4.5W	90	350	-	405	WW	4
SLEDIF036 -6.5W LED SWIVEL WHITE	6.5W	90	380	-	585	WW	4
SLEDIF061-6.5W LED SWIVEL WARM WHITE	6.5W	90	380	-	585	WW	4
SLEDIF037-18W LED ASTREIX WALL LITE	18W	65	400	-	1620	WW	5
SLEDIF038-6W LED WALL INDIRECT RECT WALL LITE	6W	140	280	-	540	WW	6



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF039-9W LED VICTOR WALL LITE	9W	65	140	-	810	WW	1
SLEDIF040-9W LED CIRCO WALL LITE	9W	60	250	-	810	WW	2
SLEDIF041-13W LED PLAXO WALL LITE	13W	70	265	-	1170	WW	3
SLEDIF042-6W LED DUPLD WALL FIXTURE	6W	110	440	-	540	WW	4
SLEDIF043-9W LED TRIPLED WALL FIXTURE	9W	300	460	-	810	WW	5
SLEDIF044-5W LED LINEAR DOUBLE WALL FIXTURE	5W	40	300	-	450	WW	6



Fig 1



Fig 2



Fig 3





Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF045-6W LED MAGNIO WALL LITE	6W	250	140	-	540	WW	1
SLEDIF046-6W LED KIT WALL LITE	6W	200	200	-	450	WW	2
SLEDIF047-4W QUADPED LED WALL LITE	4W	200	290	-	360	WW	3
SLEDIF048-8W LED BOW WALL LITE	8W	50	105	-	720	WW	4
SLEDIF049-3W LED MINI STACK WALL LITE	3W	55	80	-	270	WW	5
SLEDIF050-5W LED MACRO WALL LITE	5W	160	230	-	450	WW	6



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF051-2X5W LED MACRO WALL LITE	2X5W	160	480	-	900	WW	1
SLEDIF052-8W LED INVERT WALL LITE	8W	148	300	-	720	WW	2
SLEDIF053-6W LED CUBO WALL LITE	6W	60	160	-	540	WW	3
SLEDIF054-6W LED HALO WALL LITE	6W	110	200	-	540	WW	4
SLEDIF055-12W LED STREAKO WALL LITE	12W	100	600	-	1080	WW	5
SLEDIF056-3W LED ROTO WALL LITE	3W	130	260	-	270	WW	6



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF057-3W LED AYAME WALL LITE	3W	130	240	-	270	WW	
SLEDIF058-6W LED OVALAC WALL LITE	6W	120	180	-	540	WW	
SLEDIF059-4WLED UP&DOWN LUMEX WALL LITE W/WHITE	4W	100	120	-	360	WW	
SLEDIF062-110W LED WAVE CEILING FITTING WARM	110W	530	530	-	360	WW	
SLEDIF063-105W LED FIERO CEILING FITTING WARM	105W	700	700	-	9900	WW	
SLEDIF064-45W LED DROP CEILING FITTING WARM	45W	80	310	-	9450	WW	



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF065-18W LED DROP WALL FITTING WARM	18W	265	185	-	4050	WW	1
SLEDIF066-5W LED CAPRINO WALL LAMP WARM	5W	185	60	-	1620	WW	2
SLEDIF067-8W LED DISCLINE WALL LAMP WARM	8W	200	200	-	450	WW	3
SLEDIF068-8W LED QUADLINE WALL LAMP WARM	8W	200	145	-	720	WW	4
SLEDIF069-10W LED WAVE WALL LITE	10W	120	50	-	720	WW	5
SLEDIF070-8W LED ELITE WALL LAMP WARM	8W	280	170	-	900	WW	6



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF071-12W LED CLOVER WALL LAMP WARM	12W	200	200	-	720	WW	1
SLEDIF072-6W LED PLUTO WALL LAMP WARM	6W	150	230	-	1080	WW	2
SLEDIF073-12W LED DOUBLE PLUTO WALL LAMP WARM	12W	150	380	-	1080	WW	3
SLEDIF074-20W LED MUSHROOM WALL LAMP WARM	20W	265	250	-	1800	WW	4
SLEDIF075-6W LED VICTROVIX WALL LAMP WARM	6W	180	180	-	540	WW	5
SLEDIF076-5W LED AMEOBA WALL LAMP WARM	5W	130	150	-	450	WW	6





Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF077-10W LED AMEOBA WALL LAMP WARM	10W	130	320	-	900	WW	1
SLEDIF078-6W LED VICTRONIX WALL LAMP WARM	6W	220	395	-	540	WW	2
SLEDIF079-5W LED OVALUX WALL LAMP WARM	5W	210	125	-	450	WW	3
SLEDIF080-5W LED PRONTO SERIES WARM WHITE	5W	70	300	-	450	WW	4
SLEDIF081-5W LED PRONTO SERIES WHITE	5W	70	300	-	450	WW	4
SLEDIF082-8W LED PRONTO SERIES WARM WHITE	8W	70	500	-	720	WW	4
SLEDIF083-8W LED PRONTO SERIES WHITE	8W	70	500	-	720	W	4
SLEDIF084-20W LED DECO WALL LITE WARM	20W	124	124	-	1800	WW	5
SLEDIF085-8W OVALITE INDOOR WALL LITE WARM	8W	270	155	-	720	WW	6



Fig 1



Fig 2



Fig 3





Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF086-24W OVALITE INDOOR WALL LITE WARM	24W	380	345	-	2160	WW	1
SLEDIF087-10W LED KRYSTAL SQUARE FIXTURE WARM	10W	125	90	-	900	WW	2
SLEDIF088-20W LED KRYSTAL DBL SQUARE FIXTURE WARM	20W	100	250	-	1800	WW	3
SLEDIF089-12W LED KRYSTAL RECTANGLE FIXTURE WARM	12W	60	300	-	1080	WW	4
SLEDIF091-10W LED KRYSTAL LINEAR FIXTURE WARM	10W	180	55	-	900	WW	5
SLEDIF092-20W LED KRYSTAL DBL LINEAR FIXTURE WARM	20W	180	210	-	1800	WW	6



Fig 1



Fig 2




Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF093-6W TWISTER LED INDOOR LITE W.W	6W	100	110	-	540	WW	1
SLEDIF094-20W LED STREAK FIXTURE WARM	20W	410	20	-	1800	WW	2
SLEDIF095-40W LED PRIMO FIXTURE WARM	40W	45	400	-	3600	WW	3
SLEDIF096-10W LED TWINE FIXTURE WARM	10W	395	40	-	900	WW	4
SLEDIF097-3X3W LED TRIMYST WALL FIXTURE WARM	3X3W	60	270	-	810	WW	5
SLEDIF098-8W LED SCREEDO WALL FIX WARM	8W	120	150	-	720	WW	6



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF099-8WX2 LED SCREEDO DUAL WALL FIX WARM	2X8W	120	540	-	1440	WW	1
SLEDIF100-5W LED FLIPPER WALL LITE WARM WHITE	5W	140	80	-	450	WW	2
SLEDIF101-30W LED SPIRO FIXTURE WARM WHITE	30W	160	470	-	2700	WW	3
SLEDIF102-9W LED INTREX WALL FIXTURE WARM WHITE	9W	180	300	-	810	WW	4
SLEDIF103-24W LED LITOVA WALL FIX WARM WHITE	24W	65	450	-	2160	WW	5
SLEDIF104-5W LED SPOTRON WALL LITE WARM WHITE	5W	110	50	-	450	WW	6





Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED INDOOR FIXTURE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDIF105-2X5W LED SPOTRON LED WALL LITE WARM WHIT	2X5W	110	240	-	900	WW	1
SLEDIF106-18W LED FLIPPER WALL LITE WARM WHITE	18W	120	310	-	1620	WW	2
SLEDIF016-3X1W LED AMTRET WALL LITE-WHITE	3X1W	30	460	-	270	W	3
SLEDIF017-3X1W LED AMTRET WALL LITE-W.W	3X1W	30	460	-	270	WW	3
SLEDIF018-3X1W LED TRITRET WALL LITE-WHITE	3X1W	30	460	-	270	W	3
SLEDIF019-3X1W LED TRITRET WALL LITE-W.W	3X1W	30	460	-	270	WW	3

LED SUSPENDED  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SUSPENDED	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SSL012-24W LED RINGO SUSPENDED WHITE	24W	1620	455	-	2160	WW	1
SSL013-32W LED CLASSIC RING SUSPENDED WHITE	32W	1420	200	-	2880	WW	2
SSL014-28W LED CLASSIC SQUARE SUSPENDED WHITE	28W	1100	400	-	2520	WW	3
SSL015-50W LED RECTANGULAR SUS WW	50W	1500	800	-	4500	WW	4
SSL016-66W DIATRON SUSPENDED WARM WHITE	66W	1550	600	-	5640	WW	5
SSL017-5W LED CIRCOLITE SUSPENDED WARM	5W	1300	500	-	450	WW	6

LED SUSPENDED  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SUSPENDED	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SSL018-6W LED TRISTAR SUSPENDED WARM	6W	900	340	-	540	WW	1
SSL019-8W LED ELITE SUSPENDED LAMP WARM	8W	1120	180	-	720	WW	2
SSL020-5W LED BALL SUSPENDED LAMP WARM	5W	500	70	-	450	WW	3
SSL021-8W LED CONE SUSPENDED LAMP WARM	8W	1200	55	-	720	WW	4
SSL022-24W LED ECO RING SUSPENDED WARM	24W	770	330	-	2160	WW	5
SSL023-24W LED POLO SUSPENDED WARM	24W	1150	310	-	2160	WW	6

LED SUSPENDED  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3





Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SUSPENDED	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SSL024-20W LED DECO PENDANT LIGHT WARM	20W	1130	150	-	1800	WW	1
SSL025-36W LED KRYSTAL SUSPENDED FIXTURE WARM	36W	830	450	-	3240	WW	2
SSL026-52W LED GRIDLINE SUSPENDED FIXTURE WARM	52W	850	1080	-	4680	WW	3
SSL027-80W LED AMAZE SUSPENDED FIXTURE WARM	80W	780	620	-	7200	WW	4
SSL028-3WX18 LED TRITMYST TRIOS SUSPENDED FIX WARM	18X3W	1025	800	-	4860	WW	5
SSL029-10W LED CYLINDRICAL SUSPENDED FIX WARM	10W	680	80	-	900	WW	6



LED SUSPENDED  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5





Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED SUSPENDED	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SSL030-5W LED GLASS BALL SUSPENDED FIX WARM	5W	620	70	-	450	WW	1
SSL031-20W LED CYLINDER SUSPENDED WHITE	20W	200	100	-	1800	W	2
SSL032-20W LED CYLINDER SUSPENDED WARM WHITE	20W	200	100	-	1800	WW	2
SSL033-8W LED SLEEK SUSPENDED FIX WARM WHITE	8W	1200	80	-	720	WW	3
SSL034-10W LED SLIM BLACK SUSPENDED LIGHT WARM WHIT	10W	300	40	-	900	WW	4
SSL035-10W LED SLIM WHITE SUSPENDED LIGHT WARM WHIT	10W	300	40	-	900	WW	5
SSL036-24W LED LINERVA SUSPENDED FIXTURE	24W	950	1200	-	2160	WW	6

LED TRACKS  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TRACKS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
STL050-20W FOCAL LED COB TRACK WHITE	20W	140	200	-	1800	W	1
STL051-20W FOCAL LED COB TRACK W/W	20W	140	200	-	1800	WW	1
STL052-12W MICRO LED COB TRACK WHITE	12W	100	100	-	1080	W	2
STL053-12W MICRO LED COB TRACK W/W	12W	100	100	-	1080	WW	2
STL067-12W MICRO LED COB TRACK DAY LIGHT	12W	100	100	-	1080	DL	2
STL054-25W MICRO LED COB TRACK WHITE	25W	120	120	-	2250	W	2
STL055-25W MICRO LED COB TRACK W/W	25W	120	120	-	2250	WW	2
STL068-25W MICRO LED COB TRACK DAY LIGHT	25W	120	120	-	2250	DL	2
STL056-28W LED COB TRACK WHITE	28W	170	170	-	2520	W	3
STL057-28W LED COB TRACK WARM WHITE	28W	170	170	-	2520	WW	3
STL058-33W LED COB TRACK WHITE	33W	125	125	-	2970	W	4
STL059-33W LED COB TRACK WARM WHITE	33W	125	125	-	2970	WW	4
STL060-LED ZIG TRACK SPOT HOLDER	-	160	230	-	-	-	5
STL061-30W LED LAMP FOR TRACK ZIG WHITE	30W	160	230	-	2700	W	6
STL062-30W LED LAMP FOR TRACK ZIG WARM WHITE	30W	160	230	-	2700	WW	6

LED TRACKS  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TRACKS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
STL063-50W CREE LED COB TRACK WHITE	30W	130	160	-	4500	W	1
STL064-50W CREE LED COB TRACK WARM WHITE	50W	130	160	-	4500	WW	1
STL065-20W LED SLEEK TRACK WARM WHITE	20W	85	230	-	1800	W	2
STL066-20W LED SLEEK TRACK WHITE	20W	85	230	-	1800	W	2
STL069-20W LED SLEEK TRACK DAYLIGHT	20W	85	230	-	1800	DL	2
STL070-15W LED SLEEK TRACK WHITE	15W	70	175	-	1350	W	2
STL071-15W LED SLEEK TRACK WARM WHITE	15W	70	175	-	1350	WW	2
STL072-15W LED SLEEK TRACK DAYLIGHT	15W	70	175	-	1350	DL	2
STL073-30W LED SLEEK TRACK WHITE	30W	110	235	-	2700	W	2
STL074-30W LED SLEEK TRACK WARM WHITE	30W	110	235	-	2700	WW	2
STL075-30W LED SLEEK TRACK DAYLIGHT	30W	110	235	-	2700	DL	2
STL076-20W IBALL TRACK WHITE	20W	90	225	-	1800	W	3
STL077-20W IBALL TRACK WARM WHITE	20W	90	225	-	1800	WW	3
STL078-20W IBALL TRACK DAYLIGHT	20W	90	225	-	1800	DL	3



Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TRACKS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
STL079-10W PROJECTO TRACK WHITE	10W	170	70	-	900	W	1
STL080-10W PROJECTO TRACK WARM WHITE	10W	170	70	-	900	WW	1
STL081-10W PROJECTO TRACK DAYLIGHT	10W	170	70	-	900	DL	1
STL082-20W PROJECTO TRACK WHITE	20W	225	110	-	1800	W	1
STL083-20W PROJECTO TRACK WARM WHITE	20W	225	110	-	1800	WW	1
STL084-20W PROJECTO TRACK DAYLIGHT	20W	225	110	-	1800	DL	1
STL085-15W LED SLEEK BLACK TRACK WHITE	15W	230	85	-	1350	W	2
STL086-15W LED SLEEK BLACK TRACK WARM WHITE	15W	230	85	-	1350	WW	2
STL087-20W LED SLEEK BLACK TRACK WHITE	20W	235	110	-	1800	W	2
STL088-20W LED SLEEK BLACK TRACK WARM WHITE	20W	235	110	-	1800	WW	2
STL089-30W LED SLEEK BLACK TRACK WHITE	30W	175	70	-	2700	W	2
STL090-30W LED SLEEK BLACK TRACK WARM WHITE	30W	175	70	-	2700	WW	2
STL091-35W LED LINEAR TRACK WHITE	35W	220	162	-	3150	W	3
STL092-35W LED LINEAR TRACK WARM WHITE	35W	220	162	-	3150	WW	3

LED TRACKS  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TRACKS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
STL100-35W LED LILIPUTAN TRACK DAYLIGHT	35W	178	65	-	3150	DL	1
STL093-7W LED FLEXI TRACK WHITE	7W	275	56	-	630	W	2
STL094-7W LED FLEXI TRACK WARM WHITE	7W	275	56	-	630	WW	2
STL095-35W LED LILLIPUTAN TRACK WHITE	35W	178	65	-	3150	W	1
STL096-35W LED LILLIPUTAN TRACK WARM WHITE	35W	178	65	-	3150	WW	1
STL097-7W HIBRITE FLEXI TRACK WHITE	7W	400	65	-	630	W	3
STL098 - 7W HIBRITE FLEXI TRACK WARM WHITE	7W	400	65	-	630	WW	3
STL099-7W LED HIBRITE FLEXI TRACK DAYLIGHT	7W	400	65	-	630	DL	3



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

TRACK MT

TRACK MT	Body Colour	Height	Width	Fig
ST001 - 1/2METER TRACK	WHITE	500	20	1
ST003 - 1 METER TRACK WHITE	WHITE	1000	20	1
ST005 - 2METER TRACK WHITE	BLACK	2000	20	1
ST007 - 1 METRE TRACK BLACK	WHITE	1000	20	1
ST008 - FLEXI TRACK FOR 2 WIRE TRACKS				2
ST009 - TRACK SPOT HOLDER WHITE	WHITE			3
ST010 - TRACK SPOT HOLDER BLACK	BLACK			4
STC001 - CONNECTORS I		20	20	5
STC001 - CONNECTORS L		20	20	5
STC002 - CONNECTORS T		20	20	6
STC002 - CONNECTORS X		20	20	6



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5





Fig 6



SLEDAP001



SLEDAP006

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PROFILES FOR STRIP

LED PROFILES FOR STRIP	Inner Width	Height	Outer Width	Fig
SLEDAP001-1MTR AL PROFILE FOR LED STRIP(3528/5050)	12.2	7	17.5	1
SLEDAP002-1 MTR FROSTED ACRYLIC COVER FOR PROFIL	0	0	18	2
SLEDAP003-1 MTR FROSTED CLEAR COVER FOR PROFILE	0	0	18	3
SLEDAP004-END CAP FOR AL PROFILES	0	16	30	4
SLEDAP005-CLAMP FOR AL PROFILES	0	0	0	5
SLEDAP006-1 METER WIDE AL PROFILE FOR 5050 LED STR	12.2	7	17.5	6
SLEDAP007-1 METER WIDE FROSTED ARYLIC COVER FOR WI	0	0	17.5	2
SLEDAP008-1 METER WIDE CLEAR ARYLIC COVER FOR WIDE	0	0	17.5	3



Fig 1



Fig 2



Fig 3




Fig 4




Fig 5



Fig 6



SLEDAP011



SLEDAP016

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PROFILES FOR STRIP

LED PROFILES FOR STRIP	Inner Width	Height	Outer Width	Fig
SLEDAP009-END CAP FOR WIDE AL PROFILE	0	7.06	17	1
SLEDAP010-CLAMP FOR WIDE AL PROFILE	0	0	0	2
SLEDAP011-1 METER AL PROFILE EXTRA WIDE FOR LED ST	13	12	16	3
SLEDAP012-1 METER FROSTED ACR COVER FOR EXTRA WIDE	0	0	16	4
SLEDAP013-1 METER CLEAR ACR COVER FOR EXTRA WIDE A	0	0	16	5
SLEDAP014-END CAP FOR EXTRA WIDE AL PROFILE	0	10	17	1
SLEDAP015-CLAMP FOR EXTRA WIDE AL PROFILE	0	0	0	2
SLEDAP016-1 METER AL PROFILE DEEPER FOR LED STRIPS	16	18	27	6





Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



SLEDAP022

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PROFILES FOR STRIP

LED PROFILES FOR STRIP	Inner Width	Height	Outer Width	Fig
SLEDAP017-1 METER FROSTED ACR COVER FOR DEEPER AL	0	5	27	1
SLEDAP018-1 METER CLEAR ACR COVER FOR DEEPER AL PR	0	5	27	2
SLEDAP019-PC END CAP FOR DEEPER AL PROFILE	0	30.9	28	3
SLEDAP020-AL END CAP FOR DEEPER AL PROFILE	0	0	0	4
SLEDAP021-CLAMP FOR DEEPER AL PROFILE	0	0	0	5
SLEDAP022-1 METER CORNER AL PROFILE FOR STRIP	12.5	18.1	25	6



Fig 1



Fig 2



Fig 3





Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PROFILES FOR STRIP

LED PROFILES FOR STRIP	Inner Width	Height	Outer Width	Fig
SLEDAP023-FROSTED COVER FOR CORNER AL PROFILE	13	3	25	1
SLEDAP024-CLEAR COVER FOR CORNER AL PROFILE	13	3	25	2
SLEDAP025-SPARE END CAP & CLAMP FOR CORNER PROFILE	0	0	0	3
SLEDAP026-1 METER LED STEP PROFILE FOR STRIP	27	27	55	4
SLEDAP027-FROSTED COVER FOR STEP PROFILE	27	3	0	5
SLEDAP028-END CAP FOR STEP PROFILE	27	3	0	6




Fig 1



Fig 2



Fig 3




Fig 4




Fig 5



Fig 6



SLEDAP029



SLEDAP032

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PROFILES FOR STRIP

	Inner Width	Height	Outer Width	Fig
SLEDAP029-1 METER SUPER WIDE AL PROFILE FOR STRIP	35	35	43	1
SLEDAP030-FROSTED COVER FOR SUPER WIDE PROFILE	35	5	35.2	2
SLEDAP031-END CAP FOR SUPER WIDE PROFILE	35	5	0	3
SLEDAP032-1 METER BENDABLE AL PROFILE FOR LED STRIP	13.5	5	18	4
SLEDAP033-MOUNTING CLIPS FOR BENDABLE PROFILE	0	3	18	5
SLEDAP034-END CAPS FOR BENDABLE PROFILE	0	5	18	6



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



SLEDAP035A



SLEDAP039

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PROFILES FOR STRIP

	Inner Width	Height	Outer Width	Fig
SLEDAP035-CLEAR COVER FOR SUPER WIDE PROFILE	0	0	35.2	1
SLEDAP035A-1 METER LED CONCEALED PROFILE	16	14	25	2
SLEDAP036-FROSTED COVER 1 MTR FOR CONCEALED PROFIL	16	4	17.5	3
SLEDAP037-END CAP FOR CONCEALED PROFILE	0	14	25	4
SLEDAP038-BACK CLIP FOR CONCEALED PROFILE	0	0	0	5
SLEDAP039-1 METER LED DEEP CONCEALED PROFILE	50	75	65	6



Fig 1



Fig 2



Fig 3





Fig 4




Fig 5




Fig 6



SLEDAP043



SLEDAP047



SLEDAP051

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED PROFILES FOR STRIP

	Inner Width	Height	Outer Width	Fig
SLEDAP040-FROSTED COVER 1 MTR FOR DEEP CONCEALED P	50	4	0	1
SLEDAP041-END CAP FOR DEEP CONCEALED PROFILE	0	75	65	2
SLEDAP042-SPRING CLIP FOR DEEP CONCEALED PROFILE	0	0	0	3
SLEDAP043-40MM LED CONCEALED SUSPENDE AL PROFILE	39	25	40	4
SLEDAP044-FROSTED COVER FOR 40MM CONCEALED SUS PRO	-	-	40	1
SLEDAP045-END CAP FOR 40MM CONCEALED PROFILE	-	58	40	5
SLEDAP046-SUSPENSION CLIP FOR 40MM CONCEALED PROFI	-	-	-	6
SLEDAP047-70MM LED CONCEALED SUSPENDE AL PROFILE	68	55	70	4
SLEDAP048-FROSTED COVER FOR 70MM CONCEALED SUS PRO	-	-	70	1
SLEDAP049-END CAP FOR 70MM CONCEALED PROFILE	-	57	71	5
SLEDAP050-SUSPENSION CLIP FOR 70MM CONCEALED PROFI	-	-	-	6
SLEDAP051-100MM LED CONCEALED SUSPENDE AL PROFILE	96	55	100	4
SLEDAP052-FROSTED COVER FOR 100MM CONCEALED SUS PR	-	-	100	1
SLEDAP053-END CAP FOR 100MM CONCEALED PROFILE	-	57	101	5
SLEDAP054-SUSPENSION CLIP FOR 100MM CONCEALED PROF	-	-	-	6



Fig 1

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED STRIPS	Voltage	Wattage	Lumens	IP	Light Color	Fig
SLEDST017-12V 4.5W FLEXI STRIP IP20 WHITE	12V	4.5W	400	20	W	1
SLEDST018- 12V 4.5W FLEXI STRIP IP 20 WARM WHITE	12V	4.5W	400	20	WW	1
SLEDST019-12V 4.5W FLEXI STRIP IP 20 BLUE	12V	4.5W	400	20	B	1
SLEDST025-12V 4.5W FLXI STRIP IP 20 RED	12V	4.5W	400	20	R	1
SLEDST026-12V 4.5W FLEXI STRIP IP20 GREEN	12V	4.5W	400	20	G	1
SLEDST020-12V 6W WATER PROOF FLEXI STRIP (IP65) WH	12V	6W	540	65	W	1
SLEDST021-12V 6W WATER PROOF FLEXI STRIP (IP65) WW	12V	6W	540	65	WW	1
SLEDST022-12V 6W WATER PROOF FLEXI STRIP (IP65) BL	12V	6W	540	65	B	1
SLEDST027-12V 6W PINK WATERPROOF FLEXI STRIP IP65	12V	6W	540	65	P	1
SLEDST065-12V 4.5W FLEXIBLE OUT DOOR IP65 ORANGE S	12V	4.5W	405	65	O	1
SLEDST047-7.5W 5050 LED STRIP IP20/30 LED/M -WHITE	12V	7.5W	648	20	W	1
SLEDST048-7.5W5050 LED STRIP IP20 /30LED W.W	12V	7.5W	648	20	WW	1
SLEDST049-7.5W 5050 LED STRIP 1P20 /30LED--BLUE	12V	7.5W	648	20	B	1
SLEDST050-IP65 5050 LED STRIP 30 LEDS PER METER-WH	12V	7.5W	675	65	W	1
SLEDST051-IP65 5050 LED STRIP 30 LEDS PER METER-WW	12V	7.5W	675	65	WW	1
SLEDST053-IP20 5050 LED STRIP 60 LEDS PER METER-WH	12V	15W	1350	20	W	1




Fig 1



Fig 2

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED STRIPS	Voltage	Wattage	Lumens	IP	Light Color	Fig
SLEDST054-IP20 5050 LED STRIP 60 LEDS PER METER-WW	12V	15W	1350	20	WW	1
SLEDST034- IP66 15W 5050 60LED/METER WHITE	12V	15W	1350	65	W	1
SLEDST035- IP66 15W 5050 60LED/METER WARM WHITE	12V	15W	1350	65	WW	1
SLEDST036- IP66 15W 5050 60LED/METER BLUE	12V	15W	1350	65	B	1
SLEDST066-12V 5050 LED IP65 ONE CHIP WHITE (60 LED	12V	9w	270	65	WW	1
SLEDST067-12V 5050 LED IP65 ONE CHIP WARM WHITE (6	12V	9w	270	65	WW	1
SLEDST068-12V 5050 LED IP65 ONE CHIP BLUE ( 60 LED	12V	9w	270	65	B	1
SLEDST069-12V 3528 LED DAYLIGHT STRIP IP20	12V	4.5w	405	20	DL	2
SLEDST028- RGB STRIP IP 20 30 LEDS/METRE	12V	7.5w	750	20	R/G/B	2
SLEDST023-12V 7.5W WATER PR FLEXI STRIP (IP65) RGB	12V	7.5w	750	65	R/G/B	2
SLEDST052-IP20 5050 LED STRIP 60 LEDS PER MTR-RGB	12V	15w	1350	20	R/G/B	2
SLEDST037- IP65 15W 5050 60LED/METER RGB	12V	15w	1350	65	R/G/B	2

LED STRIPS  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED STRIPS	Voltage	Wattage	Lumens	IP	Light Color	Fig
SLEDST070-5W(2835) LED IP20 DBL PCB STRIP WHITE	12V	5w	450	20	W	1
SLEDST071-5W(2835) LED IP20 DBL PCB STRIP WARM WHI	12V	5w	450	20	WW	1
SLEDST072-5W(2835) LED IP20 DBL PCB STRIP BLUE	12V	5w	450	20	B	1
SLEDST073-5W(2835) LED IP20 DBL PCB STRIP RED	12V	5w	450	20	R	1
SLEDST074-5W(2835) LED IP20 DBL PCB STRIP GREEN	12V	5w	450	20	G	1
SLEDST075-5W(2835) LED IP20 DBL PCB STRIP YELLOW	12V	5w	450	20	Y	1
SLEDST076-5W(2835) LED IP20 DBL PCB STRIP PINK	12V	5w	450	20	P	1
SLEDST077-5W(2835) LED IP20 DBL PCB STRIP RGB STAB	12V	5w	450	20	R/G/B	1
SLEDST084-DBL PCB 2835 LED STRIP (IP20) DAYLIGHT	12V	5w	450	20	DL	1
SLEDST078-204 LED IP20 15W STRIP WHITE	12V	15w	1350	20	W	2
SLEDST079-204 LED IP20 15W STRIP WARM WHITE	12V	15w	1350	20	WW	2
SLEDST080-204 LED IP20 15W STRIP BLUE	12V	15w	1350	20	B	2
SLEDST081-204 LED IP20 15W STRIP DAYLIGHT	12V	15w	1350	20	DL	2
SLEDST082-180 LED DUAL 5730 STRIP 10W WHITE	12V	10w	900	20	W	3
SLEDST083-180 LED DUAL5730 STRIP 10W WARM WHITE	12V	10w	900	20	WW	3
SLEDST085-POWER CORD FOR 180 LED DUAL 5730 STRIP	12V	-	-	- -		4



LED STRIPS  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED STRIPS	Voltage	Wattage	Lumens	IP	Light Color	Fig
SLEDST086-CONNECTOR FOR 180 LED DUAL 5730 STRIP	12V	-	-	-	-	1
SLEDST087-END CAP FOR 180 LED DUAL 5730 STRIP	12V	-	-	-	-	2
SLEDST088-12V 5050 LED STRIP IP20 MULTICOLOR EFFEC	12V	12w	1080	20	MULTICOLOURS	3
SLEDST089-120 LED DBL PCB 2835 IP20 STRIP WHITE	12V	10w	900	20	W	3
SLEDST090-120 LED DBL PCB 2835 IP20 STRIP W/W	12V	10w	900	20	WW	4
SLEDST091-120 LED DBL PCB 2835 IP20 STRIP BLUE	12V	10w	900	20	B	4
SLEDST092-120 LED DBL PCB 2835 IP20 STRIP DAYLIGHT	12V	10w	900	20	DL	4
SLEDST093-120LED 220V 3014 STRIP WHITE	220V	6w	900	44	W	5
SLEDST094-120LED 220V 3014 STRIP WARM WHITE	220V	6w	900	44	WW	5
SLEDST095-120LED 220V 3014 STRIP BLUE	220V	6w	900	44	B	5
SLEDST096-120LED 220V 3014 STRIP RED	220V	6w	900	44	R	5
SLEDST097-120LED 220V 3014 STRIP GREEN	220V	6w	900	44	G	5
SLEDST098-220V 3014 120LED STRIP PINK	220V	6w	900	44	P	5



Fig 1



Fig 2

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED STRIPS	Voltage	Wattage	Lumens	IP	Light Color	Fig
SLEDST099-END CORD FOR 220V 3014 STRIP	220V	-	-	-	-	1
SLEDST100-END CAP FOR 220V 3014 STRIP	220V	-	-	-	-	2
SLEDST101-CONNECTOR PIN FOR 220V 3014 STRIP	220V	-	-	-	-	2



Fig 1



Fig 2



Fig 3

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED RIGID STRIP	Wattage	Height	Outer Width	Humens	Light Color	Fig
SLEDRST001-72 LEDS 15W PER MTR RIGID STRIP WHITE	15W	996	12	1350	W	1
SLEDRST002-72LEDS 15W PER MTR RIGID STRIP WW	15W	996	12	1350	WW	1
SLEDRST003-72LEDS 15W PER MTR RIGID STRIP DAYLIGHT	15W	996	12	1350	DL	1
SLEDRST004-120LEDS 20W PER MTR RIGID STRIP WHITE	20W	996	20	1800	W	2
SLEDRST005-120LEDS 20W PER MTR RIGID STRIP WW	20W	996	20	1800	WW	2
SLEDRST006-120LEDS 20W PER MTR RIGIDSTRIP DAYLIGHT	20W	996	20	1800	DL	2
SLEDRST007-180LEDS 30W PER METER RIGID STRIP WHITE	30W	996	30	2700	W	3
SLEDRST008-180 LEDS 30W PER MTR RIGID STRIP WW	30W	996	30	2700	WW	3
SLEDRST009-180LEDS 30W PER MTR RIGIDSTRIP DAYLIGHT	30W	996	30	2700	DL	3

CONSTANT VOLTAGE DRIVER  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

CONSTANT VOLTAGE DRIVER

CONSTANT VOLTAGE DRIVER	Height	Width	Voltage	watts	Fig
SLEDSTD009-12V MINI MULTICOLOR CONTROLLER	12	60	12		1
SLEDD007 LED SMPS 2.5 AMPS FOR 1-5MTR LED STRIP	33	85	12	30	2
SLEDD008- LED SMPS 5 AMPS (FOR 1-10 MTR) LED STRIP	35	110	12	30	2
SLEDST012-18W WATER PROOF DRIVER FOR STRIP	20	150	12	20	3
SLEDST013-36W WATER PROOF DRIVER FOR STRIP	30	145	12	36	4
SLEDST014-100W LED STRIP DRIVER	40	130	12	120	2
SLEDSTD001- 6A 72W IR RGB REMOTE CONROL	22	50	12	120	5
SLEDSTD006-250W DRIVER FOR LED STRIPS	50	160	12	250	6

CONSTANT VOLTAGE DRIVER  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

CONSTANT VOLTAGE DRIVER

Height Width Voltage watts Fig

- SLEDSTD007-300W DRIVER FOR LED STRIPS
- SLEDSTD008-LED SMPS 1.5 AMPS DRIVER
- SLEDST015-150W LED STRIP DRIVER
- SLEDSTD004- 12A 144W AMPLIFIER FOR STRIP
- SLEDSTD005- 18A 216W RGB TOUCH REMOTE

50	200	12	300	1
33	59	12	15-18	2
50	160	12	150	3
12	40	12	144	4
33	83	12	216	5

LED NEON ROPE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED NEON ROPE	Wattage	Lumens	Light Color	Fig
SLEDNR001-120 LED 10W NEON ROPE WHITE	10W	900	W	1
SLEDNR002-120 LED 10W NEON ROPE WARM WHITE	10W	900	WW	1
SLEDNR003-120 LED 10W NEON ROPE BLUE	10W	900	B	1
SLEDNR004-END CORD FOR LED NEON ROPE	-	-	-	2
SLEDNR005-END CAP FOR LED NEON ROPE	-	-	-	3
SLEDNR006-CONNECTOR FOR LED NEON ROPE	-	-	-	4
SLEDNR007-80 LED 10W NEON ROPE RGB	10W	900	R/G/B	1
SLEDNR008-120 LED 10W NEON ROPE PURPLE	10W	900	PURPLE	1
SLEDNR009-END CORD CONTROLLER FOR LED RGB NEON ROP	-	-	-	5
SLEDNR010-END CORD CONTROLLER FOR LED RGB WITH REMOTE	-	-	-	6

LED NEON ROPE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 6

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED NEON ROPE WATER PROOF	Wattage	Lumens	Light Color	Fig
SLEDNRWP001-12V IP68 NEON ROPE 6W PER METER WARM W	6W	540	W	1
SLEDNRWP002-12V IP68 NEON ROPE 6W PER METER BLUE	6W	540	B	1
SLEDNRWP003-12V IP68 NEON ROPE 6W PER METER PINK	6W	540	P	2
SLEDNRWP004-12V IP68 NEON ROPE END CAP	-	-	-	3



Fig 1



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TUBES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTF5071-T8 LED 8W TUBE 2FT WHITE	8W	600	30	-	720	W	1
SLEDTF5072-T8 LED 8W TUBE 2FT WARM WHITE	8W	600	30	-	720	WW	1
SLEDTF5073-T8 LED 16W TUBE 4FT WHITE	16W	1200	30	-	1440	W	1
SLEDTF5074-T8 LED 16W TUBE 4FT WARM WHITE	16W	1200	30	-	1440	WW	1



T5 PRIMO SERIES  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

T5 PRIMO SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTF5034-4W LED ECO SQUARE TUBE FIXTURE WHITE	4W	275	25	-	360	W	1
SLEDTF5035-4W LED ECO SQ TUBE FIXTURE DAYLIGHT	4W	275	25	-	360	DL	1
SLEDTF5036-4W LED ECO SQ TUBE FIXTURE W/WHITE	4W	275	25	-	360	WW	1
SLEDTF5037-10W LED ECO SQUARE TUBE FIXTURE WHITE	10W	536	25	-	810	W	2
SLEDTF5038-10W LED ECO SQUARE TUBE FIXTUR DAYLIGHT	10W	536	25	-	810	DL	2
SLEDTF5039-10W LED ECO SQUARE TUBE FIXTURE W/WHITE	10W	1136	25	-	810	WW	2
SLEDTF5040-20W LED ECO SQUARE TUBE FIXTURE WHITE	20W	1136	25	-	1620	W	3
SLEDTF5041-20W LED ECO SQ TUBE FIXTURE DAYLIGHT	20W	1136	25	-	1620	DL	3
SLEDTF5042-20W LED ECO SQUARE TUBE FIXTURE W/WHIT	20W	1136	25	-	1620	WW	3

T5 PRIMO SERIES  
LIGHT SOURCES



Fig 1





Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

T5 PRIMO SERIES

T5 PRIMO SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTF5047- 4W LED T5 RADO FIXTURE WHITE	4W	315	24	-	360	W	1
SLEDTF5048- 4W LED T5 RADO FIXTURE DAYLIGHT	4W	315	24	-	360	DL	1
SLEDTF5049- 4W LED T5 RADO FIXTURE WARM WHITE	4W	315	24	-	360	WW	1
SLEDTF5050-9W LED T5 RADO FIXTURE WHITE	9W	575	25	-	810	W	1
SLEDTF5051-9W LED T5 RADO FIXTURE DAY LIGHT	9W	575	25	-	810	DL	1
SLEDTF5052-9W LED T5 RADO FIXTURE WW	9W	575	25	-	810	WW	1
SLEDTF5053-18W LED T5 RADO FIXTURE WHITE	18W	1185	25	-	1620	W	1
SLEDTF5054-18W LED T5 RADO FIXTURE DAY LIGHT	18W	1185	25	-	1620	DL	1
SLEDTF5055-18W LED T5 RADO FIXTURE WW	18W	1185	25	-	1620	WW	1
SLEDTF5091-4W LED RAYO TUBE CENTRE CORD WHITE	4W	310	30	-	360	W	2
SLEDTF5092-4W LED RAYO TUBE CENTRE CORD WARM WHITE	4W	310	30	-	360	WW	2
SLEDTF5093-9W LED RAYO TUBE CENTRE CORD WHITE	9W	555	25	-	810	W	2
SLEDTF5094-9W LED RAYO TUBE CENTRE CORD WARM WHITE	9W	555	25	-	810	WW	2
SLEDTF5095-18W LED RAYO TUBE CENTRE CORD WHITE	18W	1155	25	-	1620	W	2
SLEDTF5096-18W LED RAYO TUBE CENTRE CORD WARM WHI	18W	1155	25	-	1620	WW	2

T5 PRIMO SERIES  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

T8 PRIMO SERIES

T8 PRIMO SERIES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTF5056-10W LED T8 LITOMAX FIXTURE 300MM WHITE	10W	320	30	-	900	W	1
SLEDTF5057-10W LED T8 LITOMAX FIXTURE 300MM W/W	10W	320	30	-	900	WW	1
SLEDTF5058-20W LED T8 LITOMAX FIXTURE 600MM WHITE	20W	600	30	-	1800	W	1
SLEDTF5059-20W LED T8 LITOMAX FIXTURE 600MM W/W	20W	600	30	-	1800	WW	1
SLEDTF5060-40W LED T8 LITOMAX FIXTURE 1200MM WHITE	40W	1125	30	-	3600	W	1
SLEDTF5061-40W LED T8 LITOMAX FIXTURE 1200MM W/W	40W	1125	30	-	3600	WW	1
SLEDTF5075-6W LED TUBE HIGLOW 300MM WHITE	6W	310	25	-	540	W	2
SLEDTF5076-6W LED TUBE HIGLOW 300MM WARM WHITE	6W	310	25	-	540	WW	2
SLEDTF5077-6W LED TUBE HIGLOW 300MM DAYLIGHT	6W	310	25	-	540	DL	2
SLEDTF5078-12W LED TUBE HIGLOW 600MM WHITE	12W	600	25	-	1080	W	2
SLEDTF5079-12W LED TUBE HIGLOW 600MM WARM WHITE	12W	600	25	-	1080	WW	2
SLEDTF5080-12W LED TUBE HIGLOW 600MM DAYLIGHT	12W	600	25	-	1080	DL	2
SLEDTF5081-24W LED TUBE HIGLOW 1200MM WHITE	24W	1200	25	-	2160	W	2
SLEDTF5082-24W LED TUBE HIGLOW 1200MM WARM WHITE	24W	1200	25	-	2160	WW	2
SLEDTF5083-24W LED TUBE HIGLOW 1200MM DAYLIGHT	24W	1200	25	-	2160	DL	2
SLEDTF5101 - 20W LED LUMIMAX TUBE FIXTURE WHITE	20W	575	30	-	1800	W	3
SLEDTF5102 - 40W LED LUMIMAX TUBE FIXTURE WHITE	40W	1180	30	-	3600	W	3

FANCY T5-T8  
LIGHT SOURCES



Fig 1



Fig 2




Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

FANCY T5-T8	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTF5062-64W LED WITH REFLECTOR INDUSTRIAL FIX W	64W	1185	115	-	5760	W	1
SLEDTF5084-20W LED ECO FLATLITE WHITE	20W	600	80	-	1800	W	2
SLEDTF5085-20W LED ECO FLATLITE WARM WHITE	20W	600	80	-	1800	WW	2
SLEDTF5086-20W LED ECO FLATLITE DAYLIGHT	20W	600	80	-	1800	DL	2
SLEDTF5087-40W LED ECO FLATLITE WHITE	40W	1200	80	-	3600	W	3
SLEDTF5088-40W LED ECO FLATLITE WARM WHITE	40W	1200	80	-	3600	WW	3
SLEDTF5089-40W LED ECO FLATLITE DAYLIGHT	40W	1200	80	-	3600	DL	3
SLEDTF5097-5W LED FROSTED SWIVY WARM WHITE	5W	350	30	-	450	WW	4
SLEDTF5098-10W LED FROSTED SWIVY WARM WHITE	10W	580	30	-	900	WW	5

FANCY T5-T8  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

FANCY T5-T8	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTF5099-5W LED FROSTED SWIVY WHITE	5W	350	30	-	450	W	1
SLEDTF5100-10W LED FROSTED SWIVY WHITE	10W	580	30	-	900	W	2
SLEDTF5103 - 27W NLED HIBRITE FLATLITE WHITE	27W	597	75	-	2430	W	3
SLEDTF5104 - 54W LED HIBRITE FLATLITE WHITE	54W	1200	75	-	4860	W	3




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TUBES AND FIXTURES

LED TUBES AND FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTF5001-4W LED 300MM TUBE WITH FIXTURE-WHITE	4W	290	20	-	360	W	1
SLEDTF5002-4W LED 300MM TUBE WITH FIXTURE-W.W	4W	290	20	-	360	WW	1
SLEDTF5008-7W LED T5 ECO FIXTURE-WHITE	7W	575	25	-	630	W	1
SLEDTF5009-7W LED T5 ECO FIXTURE-WARM WHITE	7W	575	25	-	630	WW	1
SLEDTF5010-12W LED T5 TUBE ECO FIXTURE-WHITE	12W	975	25	-	1080	W	1
SLEDTF5011-12W LED T5 TUBE ECO FIXTURE-WARM WHITE	12W	975	25	-	1080	WW	1
SLEDTF5012-14W LED T5 TUBE ECO FIXTURE-WHITE	14W	1175	25	-	1260	W	1
SLEDTF5013-14W LED T5 TUBE ECO FIXTURE-WHITE	14W	1175	25	-	1260	WW	1
SLEDTF5007-18W LED 3 IN 1 T5 FIXTURE	18W	1154	25	-	1620	W/WW/DL	2
SLEDTF5014-24W LED TL BATTEN COOL WHITE	24W	1165	30	-	2160	W	3
SLEDTF5015-24W LED TL BATTEN DAYLIGHT	24W	1165	30	-	2160	DL	3
SLEDTF5016-24W LED TL BATTEN WARM WHITE	24W	1165	30	-	2160	WW	3
SLEDTF5017-12W LED TL BATTEN COOL WHITE	12W	600	30	-	1080	W	3
SLEDTF5018-12W LED TL BATTEN DAYLIGHT	12W	600	30	-	1080	DL	3
SLEDTF5019-12W LED TL BATTEN WARM WHITE	12W	600	30	-	1080	WW	3




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TUBES AND FIXTURES

LED TUBES AND FIXTURES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDTF5020-20W LED T8 FLATLITE COOL WHITE	20W	610	80	-	1800	W	1
SLEDTF5021-20W LED T8 FLATLITE DAYLIGHT	20W	610	80	-	1800	DL	1
SLEDTF5022-20W LED T8 FLATLITEWARM WHITE	20W	610	80	-	1800	WW	1
SLEDTF5023-40W LED T8 FLATLITE COOL WHITE	40W	1165	80	-	3600	W	1
SLEDTF5024-40W LED T8 FLATLITE DAYLIGHT	40W	1165	80	-	3600	DL	1
SLEDTF5025-40W LED T8 FLATLITE WARM WHITE	40W	1165	80	-	3600	WW	1
SLEDTF5043-7W LED SQUARE TUBE FIXTURE WHITE	7W	275	50	-	630	W	2
SLEDTF5044-7W LED SQUARE TUBE FIXTURE W/WHITE	7W	275	50	-	630	WW	2
SLEDTF5045-14W LED SQUARE TUBE FIXTURE WHITE	14W	535	50	-	1260	W	2
SLEDTF5046-14W LED SQUARE TUBE FIXTURE W/WHITE	14W	535	50	-	1260	WW	2
SLEDTF5063-4W LED TUBE SIDE CORD ACE WHITE	4W	310	25	-	360	W	3
SLEDTF5064-4W LED TUBE SIDE CORD ACE WARM WHITE	4W	310	25	-	360	WW	3
SLEDTF5065-9W LED TUBE SIDE CORD ACE WHITE	9W	585	25	-	810	W	3
SLEDTF5066-9W LED TUBE SIDE CORD ACE WARM WHITE	9W	585	25	-	810	WW	3
SLEDTF5067-14W LED TUBE SIDE CORD ACE WHITE	14W	1125	25	-	1260	W	3
SLEDTF5068-14W LED TUBE SIDE CORD ACE WARM WHITE	14W	1125	25	-	1260	WW	3
SLEDTF5069-20W LED TUBE SIDE CORD ACE WHITE	20W	1175	25	-	1800	W	3
SLEDTF5070-20W LED TUBE SIDE CORD ACE WARM WHITE	20W	1175	25	-	1800	WW	3
SLEDTF5090-20W LED ACE TUBE DAYLIGHT	20W	1175	25	-	1800	DL	3



Fig 1




Fig 2




Fig 3




Fig 4




Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR ECO FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF129-3W LED SLIM RD WALL FIXTURE W/W	3W	160	160	-	360	44	WW	1
SLEDOF130-3W LED SLIM RD WALL FIXTURE WHITE	3W	160	160	-	360	44	W	1
SLEDOF131-3W LED SLIM SQ WALL FIXTURE W/W	3W	130	130	-	360	44	WW	2
SLEDOF132-3W LED SLIM SQ WALL FIXTURE WHITE	3W	130	130	-	360	44	W	2
SLEDOF133-4W LED SLIM RECT WALL FIXTURE W/W	4W	90	240	-	360	44	WW	3
SLEDOF134-4W LED SLIM RECT WALL FIXTURE WHITE	4W	90	240	-	360	44	W	3
SLEDOF135-3W LED SLIM WALL SEMI FIXTURE W/W	3W	80	230	-	360	44	WW	4
SLEDOF136-3W LED SLIM WALL SEMI FIXTURE WHITE	3W	80	230	-	360	44	W	4
SLEDOF199-3W LED SLANTO 100MM WARM WHITE	3W	59	32	-	360	44	WW	5
SLEDOF200-4.5W LED SLANTO 160MM WARM WHITE	4.5W	70	30	-	405	44	WW	5
SLEDOF201-6W LED SLANTO 220MM WARM WHITE	6W	80	33	-	540	44	WW	6



LED OUTDOOR ECO  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR ECO FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF208-5W LED PLASTO HOOD WHITE	5W	150	42	-	450	44	W	1
SLEDOF209-5W LED PLASTO HOOD WARM WHITE	5W	150	42	-	450	44	WW	1
SLEDOF210-5W LED PLASTO GRILL WHITE	5W	150	42	-	450	44	W	2
SLEDOF211-5W LED PLASTO GRILL WARM WHITE	5W	150	42	-	450	44	WW	2
SLEDOF238-12W LED ROUND OSMIUM BULKHEAD WARM WHITE	12	60	120	-	1080	44	WW	3
SLEDOF239-12W LED SQUARE PALLADIUM BULKHEAD WARM W	12	60	120	-	1080	44	WW	4
SLEDOF240-12W LED OVAL RHENIUM BULKHEAD WARM WHITE	12	55	195	-	1080	44	WW	5
SLEDOF252-8W LED SQUARE HOOD WARM WHITE	8W	200	55	-	720	44	WW	6

LED OUTDOOR ECO  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR ECO FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF253-8W LED ROUND HOOD WARM WHITE	8W	200	55		720	44	WW	1
SLEDOF261A-3W LED FOOTLIGHT ROUND WARM WHITE	3W	135	135		270	44	WW	2
SLEDOF262A-3W LED FOOTLIGHT SQUARE WARM WHITE	3W	120	120		270	44	WW	3
SLEDOF263-3W LED FOOTLIGHT RECTANGULAR WARM WHITE	3W	150	90		270	44	WW	4
SLEDOF264-12W LED SQUARE PILLARLITE UP&DOWN WARM W	12W	230	90	110	1080	44	WW	5
SLEDOF265-6W LED SQUARE PILLARLITE UP/DOWN WARM WH	6W	170	90	110	540	44	WW	6

LED OUTDOOR ECO  
LIGHT SOURCES



Fig 1




Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR ECO FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF266-12W LED ROUND PILLARLITE UP&DOWN WARM WH	12W	230	90	110	1080	44	WW	1
SLEDOF267-6W LED ROUND PILLARLITE UP/DOWN WARM WHI	6W	170	90	110	540	44	WW	2
SLEDOF274-12W LED RD OSMIUM BULKHEAD WITH LEGS WW	12W	200	200	90	1080	44	WW	3
SLEDOF275-12W LED OV RHENIUM BULKHEAD WITH LEGS WW	12W	200	130	90	1080	44	WW	4

# LED OUTDOOR WALL WASHER LIGHT SOURCES



Fig 1



Fig 2





Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR WALL WASHER/STRUB LIGHTING	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SUGLED072 - 3 X1W BASE LED FIXTURE WHITE	3X1W	150	75		270	44	W	1
SUGLED073- 3X1W BASE LED FIXTURE W.W	3X1W	150	75		270	44	WW	1
SUGLED074 -3 X1W BASE LED FIXTURE GREEN	3X1W	150	75		270	44	G	1
SUGLED075 3 X1W SPIKE FIXTURE WHITE	3X1W	350	150		270	44	WW	2
SUGLED076 - 3 X1W SPIKE FIXTURE W.W	3X1W	350	150		270	44	WW	2
SUGLED077 - 3 X1W SPIKE FIXTURE GREEN	3X1W	350	150		270	44	G	2
SLEDOF143-3W LED ROUND OUTDOOR WARM WHITE	3W	95	90	110	270	44	WW	3
SLEDOF144-3W LED ROUND OUTDOOR WHITE	3W	95	90	110	270	44	W	3
SLEDOF145-3W LED ROUND OUTDOOR RGB	3W	95	90	110	270	44	R/G/B	3
SLEDOF146-5W LED ROUND OUTDOOR WARM WHITE	5W	95	110	130	450	44	WW	4
SLEDOF147-5W LED ROUND OUTDOOR WHITE	5W	95	110	130	450	44	W	4
SLEDOF148-7W LED ROUND OUTDOOR WARM WHITE	7W	120	100	130	630	44	WW	4
SLEDOF149-7W LED ROUND OUTDOOR WHITE	7W	120	100	130	630	44	W	4
SLEDOF150-12W LED SUPER BRIGHT WALL WASHER W/WHITE	12W	160	55	600	1080	44	WW	5
SLEDOF151-12W LED SUPER BRIGHT WALL WASHER WHITE	12W	160	55	600	1080	44	W	5
SLEDOF152-24W LED SUPER BRIGHT WALL WASHER W/WHITE	24W	200	55	1000	2160	44	WW	5
SLEDOF153-24W LED SUPER BRIGHT WALL WASHER WHITE	24W	200	55	1000	2160	44	W	5

# LED OUTDOOR WALL WASHER

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR WALL WASHER/STRUB LIGHTING	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF163-5W LED ZOOM WITH BASE WHITE	5W	0	80	60	450	44	W	1
SLEDOF164-5W LED ZOOM WITH BASE WARM WHITE	5W	0	80	60	450	44	WW	1
SLEDOF165-5W LED ZOOM WITH SPIKE WHITE	5W	0	80	250	450	44	W	2
SLEDOF166-5W LED ZOOM WITH SPIKE WARM WHITE	5W	0	80	250	450	44	WW	2
SLEDOF195- 5W LED COB OUTDOOR SPIKE GREEN	5W	0	80	250	450	44	G	2
SLEDOF196- 5W LED COB OUTDOOR SPIKE BLUE	5W	0	80	250	450	44	B	2
SLEDOF175-9W LED ZOOM SPIKE WHITE	9W	0	97	318	810	44	W	2
SLEDOF176-9W LED ZOOM SPIKE WARM WHITE	9W	0	97	318	810	44	G	2
SLEDOF197- 9W LED COB OUTDOOR SPIKE GREEN	9W	0	97	318	810	44	B	2
SLEDOF198- 9W LED COB OUTDOOR SPIKE BLUE	9W	0	97	318	810	44	W	2
SLEDOF177- 9W LED ZOOM BASE WHITE	9W	0	110	130	810	44	WW	1
SLEDOF178-9W LED ZOOM BASE WARM WHITE	9W	0	110	130	810	44	WW	1
SLEDOF216-5W LED CREE SPIKE LIGHT WARM	5W	0	65	100	450	44	WW	3
SLEDOF217-10W LED CREE SPIKE LIGHT WARM	10W	0	75	110	900	44	WW	3
SLEDOF241-20W LED CREE SPIKE LIGHT WARM WHITE	20W	0	130	405	1800	44	WW	4
SLEDOF272 - 24W LED RECTANGULAR WALL WASHER W/W	24W	0	90	80	2160	44	WW	5
SLEDOF273 - 6W LED CREE ZOOM SPOT WARM WHITE	6W	0	65	127	540	44	WW	6

# LED OUTDOOR WALL WASHER LIGHT SOURCES



Fig 1



Fig 2




Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR WALL WASHER/STRUB LIGHTING	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOWS001 - 5W LED COB OUTDOOR NEON SPIKE WARM WHITE	5W	0	70	90	450	44	WW	1
SLEDOWS002 - 5W LED COB OUTDOOR NEON BASE WARM WHITE	5W	0	70	235	450	44	WW	2
SLEDOWS003 - 10W LED COB OUTDOOR NEON SPIKE WARM WHITE	10W	0	98	235	900	44	WW	3
SLEDOWS003 - 10W LED COB OUTDOOR NEON BASE WARM WHITE	10W	0	98	235	900	44	WW	4
SLEDOWS005 - 10W LED RGB WITH REMOTE IP65 SPOT	10W	0	70	70	900	65	WW	5

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SUGLED103-5W 1 WAY LED WALL FIX-WHITE	5W	91	95		450	44	W	1
SUGLED104--5W 1 WAY LED WALL FIX-WARMWHITE	5W	91	95		450	44	WW	1
SUGLED105--10W 2 WAY LED WALL FIX-WHITE	10W	71	124		900	44	W	2
SUGLED106-10W 2 WAY LED WALL FIX-WARMWHITE	10W	71	124		900	44	WW	2
SLEDOF020-6W CREE LED TROIL WALL FIX-W.W	6W	70	220	130	540	44	WW	3

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF021-8W LED CORCNICE WALL FIX- W.W	8W	50	160		720	44	WW	1
SLEDOF022-6W CREE LED TRIM WALL FIX-W.W	6W	90	220	220	540	44	WW	2
SLEDOF023-3W CREE LED TRIM WALL FIX-W.W	3W	60	145	145	270	44	WW	2
SLEDOF024--2X3W CREE SATURN WALL FIX-W.W	2X3W	130	200	150	540	44	WW	3
SLEDOF025--5W CREE LED SQ AMAZE WALL FIX-W.W	5W	50	140	50	450	44	WW	4
SLEDOF108-3W LED WALL CONCEAL FIXTURE RECTANGULAR	3W	140	75	75	270	44	WW	5
SLEDOF109-3W LED WALL CONCEAL FIXTURE SQUARE	3W	140	140	60	270	44	WW	6



LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF110-4W LED L WALL FIXTURE	4W	200	80	90	360	44	WW	1
SLEDOF111-4W LED CRONE WALL FIXTURE	4W	120	160	90	360	44	WW	2
SLEDOF112-6W LED SPUTNIK WALL FIXTURE	6W	100	120	110	540	44	WW	3
SLEDOF119--6X1W LED OUTDOOR BOX LITE -W.W	6X1W	100	100	100	540	44	WW	4
SLEDOF120-10W LED OPALUX WALL LITE -WHITE	10W		120	120	900	44	W	5
SLEDOF121-10W LED OPALUX WALL LITE -W.W	10W		120	120	900	44	WW	5
SLEDOF122-15W LED LUMINUX WALL LITE -WHITE	15W	230	150	240	1350	44	W	6
SLEDOF123--15W LED LUMINUX WALL LITE -W.W	15W	230	150	240	1350	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF124--6W SMD LED AVOLUX WALL LITE -WHITE	6W	75	130	225	540	44	W	1
SLEDOF125--6W SMD LED AVOLUX WALL LITE-W.W	6W	75	130	225	540	44	WW	1
SLEDOF126--5W SMD LED CONLUX RECESSWALL LITE-W.W	5W	100	50	245	450	44	WW	2
SLEDOF127--5W SMD LED CONLUX RECESSWALL LITE-W.W	5W	100	50	245	450	44	WW	2
SLEDOF128--3W LED ANGULAR EYE LIGHT-W.W	3W	300	210	120	270	44	WW	3
SLEDOF137-4W LED MULTI STREAK LITE W/WHITE	4W	200	200		360	44	WW	4
SLEDOF138-5W LED OPALITE WITH HOOD W/WHITE	5W	140	320	245	450	44	WW	5
SLEDOF139- 8W LED WELIX OUTDOOR WALL LITE	8W	165	170	140	720	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF140-5W LED FELON UP & DN OUTDOOR WALL LIGHT	5W	50	145	245	450	44	WW	1
SLEDOF141-5W LED PENTRON OUTDOOR WALL LITE	5W	80	65	80	450	44	WW	2
SLEDOF142-10W LED CONSTAR UP & DOWN WALL LITE	10W	90	200	200	900	44	WW	3
SLEDOF154-6W LED COB TINTA WALL LAMP	6W	300	140	250	540	44	WW	4
SLEDOF155-10W LED COB TRION WALL LAMP	10W		290	198	540	44	WW	5
SLEDOF156-6W LED COB CHECKER WALL LAMP	6W	170	170	70	540	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3






Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF157-6W LED MAPLITHO WALL LITE WARM WHITE	6W	60	40	260	540	44	WW	1
SLEDOF158-6W LED MAPLITHO WALL LITE WHITE	6W	60	40	260	540	44	WW	1
SLEDOF159-3W CREE LED UP DOWN WALL LITE WARM WHITE	3W	70	160	100	270	44	WW	2
SLEDOF160-6W CREE LED UP&DOWN WALL LITE WARM WHITE	6W	70	240	100	540	44	WW	3
SLEDOF161-4W LED UFO WALL LITE WARM WHITE	4W	110	200	45	360	44	WW	4
SLEDOF162-8W LED DOUBLE UFO WALL LITE WARM WHITE	8W	110	200	45	720	44	WW	4
SLEDOF167-3W LED CROVE WALL LITE WARM WHITE	3W		Dia 160	100	270	44	WW	5
SLEDOF168-3W LED MARVE WALL LITE WARM WHITE	3W	160	160	100	270	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF169-2X3W LED SPHERE UP&DOWN WALL LITE WARM W	2X3W	160	90	60	540	44	WW	1
SLEDOF170-2X3W LED BRIAD UP&DOWN WALL LITE WARM WH	2X3W	160	90	60	540	44	WW	2
SLEDOF171-6W LED OVLONG WALL LAMP	6W	85	125	160	540	44	WW	3
SLEDOF172-6W LED TRAPEZOID CONCEALED WALL FIX	6W	220	130	60	540	44	WW	4
SLEDOF173-6W LED MINI TRAPEZOID CONCEALED WALLFIX	6W	220	130	60	540	44	WW	4
SLEDOF174-12W LED BERENIUM WALL LITE	12W		240	130	1080	44	WW	5
SLEDOF179-3W LED ANGULAR UP LIGHT WARM WHITE	3W		80	75	270	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5





Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF180-2X3W ANGULAR UP DOWN LIGHT W/WHITE	2X3W		80	140	540	44	WW	1
SLEDOF181-6W LED MATRIX OUTDOOR WALL WARM	6W		150	150	540	44	WW	2
SLEDOF182-6W LED JUPITER OUTDOOR WALL WARM	6W	200	200	75	540	44	WW	3
SLEDOF183-6W LED DUBLIN OUTDOOR WALL WARM	6W		Dia120	150	540	44	WW	4
SLEDOF184-2X6W LED PLATOON OUTDOOR WALL LITE WARM	2X6W	90	175		1080	44	WW	5
SLEDOF185-18W LED MAXTRIM WALL LITE WARM	18W		100	240	1620	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4






Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF186-20W LED OUTDOOR CEILING LAMP WARM	20W	240	240	45	1800	44	WW	1
SLEDOF187-7W LED KYRO WALL LAMP WARM	7W		85	220	630	44	WW	2
SLEDOF188-5W LED ONE WAY LIGHTER WARM	5W	75	105		450	44	WW	3
SLEDOF189-2X5W LED UP DOWN LIGHTER WARM	2X5W		75	200	900	44	WW	4
SLEDOF190-7W LED INTERCHANGABLE WALL LITE WARM	7W		Dia 150	65	630	44	WW	5
SLEDOF191-8W LED CRESTLINE OUTDOOR WALL LITE	8W		200	120	720	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF192-8W LED TECHLINE OUTDOOR WALL LITE	8W		200	90	720	44	WW	1
SLEDOF193-6W LED RECTANGULAR OUTDOOR WALL LITE	6W		150	46	540	44	WW	2
SLEDOF194-6W LED CIRCO OUTDOOR WALL LITE	6W		150	46	540	44	WW	3
SSGLW041-5W PALMATIC LED WALL FIXTURE WARMWHITE	5W		65	150	450	44	WW	4
SLEDOF202-12W LED WALL CEILING LITE WARM WHITE	12W		250	60	1080	44	WW	5
SLEDOF203-2X3W COB UP DOWN CURVO WALLLITE WARM	2X3W	130	85	75	540	44	WW	6



LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF204-3W COB UP DOWN CURVO WALLLITE WARM	3W	80	65	75	270	44	WW	1
SLEDOF205-9W LED QUADRIX WALL FIX WARM	9W		230	75	810	44	WW	2
SLEDOF206-9W LED ALEXIA WALL FIX WARM	9W		110	250	810	44	WW	3
SLEDOF207-9W LED EYETRIX WALL FIX WARM	9W		200	55	810	44	WW	4
SLEDOF212-7W LED OUTDOOR FLOWER WARM	7W		145	120	630	44	WW	5
SLEDOF213-7W LED OUTDOOR WAVE WARM	7W	100	160		630	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF214-12W LED BRISTO ANGLE WALL FTG WARM	12W		265	120	1080	44	WW	1
SLEDOF215-6W LED AMARETTO WALL FTG WARM	6W	100	220		540	44	WW	2
SLEDOF218-12W LED CRYSTAL WARM WHITE	12W		220	270	1080	44	WW	3
SLEDOF219-6W LED MINI CRYSTAL WARM WHITE	6W		150	205	540	44	WW	3
SLEDOF220-2X3W LED PARASOL WARM WHITE	2X3W	160	200	60	540	44	WW	4
SLEDOF221-4X3W LED PARASOL WARM WHITE	4X3W	160	210	60	1080	44	WW	5
SLEDOF222-4X3W LED STREAK LIGHT WARM WHITE	4X3W	125	120	45	1080	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF223-4W LED CROSS LIGHT WARM WHITE	4W	180	180	65	360	44	WW	1
SLEDOF224-6W LED CUBO WALL FIXTURE WARM	6W	220	75	110	540	44	WW	2
SLEDOF225-12W GLOBO LED WALL FIXTURE WARM	12W		200	185	1080	44	WW	3
SLEDOF226-12W POLO LED WALL FIXTURE WARM	12W		Dia 200	230	1080	44	WW	4
SLEDOF227-20W GYRO LED FIXTURE WARM WHITE	20W		250	270	1800	44	WW	5
SLEDOF228-12W GYRO LED FIXTURE WARM WHITE	12W		150	165	1080	44	WW	5
SLEDOF229-12W LED TREXPO WALL LITE WARM	12W	200	180		1080	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1




Fig 2



Fig 3






Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF230-9W LED TRIODE WALL FIXTURE WARM	9W	150	150		810	44	WW	1
SLEDOF231-10W LED OVALITE WALL FIXTURE WARM	10W	150	150		900	44	WW	2
SLEDOF232-6W LED PLAXTRON WALL LITE WARM	6W	110	85		540	44	WW	3
SLEDOF233-6W LED HEDREX WALL LITE WARM	6W	100	140	140	540	44	WW	4
SLEDOF234-2X3W LED CURVIX WALL LITE WARM	2X3W	200	160	60	540	44	WW	5
SLEDOF235-4X3W LED CURVIX WALL LITE WARM	4X3W	160	205	60	1080	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3





Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF236-4W LED SQ KNICKLITE WALL FIX WARM	4W	130	215		1080	44	WW	1
SLEDOF237-4W LED RD KNICKLITE WALL FIX WARM	4W	130	215		1080	44	WW	2
SSGLW045--2X3W LED CRAVE WALL LITE-W.W	2X3W	70	170	170	630	44	WW	3
SSGLW046-3W LED MARVEL WALL LITE-W.W	3W	95	30	95	540	44	WW	4
SSGLW047--2X3W LED MARVEL WALL LITE-W.W	2X3W	230	100	30	810	44	WW	5
SSGLW049--6W LED TRIMOX WALL- FIXTURE	6W	200	115	70	270	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SSGLW054--6W LED ANGULAR WALL FIXTURE-WHITE	6W	250	70	70	270	44	WW	1
SSGLW055--6W LED ANGULAR WALL FIXTURE-W.W	6W	250	70	70	810	44	WW	1
SSGLW056 - 8W LED SAMURAI WALL LITE W/WHITE	8W	295	100	30	1080	44	WW	2
SSGLW057- 10W LED BRICKOLITE WARM WHITE	10W	160	160		810	44	WW	3
SSGLW058-6W LED LANTERNO WALL LITE WARM WHITE	6W	300	75		810	44	WW	4
SLEDOF242-7W LED SPARKZ OUTDOOR LITE WARM WHITE	7W		170	175	1080	44	WW	5
SLEDOF243-6W LED LUMINO OUTDOOR LITE WARM WHITE	6W	135	40		630	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF244-9W LED STREAKRAYZ OUTDOOR LITE WARM WHIT	9W	163	100		1080	44	WW	1
SLEDOF245-3W LED SLITRO SQAURE OUTDOOR WARM WHITE	3W	70	70		1080	44	WW	2
SLEDOF246-3W LED SLITRO ROUND OUTDOOR WARM WHITE	3W	70	70		1080	44	WW	3
SLEDOF247-9W TORINO LED WALL FIXTURE WARM WHITE	9W	251	93		810	44	WW	4
SLEDOF248-12W LTRON LED WALL FIXTURE WARM WHITE	12W		Dia 120	150	1080	44	WW	5
SLEDOF249-9W LUMERAX LED WALL FIXTURE WARM WHITE	9W	200	120		810	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES




Fig 1



Fig 2




Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF250-9W LED RECT WALL LITE UP&DOWN WARM WHITE	9W	170	80	45	810	44	WW	1
SLEDOF251-12W LED RECT WALL LITE UP&DOWN WARM WHIT	12W	230	101	90	1080	44	WW	2
SLEDOF254-7W LED INTERCHABLE SQUARE WALLLITE WARM	7W	190	190	60	630	44	WW	3
SLEDOF255-12W LED BLAZE WALLLITE WARM WHITE	12W	225	135	105	1080	44	WW	4
SLEDOF256-12W LED SOMBRERO UP&DOWN WARM WHITE	12W	130	150	65	1080	44	WW	5
SLEDOF257-12W LED MALIN WALL LITE WARM WHITE	12W	68	360	68	1080	44	WW	6



LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1




Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF258-3W LED CUBIX WALL FIX WARM	3W	85	120	105	270	44	WW	1
SLEDOF259-7W LED CREE CANIS WALL FIX WARM WHITE	7W	150	120		630	44	WW	2
SLEDOF260-6W LED MALIN WALL FIX WARM WHITE	6W	160	165		540	44	WW	3
SLEDOF261-7W LED CREE UMBRA WALL FIX WARM WHITE	7W	395	251		630	44	WW	4
SLEDOF262-4X2W LED MOTO WALL FIX WARM WHITE	4X2W	120	120		720	44	WW	5
SLEDOF268-2X7W LED UP & DOWN OUTDOOR FIX WARM	2X7W	260	80		1260	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF269-8W LED TREXTRON WALL LITE WARM WHITE	8W	250	110		720	44	WW	1
SLEDOF270-2X6W LED BRITOLUX UP&DOWN LED WARM WHITE	2X6W	240	95		1080	44	WW	2
SLEDOF271-24W LED REXTRON WALL LITE WARM WHITE	24W	65	255		2160	44	WW	3
SLEDOF276 - 18W LED WATERPROOF SQ TUBE FIX WHITE	18W	590	35	IP65	1620	44	WW	4
SLEDOF277 - 36W LED WATERPROOF SQ TUBE FIX WHITE	36W	1200	35	IP65	3240	44	WW	4
SLEDOF278-13W LED TRIVIUM BOLLARD WARM W/OSRAM CHI	13W	200	150		1170	44	WW	5
SLEDOF279-13W LED QUADLITE WALLFIX WARM W/OSRAM C	13W	250	150		1170	44	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF280-8W LED PROBE WALL LITE WARM	8W	215	80		720	54	WW	1
SLEDOF281-2X4W LED CYLINDER WALL UP & DOWN WARM	8W	110	110		720	54	WW	2
SLEDOF282-2X3W LED HF CYLINDER WALL UP & DOWN WARM	6W	110	95		540	54	WW	3
SLEDOF283-2X3W LED SQUARE WALL UP & DOWN WARM	6W	100	130		540	54	WW	4
SLEDOF284-5W LED SS UPDOWN LIGHTER WARM	5W	120	75	125	450	54	WW	5
SLEDOF285-2X5W LED SS UP & DOWN LIGHTER WARM	10W	180	75	125	900	54	WW	6

LED OUTDOOR FIXTURE  
LIGHT SOURCES




Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED OUTDOOR FIXTURE	Wattage	Height	Width	Depth	Lumens	IP	Light Color	Fig
SLEDOF286-5W LED SS SQ UPDOWN LIGHTER WARM	5W	120	75	125	450	54	WW	1
SLEDOF287-2X5W LED SS SQ UP & DOWN LIGHTER WARM	10W	180	75	125	900	54	WW	2

# LED FLOOD LITE

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED FLOOD LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLFL001- 10W LED FLOOD LITE WHITE	10W	85	115		900	W	1
SLFL002 -10W LED FLOODLIGHT WARMWHITE	10W	85	115		900	WW	1
SLFL011-10W LED FLOOD LIGHT-GREEN	10W	85	115		900	G	1
SLFL018-10W LED FLOODLITE BLUE	10W	85	115		900	B	1
SLFL009- 10W RGB FLOODLITE COLOR CHANGING WITH RE	10W	85	115		900	R/G/B	2
SLFL016 - 20W LED FLOODLITE WHITE	20W	125	285		1800	WW	1
SLFL017 - 20W LED FLOOD LIGHT WARM WHITE	20W	125	285		1800	WW	1
SLFL003 - 30W LED FLOODLIGHT WHITE	30W	130	225		2700	W	3
SLFL004 - 30W LED FLOODLIGHT WARMWHITE	30W	130	225		2700	WW	3
SLFL012-30W LED FLOOD LIGHT GREEN	30W	130	225		2700	G	3
SLFL010 -30W RGB FLOODLITE COLOR CHANGING WITH RE	30W	130	225		2700	R/RG/B	2
SLFL005-50W LED FLOODLITE WHITE	50W	100	180		4500	W	3
SLFL006- 50W LED FLOOD LITE WARM WHITE	50W	100	180		4500	WW	3
SLFL007-80W LED FLOOD LIGHT -WHITE	80W	100	180		7200	W	3
SLFL008-80W LED FLOOD LIGHT-W.W	80W	100	180		7200	WW	3
SLFL015--120W LED FLOOD LITE ECO -WHITE	120W	100	360		10800	W	4
SLFL019- 120W LED FLOODLITE WARM WHITE	120W	100	360		10800	WW	4

LED FLOOD LITE  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED FLOOD LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLFL020-3 X50W LED FLOODLITE WHITE	3X50W	180	425		135000	W	1
SLFL021-3 X50W LED FLOODLITE WARM WHITE	3X50W	180	425		135000	WW	1
SLFL022-4X50W LED FLOODLITE WHITE	4X50W	180	450		180000	W	2

# LED A CLASS FLOOD LITE

## LIGHT SOURCES



Fig 1




Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### LED A CLASS FLOOD LITE

LED A CLASS FLOOD LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDAFL001-10W LED A CLASS FLOODLITE WHITE	10W	120	95		900	W	1
SLEDAFL002-10W LED A CLASS FLOODLITE WARM WHITE	10W	120	95		900	WW	1
SLEDAFL011-10W LED A CLASS FLOODLITE GREEN	10W	120	95		900	G	1
SLEDAFL012-10W LED A CLASS FLOODLITE BLUE	10W	120	95		900	B	1
SLEDAFL003-20W LED A CLASS FLOODLITE WHITE	20W	170	128		1800	W	1
SLEDAFL004-20W LED A CLASS FLOODLITE WARM WHITE	20W	170	128		1800	WW	1
SLEDAFL005-30W LED A CLASS FLOODLITE WHITE	30W	210	156		2700	W	2
SLEDAFL006-30W LED A CLASS FLOODLITE WARM WHITE	30W	210	156		2700	WW	2
SLEDAFL007-50W LED A CLASS FLOODLITE WHITE	50W	250	188		4500	W	3
SLEDAFL008-50W LED A CLASS FLOODLITE WARM WHITE	50W	250	188		4500	WW	3
SLEDAFL009-100W LED A CLASS FLOODLITE WHITE	100W	330	258		9000	W	4
SLEDAFL010-100W LED A CLASS FLOODLITE WARM WHITE	100W	330	258		9000	WW	4
SLEDAFL013-150W LED A CLASS FLOODLITE WHITE	150W	394	290		13500	W	4
SLEDAFL014-150W LED A CLASS FLOODLITE WARM WHITE	150W	394	290		13500	WW	4
SLEDAFL015-200W LED A CLASS FLOODLITE WHITE	200W	450	330		18000	W	4
SLEDAFL016-200W LED A CLASS FLOODLITE WARM WHITE	200W	450	330		18000	WW	4

# LED BLACK PEARL FLOOD LIGHT

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED BLACK PEARL FLOODLIGHT	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDBPFL001- 10W LED BLACK PEARL FLOODLIGHT WHITE	10W	114	132		900	W	1
SLEDBPFL002- 10W LED BLACK PEARL FLOODLIGHT WW	10W	114	132		900	WW	1
SLEDBPFL003- 30W LED BLACK PEARL FLOODLIGHT WHITE	30W	152	195		2700	W	2
SLEDBPFL004- 30W LED BLACK PEARL FLOODLIGHT W/W	30W	152	195		2700	WW	2
SLEDBPFL005- 50W LED BLACK PEARL FLOODLIGHT WHITE	50W	182	246		4500	W	3
SLEDBPFL006- 50W LED BLACK PEARL FLOODLIGHT W/W	50W	182	216		4500	WW	3
SLEDBPFL007- 100W LED BLACK PEARL FLOODLIGHT WHITE	100W	304	241		9000	W	4
SLEDBPFL008- 100W LED BLACK PEARL FLOODLIGHT W/W	100W	304	241		9000	WW	4
SLEDBPFL009- 150W LED BLACK PEARL FLOODLIGHT WHITE	150W	304	355		13500	W	5
SLEDBPFL010- 150W LED BLACK PEARL FLOODLIGHT W/W	150W	304	355		13500	WW	5
SLEDBPFL011- 200W LED BLACK PEARL FLOODLIGHT WHITE	200W	304	457		18000	W	6
SLEDBPFL012- 200W LED BLACK PEARL FLOODLIGHT W/W	200W	304	457		18000	WW	6



# LED MULTIFUNCTIONAL LIGHT

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### LED MULTIFUNCTIONAL LIGHT

LED MULTIFUNCTIONAL LIGHT	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDMFL001-50W LED MULTIFUNCTIONAL LIGHT WHITE	50W	100	210		4500	W	1
SLEDMFL002-2X50W LED MUTIFUNCTIONAL LIGHT WHITE	2X50W	200	210		9000	W	2
SLEDMFL003-3X50W LED MUTIFUNCTIONAL LIGHT WHITE	3X50W	300	210		13500	W	3

LED E CLASS FLOOD LITE  
LIGHT SOURCES



Fig 1




Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED ECLASS FLOOD LITE

LED ECLASS FLOOD LITE	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLFLE001-10W LED FLOOD ECLASS WHITE	10W	115	85		900	W	1
SLFLE005-10W LED ECLASS FLOOD WARM	10W	115	85		900	WW	1
SLFLE002-20W LED FLOOD ECLASS WHITE	20W	180	140		1800	W	2
SLFLE006-20W LED ECLASS FLOOD WARM	20W	180	140		1800	WW	2
SLFLE003-30W LED FLOOD ECLASS WHITE	30W	185	122		2700	W	3
SLFLE007-30W LED ECLASS FLOOD WARM	30W	185	122		27000	WW	3
SLFLE004-50W LED FLOOD ECLASS WHITE	50W	258	235		4500	W	4

LED STREET LIGHTS  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED STREETLIGHTS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSL011-12W MINI LED STREET LIGHW WHITE	12W	360	50		960	W	1
SLEDSL013-100W LED COB STREETLIGHT WHITE	100W	745	280		8000	W	2
SLEDSL014-150W LED COB STREETLIGHT WHITE	150W	895	320		12000	W	3
SLEDSL015-30W LED DESIGNER STREETLITE WHITE	30W	260	55		2400	W	4
SLEDSL022-30W LED DESIGNER STREETLITE WARM WHITE	30W	260	25		2400	WW	4
SLEDSL016-12W LED COB STREETLITE WHITE	12W	90	50		960	W	5
SLEDSL017-24W LED COB STREETLITE WHITE	24W	90	50		1920	W	6

# LED STREET LIGHTS

## LIGHT SOURCES



Fig 1



Fig 2




Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED STREETLIGHTS	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDSL018-60W LED COB STREETLITE WHITE	60W	260	85		4800	W	1
SLEDSL019-60W LED COB STREETLITE WW	60W	260	85		4800	WW	1
SLEDSL020-60W LED ECO COB STREETLIGHT WHITE	60W	35	20		4800	W	2
SLEDSL021-24W MINI LED STREET LIGHT WHITE	24W	35	20		1920	W	3
SLEDSL024-20W LED PEGASUS STREET LITE WHITE	20W	300	105		1600	W	4
SLEDSL025-30W LED PEGASUS STREET LITE WHITE	30W	360	125		2400	W	4
SLEDSL026-50W LED PEGASUS STREET LITE WHITE	50W	400	165		4000	W	5
SLEDSL028 - 100W LED PEGASUS STREETLITE WHITE	100W	630	220		8000	W	5
SLEDSL032-30W LED PEGASUS STREET LITE WARM WHITE	30W	360	125		2400	WW	4
SLEDSL033-50W LED PEGASUS STREET LITE WARM WHITE	50W	400	162		4000	WW	5

LED STREET LIGHTS WITH POLE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED STREET LIGHTS WITH POLE

SLEDSL023-58W LED STREETLIGHT WHITE WITH 3.5 M POLE  
 SLEDSL027-58W LED STREETLIGHT WARM WHITE WITH 3.5  
 SLEDSL029-30W LED VICTORIAN SL PHILIPS CHIP WHITE  
 SLEDSL030-40W LED SLANTEX SL PHILIPSCHIP WHITE  
 SLEDSL031-30WLEDLANTEX STREETLITE WITH PHILIPS WH

Wattage	Height	Lumens	GHT Color	Fig
58W	3500	4640	W	1
58W	3500	4640	WW	1
30W	2987	2900	W	2
40W	3597	3200	W	3
30W	3505	2400	W	4

LED BOLLARD  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED BOLLARD	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SDCAB036-6W LED ACALYPSO SMALL BOLLARD WHITE	6W	300	125	125X120	540	W	1
SDCAB037-6W LED ACALYPSO SMALL BOLLARD WARMWHITE	6W	300	125	125X120	540	WW	1
SDCAB038-6W LED ACALYPSO MED BOLLARD WHITE	6W	500	125	125X121	540	W	2
SDCAB039-6W LED ACALYPSO MED BOLLARD WARMWHITE	6W	500	125	125X122	540	WW	2
SDCAB040-6W LED ACALYPSO LARGE BOLLARD WHITE	6W	800	125	125X123	540	W	3
SDCAB041-6W LED ACALYPSO LARGE BOLLARD WARMWHITE	6W	310	233	125X124	540	WW	3
SDCAB042--6W LED ACALYPTO SMALL BOLLARD WHITE	6W	310	233	175X95	540	W	4
SDCAB043-6W LED ACALYPTO SMALL BOLLARD WARMWHITE	6W	500	233	175X96	540	WW	4
SDCAB044-6W LED ACALYPTO MED BOLLARD WHITE	6W	500	233	175X97	540	W	5
SDCAB045-6W LED ACALYPTO MED BOLLARD WARMWHITE	6W	820	234	175X98	540	WW	5
SDCAB046-6W LED ACALYPTO LARGE BOLLARD WHITE	6W	820	234	175X99	540	W	6
SDCAB047-6W LED ACALYPTO LARGE BOLLARD WARMWHITE	6W	600	233	175X100	540	WW	6

LED BOLLARD  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED BOLLARD	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SDCAB048-6W TRISTAR LED BOLLARD WARMWHITE	6W	300	248	200X75	540	WW	1
SDCAB056- 6W LED TRIMOX SMALL BOLLARD	6W	300	70	100X100	540	WW	2
SDCAB057- 6W LED TRIMOX LARGE BOLLARD	6W	800	295	100X101	540	WW	3
SDCAB063- 10W LED XO SERIES LARGE BOLLARD-W.W	6W	800	140	110X70	900	WW	4
SDCAB064- 8W LED SAMURAI BOLLARD 600MM W/WHITE	6W	600	295	130	720	WW	5
SDCAB065-6W LED LANTERNO SMALL BOLLARD W/WHITE	6W	300	75	130	540	WW	6

LED BOLLARD  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED BOLLARD

LED BOLLARD	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SDCAB066-6W LED LANTERNO MEDIUM BOLLARD W/WHITE	6W	500	75	100X70	540	WW	1
SDCAB067-6W LED PROTON SMALL BOLLARD W/WHITE	6W	300	135	100X65	540	WW	2
SDCAB068-6W LED PROTON MEDIUM BOLLARD W/WHITE	6W	500	135	100x65	540	WW	3
SDCAB069-8W LED ROXO SMALL BOLLARD WW	8W	300	115	200x120	720	WW	4
SDCAB070-9W LED ALEXIA SMALL BOLLARD WARM	9W	300	180	155x80	810	WW	5
SDCAB071-9W LED ALEXIA MEDIUM BOLLARD WARM	9W	500	118	155x80	810	WW	5
SDCAB072-9W LED EYETRIX BOLLARD SMALL WARM	9W	300	200	100	810	WW	6



LED BOLLARD  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED BOLLARD	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SDCAB073-9W LED EYETRIX BOLLARD MEDIUM WARM	9W	500	200	100	810	WW	1
SLEDB001-6W CUBO LED BOLLARD SMALL WARM	6W	300	70	100x100	540	WW	2
SLEDB002-6W CUBO LED BOLLARD MEDIUM WARM	6W	600	70	100x100	540	WW	3
SLEDB003-6W CUBO LED BOLLARD LARGE WARM	6W	900	70	100x100	540	WW	4
SLEDB004-9W LED GLOBIN SMALL BOLLARD WARM	9W	300	145	140	810	WW	5
SLEDB005-9W LED GLOBIN MEDIUM BOLLARD WARM	9W	500	145	140	810	WW	6

LED BOLLARD  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED BOLLARD	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDB006-9W LED GLOBIN LARGE BOLLARD WARM	9W	900	145	140	810	WW	1
SLEDB007-9W NOTCH LED BOLLARD SMALL WARM WHITE	9W	300	90	95	810	WW	2
SLEDB008-9W NOTCH LED BOLLARD MEDIUM WARM WHITE	9W	500	90	95	810	WW	3
SLEDB009-9W TORINO LED BOLLARD SMALL WARM WHITE	9W	300	100	100	810	WW	4
SLEDB010-9W TORINO LED BOLLARD MEDIUM WARM WHITE	9W	500	100	100	810	WW	5
SLEDB011-12W LUMIZA LED BOLLARD SMALL WARM WHITE	12W	300	152	160x60	1080	WW	6

LED BOLLARD  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED BOLLARD	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDB012-12W LUMIZA LED BOLLARD MEDIUM WARM WHITE	12W	500	152	160x16	1080	WW	1
SLEDB013-7W LED LEO BOLLARD MEDIUM WARM	7W	650	160	160x16	630	WW	2
SLEDB014-6W LED MALIN SMALL BOLLARD WARM	6W	300	160	160x16	540	WW	3
SLEDB015-12W LED TREXPO SMALL BOLLARD WARM	12W	230	180	110x110	1080	WW	4
SLEDB016-12W LED TREXPO MEDIUM BOLLARD WARM	12W	500	180	110x110	1080	WW	5
SLEDB017-10W LED OVALITE MEDIUM BOLLARD WARM	10W	500	185	180x75	900	WW	6

LED BOLLARD  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED BOLLARD	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDB018-13W LED QUADLITE BOLLARD WARM WITH ORSAM	13W	500	155	150x150	1170	WW	1
SLEDB019-8W LED PROBE BOLLARD MEDIUM 700MM WARM	8W	700	80	80	720	WW	2


LED POLLARD  
LIGHT SOURCES



Fig 1



Fig 2



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED POLLARD

LED POLLARD	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLEDPL001-48W LED BEACON POLLARD WHITE	48W	765	405	145X145	4320	W	1
SLEDPL002-33W LED LUZORA POLLARD WHITE	33W	720	690	145X15	2970	W	2

# LED UNDERGROUND FIXTURES

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### LED UNDER GROUND FIXTURES

LED UNDER GROUND FIXTURES	Wattage	Height	Width	Cutting Dia	Lumens	IP	Light Color	Fig
SUGLED046-1W ULTRABRITE INGROUND WHITE	1W	100	53	45	90	65	W	1
SUGLED047-1W ULTRABRITE INGROUND WARM WHITE	1W	100	53	45	90	65	WW	1
SUGLED058- 3W SLIM INGROUND COMP WHITE	3W	95	62	60	270	65	W	2
SUGLED059- 3W SLIM INGROUND COMP WW	3W	95	62	60	270	65	WW	2
SUGLED060- 6W LED UNDERGROUND COMP WHITE	6W	90	150	138	540	65	W	3
SUGLED061- 6W LED UNDERGROUND COMP WW	6W	90	150	138	540	65	WW	3
SUGLED062- 3W LED SQ UNDERGROUND WHITE	3W	60	95	85	270	65	W	4
SUGLED063- 3W LED SQ UNDERGROUND WW	3W	60	95	85	270	65	WW	4
SUGLED1008-3W LED MULTIDIRECT INGROUND MINI-W.W	3W	85	45	85	270	65	WW	5
SUGLED1009-1W INGROUND LED-W.W	1W	95	65	95	90	65	WW	6

# LED UNDERGROUND FIXTURES

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED UNDER GROUND FIXTURES	Wattage	Height	Width	Cutting Dia	Lumens	IP	Light Color	Fig
SUGLED1010-1W SQUARE MULTIDIRECTIONAL LED-W.W	1W	95	50	95	90	65	WW	1
SUGLED1011-5W LED INGROUND MULTIDIRECTIONAL H/D WA	5W	145	115	95	450	65	WW	2
SUGLED1012 - 24W LED INGROUND WALL WASHER W/W	24W	1000	90	985X60	260	65	WW	3
SUGLED1013 - 12W LED INGROUND WALL WASHER W/W	12W	500	95	490X60	1080	65	WW	3
SUGLED1014 - 4W LED INGROUND WALL WASHER W/W	4W	200	80	175X60	360	65	WW	3

# LED UNDERWATER FIXTURES

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### LED UNDERWATER FIXTURES

LED UNDERWATER FIXTURES	Wattage	Height	Width	Cutting Dia	Lumens	IP	Light Color	Fig
SUWL010-4W 12V LED UNDERWATER UG ROUND WHITE	4W	52	68	52	360	68	W	1
SUWL011-4W 12V LED UNDERWATER UG ROUND W.W	4W	52	68	52	360	68	WW	1
SUWL018-4W 12V BLUE LED SQ UNDER WATER UG FIXTURE	4W	72	68	72	360	68	B	2
SUWL019-9W RGB UNDER WATER FTG WITH DRIVER&CONTROL	9W	40	68	40	810	68	R/G/B	3
SUWL020-18WRGB STRIP BAR UNDER WATER FTG W DRIVER&	18W	30	1000		1620	68	R/G/B	4
SUWL021-12W LED SMD U/W FITTING WITH DRIVER W/W	12W	65	293		1080	68	WW	5
SUWL005-4W 12V UNDERWATER LED BASE FIXTURE WHITE	4W	80	50		360	68	W	6
SUWL006 4W 12V UNDERWATER LED BASE FIXTURE W.W	4W	55	100		360	68	WW	6
SUWL007 -4W 12V LED WATERPROOF UG FIXTURE W.W	4W	140	120	72	360	68	WW	2
SUWL008-4W 12V LED WATERPROOF UG FIXTURE WHITE	4W	140	120	72	360	68	W	2



# LED UNDERWATER FIXTURES

## LIGHT SOURCES



Fig 1




Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### LED UNDERWATER FIXTURES

LED UNDERWATER FIXTURES	Wattage	Height	Width	Cutting Dia	Lumens	IP	Light Color	Fig
SUWL012-6W LED SS FIXTURE WHITE	6W	140	120	85	540	68	W	1
SUWL013-6W LED SS FIXTURE RGB	6W	140	120	85	540	68	R/G/B	1
SUWL014-6W LED SS FIXTURE WARM WHITE	6W	140	120	85	540	68	WW	1
SUWL015-15W LED SS FIXTURE WHITE	15W	130	200	140	1350	68	W	2
SUWL016-15W LED SS FIXTURE RGB	15W	130	200	140	1350	68	R/G/B	2
SUWL017-15W LED SS FIXTURE WARM WHITE	15W	130	200	140	1350	68	WW	2
SUWL002-7X1W 12V LED UNDERWATER LIGHT W.W	7X1W	45	170		630	68	WW	3
SUWL004- 4X1W 12V LED UNDERWATER LIGHT W.W	4X1W	45	190		360	68	WW	4



Fig 1



Fig 2

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED GLOW SIGNS	Wattage	Height	Base	Lumens	GHT Color	Fig
SLEDGS001G - LED EXIT GLOW SIGN GREEN	150	370	-	-	G	1
SLEDGS001R - LED EXIT GLOW SIGN RED	150	370	-	-	R	2

LED MEDIUM / HIGH BAY  
LIGHT SOURCES



Fig 1




Fig 2



Fig 3



Fig 4



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED MEDIUM / HIGH BAY

LED MEDIUM / HIGH BAY	Wattage	Height	Width	Lumens	Light Color	Fig
SLEDMB001-40W LED MEDIUM BAY 72 LED	40W	280	250	3600	W	1
SLEDHB002- 30W LED HIGHBAY FIXTURE WHITE	80W	700	400	2700	W	2
SLEDHB003- 80W LED HIGHBAY FIXTURE WHITE	80W	740	400	7200	W	2
SLEDHB004 - 150W LED HIGHBAY FIXTURE WHITE	150W	970	500	13500	W	3
SLEDHB005-100W LED UFO HI BAY LIGHT	100W	970	500	9000	W	4

LED TABLE LAMP  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LED TABLE LAMP

STLL004-6W LED TOUCH TABLE LAMP WITH GOOSE NECK  
STLL005-5W TREXO LED TABLE LAMP  
STLL006-6W FLEXO LED TABLE LAMP  
SMRLL103- LED CANDLE WITH GLASS  
SLEDLP001-20W LED LOGO PROJECTOR MOQ 50PCS

Wattage	Height	Width	Lumens	Light Color	Fig
6W	440	300	540	W	1
5W	500	140	450	W	2
6W	700	140	450	W	3
-	-	-	-	WW	4
20W	-	-	-	-	5

CEILING FAN  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3




Fig 4



Fig 5



Fig 6



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

CEILING FAN

	Wattage	Height	Blade Width	Base	Lumens	Light Color	Fig
SLEDFS001-SAMSON FLIPPER FAN WITH 15W LED AND REMOTE	15W	800	850	-	-	W/WW/DL	1
SLEDFS002-SAMSON TWISTER FAN WITH 24W LED AND REMOTE	24W	525	1050	-	-	W/WW/DL	2
SLEDFS003-SAMSON TRENDY FAN WITH 24W LED AND REMOTE	24W	500	1100	-	-	W/WW/DL	3
SLEDFS004-SAMSON GLADIUS FAN WITH REMOTE	-	400	1500	-	-	W/WW/DL	4
SLEDFS005-SAMSON TURBO FAN WITH 36W LED AND REMOTE	36W	550	300	-	-	W/WW/DL	5
SLEDFS006-SAMSON VIZION FAN WITH 18W LED AND REMOTE	18W	400	1050	-	-	W/WW/DL	6

CEILING FAN  
LIGHT SOURCES




Fig 1



Fig 2



Fig 3



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

CEILING FAN

CEILING FAN	Wattage	Height	Blade Width	Base	Lumens	Light Color	Fig
SLEDFS007-SAMSON SWANKY FAN WITH 18W LED AND REMOTE	18W	525	1250	-	-	W/WW/DL	1
SLEDFS008-SAMSON TWISTER WHITE FAN WITH 24W LED AND REMOTE	24W	400	1050	-	-	W/WW/DL	2
SLEDFS009-SAMSON LILIPUT FAN WITH 18W LED AND REMOTE	18W	425	950	-	-	W/WW/DL	3



*Eco-friendly lighting solutions  
- for a better and brighter tomorrow*



## FIXTURES

*Illuminating space with ergonomic design and optimal form of lighting components*



# SS RUST PROOF GATE LIGHT

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### SS RUST PROOF GATE LIGHT

SS RUST PROOF GATE LIGHT	Wattage	Holder Type	Height	Width	Fixture Dia	Fig
SSGLW008 -EDWARD GATE LITE FTG	100W	BC/B22	478	230	150	1
SSGLW030-CELINA WALL FIXTURE	20W	ES	260	125	80X45	2
SSGLW031-STEVE WALL FIXTURE	11W	ES	250	65	80X60	3
SSGLW042-GU10 WALL ANGLULAR FIXTURE	10W	GU10	260	150	260X150	4
SSGLW044-MASTERO WALL LITE	30W	E27	125	125	26X125	5
SSGLB002-STELLA S.S BOLLARD SMALL	15CFL/16GLS	ES/E27	450	115	120	5
SSGLB003-STELLA MEDIUM S.S BOLLARD	15CFL/16GLS	ES/E27	650	115	120	5
SSGLB004-STELLA LARGE GL BOLLARD	15CFL/16GLS	ES/E27	1000	115	130	5
SSGLW048--TRIMAX WALL FIXTURE	20W	E27	250	70	70X70	6

# SS RUST PROOF GARDEN LIGHT

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

SS RUST PROOF GARDEN LIGHT BOLLARDS	Wattage	Holder Type	Height	Width	Fixture Dia	Fig
SSGLW051--HALF DOOM OUTDOOR WALLFIXTURE	22W	E27	180	230	180	1
SSGLW052--2X18W WILLOW OUTDOOR WALL- FIXTURE	20W	E27	245	175	120X210	2
SSGLW053--CLAMPO WALL- FIXTURE	15W	E27	120	195	120X210	3
SSGLW059-NETRIX LED WALL FIXTURE	15W	E27	250	70	80X70	4
SSGLW060-CYGNUS WALL FIXTURE	15W	E27	260	150	110X90	5

# DIECAST ALM.GARDEN LIGHT

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### DIECAST ALM. GARDEN LIGHT

DIECAST ALM. GARDEN LIGHT	Wattage	Holder Type	Height	Width	Fixture Dia	Fig
SDCAB026- CRYSTELLO BOLLARD	15W CFL/LED	E27	280	230	225	1
SDCAB028-CELINA SMALL BOLLARD(300MM)	15W CFL/LED	E27	300	125	125	2
SDCAB029-CELINA MEDIUM BOLLARD(800MM)	15W CFL/LED	E27	800	125	125	2
SDCAB030-STEVE SMALL BOLLARD(300MM)	15W CFL/LED	E27	300	90	90	3
SDCAB031-STEVE MEDIUM BOLLARD(800MM)	15W CFL/LED	E27	800	90	90	3
SDCAB035-SOMERTO BOLLARD	20W CFL	E27	255	125	194	4
SDCAB050-QUADRO-300MM BOLLARD	20W CFL	E27	303	120	163	5
SDCAB051-MINI CRYSTELLO BOLLARD	15W CFL/LED	E27	207	148	150	6

# SS RUST PROOF GARDEN LIGHT

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### DIECAST ALM. GARDEN LIGHT

DIECAST ALM. GARDEN LIGHT	Wattage	Holder Type	Height	Width	Fixture Dia	Fig
SDCAB052- OMERTA BOLLARD	22W CFL	E27	205	150	150	1
SDCAB054- TRIMAX BOLLARD SMALL	15W CFL/LED	E27	500	90	140	2
SDCAB055- TRIMAX BOLLARD LARGE	15W CFL/LED	E27	300	70	100	3
SDCAB074-NETRIX SMALL BOLLARD	15W CFL/LED	E27	860	70	100	4
SDCAB075-NETRIX LARGE BOLLARD	15W CFL/LED	E27	800	70	100	5
SDCAB076-MINI CENTAURUS BOLLARD	15W CFL/LED	E27	160	80	100	6

# SS RUST PROOF GARDEN LIGHT

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### DIECAST ALM. GARDEN LIGHT

DIECAST ALM. GARDEN LIGHT	Wattage	Holder Type	Height	Width	Fixture Dia	Fig
SDCAB077-CYGNUS SMALL BOLLARD	15W CFL/LED	E27	200	220	100	1
SDCAB078-CYGNUS MEDIUM BOLLARD	15W CFL/LED	E27	650	220	100	2
SDCAB015-MUSHROOM SMALL BOLLARD	18W CFL/LED	E27	300	200	100	3
SDCAB016-MUSHROOM MEDIUM BOLLARD	18W CFL/LED	E27	600	200	100	3

GARDEN SPIKE LAMPS  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

GARDEN SPIKE LAMPS

GARDEN SPIKE LAMPS	Wattage	Holder Type	Height	Width	Fixture Dim	Fig
SGSL002 -ZOOM GARDEN LITE SPIKE TYPE	35/50 HALOGEN	GU5.3(MR16)	370	75	45	1
SGSL007 -NELSON PAR FTG SPIKE TYPE WITH LAMP	PAR38	E27	435	100	90	2
SGSL008 -WATERPROOF MR16 FIX SPIKE TY	35/50 HALOGEN	MR16	311	75	95	3
SGSL012- GU10 SPIKE TYPE FIXTURE	50W GU10 LAMP	GU10	350	75	45	4

GARDEN WATER PROOF  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

GARDEN WATER PROOF / FOUNTAIN LIGHT	Wattage	Holder Type	Height	Width	Fixture Dia	Fig
SGWFL021-GU 10 BASE FIXTURE	50W	GU10	175	150	100	1
SGWFL022-2XGU 10 PILLAR LITE SLEEKO	2X50W	GU10	150	70	150X70	2
SGWFL023-GU10 PILLAR LITE SLEEKO	50W	GU10	80	70	80X70	3
SGWFL001 -ZOOM GARDEN LIGHT WITH BASE			-	-	-	4

OUTDOOR FIXT.BULK HEAD  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

OUT DOOR FIXT. BULK HEAD

		Wattage	Holder Type	Height	Width	Fixture Dim	Fig
SOBH001	-BULK HEAD TORNADO BULLET	11W CFL/60W GLS	B22	180	222	200X110	1
SOBH008	- BULK HEAD VIVA	18W CFL/ 60W GLS	B22	164	250	130X260	2
SOBH012	-GRACIA BULK HEAD	18W CFL/60W GLS	E27	180	222	140X280	3



UNDER GROUND / BURIAL DRIVE OVER  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

UNDER GROUND/ BURIAL DRIVE OVER MR16	Voltage	Wattage	Height	Width	IP	Base	Fig
SUGH001 -UNDERGROUND S.S PATH MR16 FTG	12V	20W CFL/50W HALOGEN	150	110	65	MR16	1
SUGH003 - UNDER GROUND LOW DEPTH MR16	12V	20W CFL/50W HALOGEN	80	120	68	MR16	2
SUGP007- 12V 50W JC WALL/SURFACE MOUNT IP68 FRP	12	50W	294	294	68	G6.3 HOLDER	3

# OUTDOOR FIXTURES WALL CONCEALED

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

OUTDOOR FIXTURES WALL CONCEALED	Wattage	Holder Type	Height	Width	Fixing Dia	IP	Fig
SOWC001-AL WALL PL BULK HEAD	18W	G24	101	233	235X105	44	1
SOWC002-BULK HEAD STRAIGHT LOUVRE	18W	G24	101	233	235X105	44	2
SOWC003- BULK HEAD ANGLED LOUVRE	18W	G24	101	233	235X105	44	3
SOWC004 -AL WALL SEMI BULK HEAD	18W	G24	125	233	230X130	44	4

PMMA ACRYLIC SUSPENDED DOOM  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

PMMA ACRYLIC SUSPENDED DOOM

	Height	Width	Dia	Base	Fig
SPASD001 - ACRYLIC DOOM 12"	100W	350	305	E27	1
SPASD005 - A.PR. DOOM 14" WITH SS HOLDER	20W	1050	177	E27	2
SPASD008 - ACRYLIC DOOM 7" COL	15W	1050	355	E27	3
SPASD018 - 10" MAC ACRYLIC DOOM CLEAR	20W	215	250	E27	4
SPASD020 - 10" MAC ACRYLLIC DOOM BLUE	20W	1050	410	E27	4

# FLOOD LIGHT HALOGEN FTGS

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

### FLOOD LIGHT HALOGEN FTGS

	Wattage	IP	Height	Width	Fig
SFLH001 -150W H.FIXTURE	150W	44	120	140	1
SFLH003 -500-300/500W H.FIXTURE	500W	44	170	183	1
SFLH005 -1000W H.FIXTURE	1000W	44	220	260	1
SFLM016 -250/400W EMPTY FTG	250W/400W MH		410	590	2
SFLM029- 70W NERO INTEGRAL MH FIXTURE	70W MH		180	180	3
SFLM030- 150W NERO INTEGRAL MH FIXTURE	150W MH		180	180	3
SFLM032-150W SLIM ECO INTERGRAL WITH BALLAST ONLY	150W MH		180	180	4
SFLM033- 150W NERO ECONOMY COMPLETE	150W MH		190	345	3

# T5 LINKABLE FIXTURE

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3

T5 LINKABLE FIXTURE	Wattage	Height	Width	Length	GHT Color	Fig
ST5L010-LINKABLE 16W CENTRE CORD/27K	14W	45	605	23	WW	1
ST5L011-LINKABLE 16W CENTRE CORD/65	14W	45	605	23	W	1
ST5L020-LINKABLE32W CENTRE CORD /27	28W	45	1205	23	WW	1
ST5L021-LINKABLE 32W CENTRE CORD 65K	28W	36	24	310	W	1
ST5L033- 8W ALU LINKABLE W/O COVER	8W	35	23	340	W	1
ST5L044- 8W ALU LINKABLE YELLOW	8W	35	23	570	WW	1
ST5L034- 16W ALU LINKABLE W/O COVER	16W	35	23	570	W	1
ST5L037- 16W/27K ALU LINKABLE W/O COVER	16W	36	25	1175	WW	1
ST5L035- 28W ALU LINKABLE W/O COVER	28W	36	25	1175	W	1
ST5L038- 28W/27K ALU LINKABLE FIX W/O COVER	28W	35	23	570	WW	1
ST5L057-21W ALU LINKABLE WHITE	21W	23	35	872	W	1
ST5L058-21W ALU LINKABLE WARM WHITE	21W	48	24	1220	WW	1
ST5S004 -T5 FTG SURFACE FTG TILLITE8W	8W	70	45	350	WW	2
ST5S015 -T5 8W FLAT SWIVEL	8W	30	81	350	WW	3
ST5S016 -T5 14W FLAT SWIVEL	14W	30	85	610	WW	3
ST5S027 - 8W T5 SWIVEL/2700	8W	30	81	350	WW	3
ST5S028 - 14W T5 SWIVEL /2700	14W	30	85	610	WW	3

T5 TUBULAR LAMPS  
LIGHT SOURCES



Fig 1

T-5 TUBULAR LAMPS	Wattage	Width	Length	Light Color	Fig
SST5001 -T5 8W /27 TUBE	8W	20	300	WW	1
SST5002 - T5 8W /65 TUBE	8W	20	300	W	1
SST5027 - 8W T5 SPARE TUBE 42K	8W	20	300	DL	1
SST5003 - T5 13W/27 TUBE	13W	20	600	WW	1
SST5004 - T5 13W/65 TUBE	13W	20	600	W	1
SST5005 - T5 14W/27 TUBE	14W	20	600	WW	1
SST5006 -T-5 14W/65 TUBE	14W	20	600	W	1
SST5007 -T5 14W/42 K TUBE	14W	20	600	WW	1
SST5008 - T5-14W TUBE RED	14W	20	600	R	1
SST5009 - T5 14W BLUE	14W	20	600	B	1
SST5010 - T5 14W GREEN TUBE	14W	20	600	G	1
SST5011 -T-5 28W/27 TUBE	28W	20	1200	WW	1
SST5012 -T5 28W/42 K TUBE	28W	20	1200	DL	1
SST5013 -T-5 28W/65 TUBE	28W	20	1200	W	1
SST5014 - T5 28W TUBE RED	28W	20	1200	R	1
SST5015 - T5 28W BLUE TUBE	28W	20	1200	B	1

T5 TUBULAR LAMPS  
LIGHT SOURCES



Fig 1

T-5 TUBULAR LAMPS	Wattage	Width	Length	Light Color	Fig
SST5016 - T5 28W GREEN TUBE	28W	20	1200	G	1
SST5017 -T5 21WATTS SPARE TUBE/27	21W	20	900	WW	1
SST5018 - T5 21W SPARE TUBE/65	21W	20	900	W	1
SST5028- 21W SPARE TUBE 42K	21W	20	900	DL	1
SST5019 -18W T8 TUBE RED	18W	20	600	R	1
SST5020 -18W T8 TUBE BLUE	18W	20	600	G	1
SST5021 -18W T8 TUBE GREEN	18W	20	600	B	1
SST5022 - 36W T8 TUBE RED	36W	20	1200	R	1
SST5023 - 36W T8 TUBE BLUE	36W	20	1200	B	1
SST5024 -36W T8 TUBE GREEN	36W	20	1200	G	1
SST5025 -T5 TUBE 54W	54W	20	1219	-	1
SST5026-T5 8W BLUE TUBE	8W	20	300	B	1
13W T5 SPARE TUBE BLUE	13W	20	300	B	1
13W T5 SPARE TUBE GREEN	13W	20	300	G	1
13W T5 SPARE TUBE RED	13W	20	300	R	1
13W T5 SPARE TUBE 42K	13W	20	300	DL	1

PAR HALOGEN LAMPS  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

PAR HALOGEN LAMPS

PAR HALOGEN LAMPS	Wattage	Height	Width	Base	Light Color	Fig
SPHL001-PAR38 E-27 100W	100W	135	123	E27	WW	1
SPHL002 -PAR38 E-27 120W COLOUR RED	120W	135	123	E27	B	2
SPHL006 - PAR38 E-27 120W COLOUR BLUE	120W	135	123	E27	G	3
SPHL007 - PAR38 E-27 120W COLOUR GREEN	120W	135	123	E27	G	4



SENSOR AND REMOTE  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

SENSOR AND REMOTE

Wattage

Range

Angle

Time Limit

Fig

SS001 - SENSOR 1000W

1000W

12MTR

120°

2SEC

1

SS006 - 300W MODULAR SENSOR

300W

30MTR

360°

1SEC

2

SS002 - LIGHTING REMOTE FOR 3/1000GLS

3000W

30MTR

360°

1SEC

3

SS007 - REMOTE FOR SHOWROOMS

1000W

12MTR

120°

1SEC

4

POLE LIGHTS  
LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6

POLE LIGHTS

POLE LIGHTS	Height	Width	IP	Light Color	Fig
SDCPL004-KANGO POLE TOP	480	690	65	WW	1
SDCPL006-LANTERN POLE TOP	750	360	65	WW	2
SDCPL009-BOND POLE TOP	480	690	65	WW	3
SDCPL005-NARINA POLE TOP	550	600	65	WW	4
SDCPL007-ROBO POLE LIGHT	552	505	65	WW	5
SDCPL010-ARGON POLE TOP	600	450	65	WW	6



Fig 1

POLE LIGHTS

	Height	Width	IP	Light Color	Fig
SDCPL008-3 METER POLE FOR POLE TOP LIGHTS	480	690	65	WW	1



## LAMPS, GEARS AND ACCESSORIES

*Futuristic and modern lighting solutions created  
out of an environmentally conscious approach*

CAPSULE HALOGEN LAMP  
LIGHT SOURCES



Fig 1



Fig 2

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

CAPSULE HALOGEN LAMP	Voltage	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SJCHL004 - JC 12V 20W G4	12V	20W	31	8.9	G4	1120	WW	1
SJCHL005 - JC 12V 50W G-6.3	12V	50W	36	11	G6.3	2800	WW	1
SJCHL009 - JC 220V50W G6.3 FROSTED	12V	50W	43	14	G6.3	2800	WW	1
SJCHL010 - HALOGEN JC 220V 20W	12V	20W	46	14	G4	1100	WW	1
SJCHL012 - JC HALOGEN LAMP220/20 G9 BASE	12V	20W	38	14	G9	1100	WW	2
SJCHL013 - HALOGEN JC 220V 50W G-9 BASE	12V	50W	46	14	G9	2800	WW	2

CIRCULAR TUBES  
LIGHT SOURCES



Fig 1



Fig 2

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

CIRCULAR TUBES

CIRCULAR TUBES	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SCT003 - 32W ROUND TUBE SET	32W	190	17	B22	1920	W	1
SCT006 - 22W+32W SPARE ROUND TUBE SET	32W	250	21	B22	1320	W	2
SCT007 - 22W SPARE ROUND TUBE	22W	215	30	B22	1320	W	2
SCT008 - 32W SPARE ROUND TUBE	32W	300	28	B22	1920	W	2

# CANDLE & ROUND LAMPS

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### CANDLE & ROUND LAMPS

	Wattage	Height	Width	Lumens	Light Color	Fig
40W CANDLE BC TAILED	40W	-	-	-	WW	1
40W CANDLE TWISTED	40W	-	-	-	WW	1
C25E14E14CL CANDLE 25WATTSE 14 CLEAR	25W	90	40	E14	WW	1
C25WB22CL-CANDLE 25W B22 CLEAR	25W	90	40	B22	WW	2
C25WB22FR-CANDLE 25W B22 FORESTED	25W	90	40	B22	WW	2
C25WE14FR CANDLE 25W E14 FROSTED	25W	90	40	E14	WW	2
C25WE27 FR-CANDLE 25W E-27 FORESTED	25W	90	40	E27	WW	1
C25WE27CL-CANDLE 25W E-27 CLEAR	25W	90	40	E27	WW	1
C40WB22CL- CANDLE 40W B22 CLEAR	40W	90	40	B22	WW	2
C40WB22FR-CANDLE 40W B22 FORESTED	40W	90	40	B22	WW	2
C40WB22TF-CANDLE 40W B22 TAILED FORESTED	40W	90	40	B22	WW	3
C40WE14CL-CANDLE E14 40W CLEAR	40W	90	40	E14	WW	1
C40WE14FR-CANDLE E-14 40W FORESTED	40W	90	40	W40	WW	1
C40WE14TC-CANDLE 40W TAILED E-14 CLEAR	40W	90	40	TAILED14	WW	4
C40WE14TF-CANDLE 40W E14 TAILED FORESTED	40W	90	40	E14	WW	4
C40WE27CL-CANDLE 40W E-27 CLEAR	40W	90	40	E27	WW	1
C40WE27FR-CANDLE 40W E-27 FORESTED	40W	90	40	E27	WW	1

## CANDLE & ROUND LAMPS

### LIGHT SOURCES



Fig 1



Fig 2



Fig 3



Fig 4



Fig 5



Fig 6

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### CANDLE & ROUND LAMPS

	Wattage	Height	Width	Lumens	Light Color	Fig
C40WE27TF-CCANDLE 40W E27 TAILED FORESTED	40W	90	40	E27	WW	1
C60WB22CL- CANDLE 60W B22 CLEAR	60W	90	40	B22	WW	2
C60WB22FR-CANDLE 60W B22 FORESTED	60W	90	40	B22	WW	2
C60WB22TF-CANDLE 60W B22 TAILED FORESTED	60W	90	40	B22	WW	3
C60WE14CL-CANDLE 60W E14 CLEAR	60W	90	40	E14	WW	4
C60WE14FR-CANDLE 60W E14 FORESTED	60W	90	40	E14	WW	4
C60WE14TC-CANDLE 60W E14 TAILED CLEAR	60W	90	40	E14	WW	1
C60WE14TF-CANDLE 40W E14 TAILED FORESTED	40W	90	40	E14	WW	1
C60WE27CL-CANDLE 60W E27 CLEAR	60W	90	40	E27	WW	4
C60WE27FR-CANDLE 60W E27 FORESTED	60W	90	40	E27	WW	4
C60WE27TC-CANDLE 60W E27 TAILED CLEAR	60W	90	40	E27	WW	1
C60WE27TF-CANDLE 60W E27 TAILED FORESTED	60W	90	40	E27	WW	1
R25E14CL-ROUND 25W E-14 CLEAR	25W	75	50	E14	WW	5
R25E27CL- ROUND 25W E-27 CLEAR	25W	75	50	E27	WW	5



# CANDLE & ROUND LAMPS

## LIGHT SOURCES



Fig 1



Fig 2



Fig 3

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

### CANDLE & ROUND LAMPS

	Wattage	Height	Width	Lumens	Light Color	Fig
R25WB22CL-ROUND 25W B22 CLEAR	25W	75	50	B22	WW	1
R25WB22FR-ROUND 25W B22 FORESTED	25W	75	50	B22	WW	1
R25WE14FR-ROUND 25W E-14 FORESTED	25W	75	50	E14	WW	2
R25WE27FR-ROUND 25W E27 FORESTED	25W	75	50	E27	WW	3
R40E27CL-ROUND 40W E-27 CLEAR	40W	75	50	E27	WW	3
R40WB22CL-ROUND 40W B22 CLEAR	40W	75	50	B22	WW	1
R40WB22FR-ROUND 40W B22 FORESTED	40W	75	50	B22	WW	1
R40WE14CL- ROUND 40W E14 CLEAR	40W	75	50	E14	WW	2
R40WE14FR-ROUND 40W E14 FORESTED	40W	75	50	E14	WW	2
R40WE27FR-ROUND 40W E-27 FORESTED	40W	75	50	E27	WW	3
R60WB22CL-ROUND 60W B22 CLEAR	60W	75	50	B22	WW	1
R60WB22FR- ROUND 60W B22 FORESTED	60W	75	50	B22	WW	1
R60WE14CL-ROUND 60W E14 CLEAR	60W	75	50	E14	WW	2
R60WE14FR- ROUND 60W E14 FORESTED	60W	75	50	E14	WW	2
R60WE27CL-ROUND 60W E27 CLEAR	60W	75	50	E27	WW	3
R60WE27FR-ROUND E27 60W FORESTED	60W	75	50	E27	WW	3

LINEAR HALOGEN LAMPS  
LIGHT SOURCES



Fig 1

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

LINEAR HALOGEN LAMPS

	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SLHL002 - 150W LINEAR HALOGEN LAMP 78 MM	150W	79	8	2250	R7S	WW	1
SLHL004 - 300W LINEAR HALOGEN LAMP	300W	119	8	5100	R7S	WW	1
SLHL005 - 500W HALOGEN LINEAR. LAMP	500W	119	8	9000	R7S	WW	1
SLHL006 - 1000W HALOGEN LAMP LINEAR	1000W	189	8	17000	R7S	WW	1

METAL HALIDE LAMPS  
LIGHT SOURCES



Fig 1



Fig 2

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

METAL HALIDE LAMPS

	Wattage	Height	Width	Base	Lumens	Light Color	Fig
SMHL001 -70W METAL HALIDE LAMP.52K	70W	117	21	R7S	550	DL	1
SMHL009 -150W METAL LAMP 52K	150W	135	24	R7S	12100	DL	1
SMHL019 -250W MH-TUBULAR LAMP 52K	250W	255	47/39	E40	17000	DL	2
SMHL021 -400W MH-TUBULAR LAMP 52K	400W	283	47/39	E40	30500	DL	2
SMHL026 -400W MH-TUB-RED LAMP	400W	283	47/39	E40	30500	R	2
SMHL027 -400W.MH.-TUB LAMP -BLUE	400W	283	47/39	E40	30500	B	2
SMHL028 -400W.MH.-TUB-GREEN LAMP	400W	283	47/39	E40	30500	G	2
SMHL004 -70W MH LAMP COLOR - BLUE	70W	116	21	R7S	5500	B	2



Fig 1



Fig 2

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

MOSQUITO FITTING	Grill Voltage	Wattage	Height	Width	Fig
SMM001 - MOSQUITO 2X20W FITTING WITH TUBE	220V	2X20W	650	660	1
SMM004 - 2X10 W MOSQUITO FITTINGS	220V	2X10W	295	400	2
SMM008 - 2X20W FLY KILLER MACHINE WITH SILENCER TECH	220V	2X20W	370	660	1

MH ALU ECO TRAY  
LIGHT SOURCES



Fig 1

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

MH ALU ECO TRAY	Wattage	Height	Width	Fig
SMHECT001-70W MH ECO ALU TRAY	70W	79	92	1
SMHECT002-150W MH ECO ALU TRAY	150W	79	92	1
SMHECT003-250W MH ECO ALU TRAY	250W	66	110	1
SMHECT004-400W MH ECO ALU TRAY	400W	66	110	1
SMHCT005- 70W MH TRAY COPPER	70W	79	92	1
SMHCT006- 150W MH TRAY COPPER	150W	79	92	1
SMHCT007- 250W MH TRAY COPPER	250W	66	110	1
SMHCT008-400W MH TRAY COPPER	400W	66	110	1



Fig 1



Fig 2




Fig 3

Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

UV LAMPS	Wattage	Height	Dia	Frequency / Nanometer	Base	Fig
SUVL005-20W BLB TUBE	20W	595	27	365	-	1
SUVL006-40W BLB TUBE	40W	1210	27	365	-	1
SUVL007-125W BLB E27	125W	170	74	365	E27	2
SUVL010 -8W GERMICIDAL TUBE	8W	296	16	254	-	3
SUVL011-15W GERMICIDAL TUBE	15W	450	27	254	-	3
SUVL012-30W GERMICIDAL TUBE	30W	900	27	254	-	3
SUVL018-20 W MOSQUITO TUBE	20W	600	37	285	-	3
SUVL019- 10W MOSQUITO TUBE	10W	300	37	285	-	3



## EXHAUST FANS

*Creating functional and comfortable spaces with  
versatile range of ventilation options*





PLASTIC EXHAUST FANS  
LIGHT SOURCES



Fig 1



Fig 2




Fig 3



Fig 4



Fig 5



Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

PLASTIC EXHAUST FANS	V-AC	WATTAGE	CURRENT (mA)	NOISE (dBA)	AIR FLOW (CFM)	Fig
6" AC /1520 Round	220V 50HZ	19W	86	39	220	1
EC 6" 1530 Auto	220V 50HZ	25W	140	43	300	2
4" EC 1010A	220V 50HZ	15W	80	40	100	3
6" EC 1530A	220V 50HZ	25W	140	43	300	3
4" EFN / 1009	220V 50HZ	50W	80	33	100	4
6" EFN / 1530	220V 50HZ	25W	140	37	300	4
4" EF 1009	220V 50HZ	15W	80	45	90	5
6" EF 1530	220V 50HZ	25W	140	45	290	5

ITEM CODE WITH NAME	MODEL	A	B	C	D	E	F	G	H	FIG.NO
FAC 1520 Round with Pull Code Switch, Window / Wall Mounting	6" AC	210	150	80	72	35	32	180	142	1
FEC 1530 Double Side Shutter Type (Ceiling/Window/Wall)	EC6"	208	52	73	149	208	64	-	-	2
FEC 1010 Double Side Shutter Type (Ceiling/Window/Wall)	EC 4"	149	48	54	97	149	110	-	-	3
FEC 1530 Front Shutter Automatic (Solenoid Valve)	EC6" A	208	52	73	149	208	64	-	-	3
FEFN 1009 Single Side Grill Type (Ceiling/Window/Wall)	EF-N 4"	158	158	55	98	21	-	-	-	4
FEFN 1530 Single Side Grill Type (Ceiling/Window/Wall)	EF-N 6"	210	210	68	148	21	-	-	-	4
FEF 1009 Single Side Grill Type (Ceiling/Window/Wall)	EF 4"	130	130	97.5	140	6	110	-	-	5
FEF 1530 Single Side Grill Type (Ceiling/Window/Wall)	EF 6"	208	208	145	208	8	118	-	-	5




Fig 1



Fig 2



Fig 3


















Dimension measurements in Millimetres

W - White | WW - Warm White | DL - Daylight | B - Blue | R - Red | G - Green | P - Pink

AXIAL FANS	Size	V-AC	Wattage	Current	Speed	Airflow	Noise	Weight	Fig
F4AX-4" AXIAL EXHAUST FAN	120X120X38	220V 50HZ	20W	110	2400	80	45	550	1
F8AX8" AXIAL EXHAUST FAN	220X220X60	220V 50HZ	22W	140	2300	150	3856	900	2
F6AX-6" AXIAL EXHAUST SQUARE FAN	172X172X55	220V 50HZ	22W	2050	2050	340	-	1300	3

# IP PROTECTION CODES

The Ip prefix followed by two significant digits indicates the fixture resistance to the penetration of solids and liquids safety rating (IEC 259 issue) 1<sup>st</sup> digit: against the penetration of the solid body and contact with live components. 2<sup>nd</sup> digit: against penetration by liquids.

<b>IP20</b>	Protection against the ingress of solid objects of $\phi > 12\text{mm}$ . No protection against water.
<b>IP40</b>	Protection against the ingress of solid objects of $\phi > 1\text{mm}$ . No protection against water.
<b>IP43</b> 	Protection against the ingress of solid objects of $\phi > 1\text{mm}$ and against falling rain.
<b>IP44</b> 	Protection against the ingress of solid objects of $\phi > 1\text{mm}$ and against water splash from all sides.
<b>IP54</b>  	Protection against ingress of dust and water splashes from all sides.
<b>IP55</b>  	Protection against ingress of dust and jets of water splashes from all directions.
<b>IP64</b>  	Protection against ingress of dust and water splashes from all directions.
<b>IP65</b>   	Protection against ingress of dust and jets of water splashes from all directions.
<b>IP67</b>  	Dust – tight and protected against the effects of temporary immersion.
<b>IP68</b>  	Water splashed against the enclosure from any direction shall have no harmful effect.


# SUGGESTIVE LUX LEVEL

AREA	Lux
Offices – Conference rooms	750
Shops	
Super markets	500
Show rooms – Car & General	500
Schools – Classrooms	500
Multi-Purpose Sports Hall	
Tabel Tennis, Gymnasium, Squash	500
Hospitals	
General	300
Examination	1000
Corridors – General	150
Reception/Enquiry	300
Homes	
Live Rooms	
-Casual Rooms	150
-Desk and Prolonged Reading	300
Hotels	
Reception/Cashiers/Lobby	300
Coffee Bar/Restaurants	150





## Certifications



## LED Chip Partners



No.191 Demellows Road, Choolai,  
Chennai-600 112. INDIA  
Phone: 2667 1125/1126  
Mob: +91 9840614887  
E-mail: [service@samsonlighting.com](mailto:service@samsonlighting.com)



[www.samsonlighting.com](http://www.samsonlighting.com)